

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.17.2014

Page 1 of 8

Cobalt Sulfate, 500g

SECTION 1 : Identification of the substance/mixture and of the supplier

Product name : Cobalt Sulfate, 500g

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25262

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific
9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education
15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2 : Hazards identification

Classification of the substance or mixture:



Irritant



Environmentally Damaging



Health hazard

Acute toxicity , Oral (Category 4)
Respiratory sensitisation (Category 1)
Carcinogenicity (Category 1B)
Reproductive toxicity (Category 1B)
Acute aquatic toxicity (Category 1)
Chronic aquatic toxicity (Category 1)
Skin Sens. (Category 1)

Signal word :Danger

Hazard statements:

Harmful if swallowed
May cause an allergic skin reaction
May cause allergy or asthma symptoms or breathing difficulties if inhaled
Suspected of causing genetic defects
May cause cancer
May damage fertility or the unborn child
Very toxic to aquatic life

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.17.2014

Page 2 of 8

Cobalt Sulfate, 500g

Very toxic to aquatic life with long lasting effects

Precautionary statements:

Do not eat, drink or smoke when using this product

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Avoid breathing dust/fume/gas/mist/vapours/spray

Wash ... thoroughly after handling

Avoid release to the environment

Use personal protective equipment as required

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

IF exposed or concerned: Get medical advice/attention

Rinse mouth

Collect spillage

Store locked up

Dispose of contents/container to ...

Combustible Dust Hazard :


May form combustible dust concentrations in air (during processing).

Other Non-GHS Classification:

WHMIS



NFPA/HMIS



NFPA SCALE (0-4)

| | |
|---------------------|---|
| Health | 2 |
| Flammability | 0 |
| Physical Hazard | 0 |
| Personal Protection | X |

HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

Ingredients:

CAS 10026-24-1

Cobalt Sulfate Heptahydrate

100 %

Percentages are by weight

SECTION 4 : First aid measures

Description of first aid measures

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.17.2014

Page 3 of 8

Cobalt Sulfate, 500g

After inhalation: Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. If breathing difficult, give oxygen.

After skin contact: Wash affected area with soap and water. Rinse thoroughly. Immediately seek medical assistance or advice. Flush with water for 15 minutes.

After eye contact: Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation, Nausea, Headache, Shortness of breath.;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

For safety reasons unsuitable extinguishing agents:

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Thermal decomposition can lead to release of irritating gases and vapors. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Advice for firefighters:

Protective equipment: Use NIOSH-approved respiratory protection/breathing apparatus.

Additional information (precautions): Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Use spark-proof tools and explosion-proof equipment.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Transfer to a disposal or recovery container. Use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Contain spilled material by diking or using inert absorbent.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13. Should not be released into environment.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

Reference to other sections:

SECTION 7 : Handling and storage

Precautions for safe handling:

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.17.2014

Page 4 of 8

Cobalt Sulfate, 500g

Minimize dust generation and accumulation. Wash hands after handling. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid ingestion and inhalation. Avoid dampness. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. Use only in well ventilated areas. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly sealed.

SECTION 8 : Exposure controls/personal protection



Control Parameters:

10026-24-1, Cobalt Sulfate, ACGIH TLV: NA , OSHA PEL: NA

Appropriate Engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or dusts (total/respirable) below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a fume hood. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Respiratory protection:

Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.

Protection of skin:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Eye protection:

Safety glasses with side shields or goggles.

General hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, beverages and feed sources. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.

SECTION 9 : Physical and chemical properties

| | | | |
|---|-------------------|--|----------------------------------|
| Appearance (physical state,color): | red or pink solid | Explosion limit lower: Explosion limit upper: | Not Determined Not Determined |
| Odor: | Not Determined | Vapor pressure: | Not Determined |

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.17.2014

Page 5 of 8

Cobalt Sulfate, 500g

| | | | |
|--------------------------------------|----------------------|---|---|
| Odor threshold: | Not Determined | Vapor density: | Not Determined |
| pH-value: | Not Determined | Relative density: | 1.948 @ 25 ° C |
| Melting/Freezing point: | 96.7°C (206.06 ° F) | Solubilities: | Soluble Available |
| Boiling point/Boiling range: | 420°C (788.00 ° F) | Partition coefficient (n-octanol/water): | Not Determined |
| Flash point (closed cup): | Not Determined | Auto/Self-ignition temperature: | Not Determined |
| Evaporation rate: | Not Determined | Decomposition temperature: | Not Determined |
| Flammability (solid,gaseous): | Not Determined | Viscosity: | a. Kinematic:Not Determined b. Dynamic: Not Determined |
| Density: Not Determined | | | |

SECTION 10 : Stability and reactivity

Reactivity:

Chemical stability:Stable under normal conditions of use and storage.

Possible hazardous reactions:

Conditions to avoid:Store away from oxidizing agents, strong acids or bases.Dust generation, moisture.

Incompatible materials:Strong acids.Strong bases.

Hazardous decomposition products:Oxides of sulfur.Cobalt oxides.

SECTION 11 : Toxicological information

| | |
|---|--|
| Acute Toxicity: | |
| Oral: | ECHA LD50 orl - rat: 582mg/kg |
| Chronic Toxicity: No additional information. | |
| Corrosion Irritation: No additional information. | |
| Sensitization: | No additional information. |
| Single Target Organ (STOT): | No additional information. |
| Numerical Measures: | No additional information. |
| Carcinogenicity: | Cobalt Sulfate: IARC: 2B - Group 2B: Possibly carcinogenic to humans. Cobalt Sulfate: NTP: Reasonably anticipated to be a human carcinogen. Cobalt Sulfate: OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |
| Mutagenicity: | No additional information. |

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.17.2014

Page 6 of 8

Cobalt Sulfate, 500g

Reproductive Toxicity:

Presumed human reproductive toxicant.
Reproductive toxicity - mouse - Inhalation
Paternal Effects: Spermatogenesis
(including genetic material, sperm
morphology, motility, and count). Paternal
Effects: Testes, epididymis, sperm duct.

SECTION 12 : Ecological information

Ecotoxicity Persistence and degradability: Readily degradable in the environment.

Bioaccumulative potential:

Mobility in soil:

Other adverse effects: Not biodegradable.

SECTION 13 : Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14 : Transport information

UN-Number

3077

UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cobalt(II) sulfate heptahydrate)

Transport hazard class(es)

Packing group: III

Environmental hazard: Marine pollutant

Transport in bulk:

Special precautions for user: Marine pollutant

SECTION 15 : Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic

SARA Section 313 (Specific toxic chemical listings):

10026-24-1 Cobalt Sulfate

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.17.2014

Page 7 of 8

Cobalt Sulfate, 500g

Proposition 65 (California):

Chemicals known to cause cancer:

10026-24-1 Cobalt Sulfate

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients is listed

SECTION 16 : Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 12.17.2014

Page 8 of 8

Cobalt Sulfate, 500g

Effective date : 12.17.2014

Last updated : 03.19.2015