

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.06.2015

Page 1 of 7

Copper (II) Sulfate Solution,

SECTION 1 : Identification of the substance/mixture and of the supplier

Product name : Copper (II) Sulfate Solution,

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25853

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific
9 Barnhart Drive, Hanover, PA 17331

Supplier Details:

Fisher Science Education
15 Jet View Drive, Rochester, NY 14624

Emergency telephone number:

Fisher Science Education Emergency Telephone No.: 800-535-5053

SECTION 2 : Hazards identification

Classification of the substance or mixture:



Irritant

Skin sensitization, category 1
Eye irritation, category 2B
Skin irritation, category 2



Environmentally Damaging

Acute hazards to the aquatic environment, category 2



Health hazard

Specific target organ toxicity following repeated exposure, category 2

Skin sensitizers - Category 1

Hazardous to aquatic environment - acute hazard - Category 2

Skin corrosion/irritation - Category 2

Serious Eye Damage/Eye Irritation - Category 2

Specific target organ toxicity - Repeated exposure - Oral - Category 2: May cause damage to hematopoietic system, kidneys, liver, and/or stomach through prolonged or repeated exposure if swallowed.

Signal word :Warning

Hazard statements:

Causes skin irritation

May cause an allergic skin reaction

Causes serious eye irritation

May cause damage to organs through prolonged or repeated exposure

Toxic to aquatic life

Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.06.2015

Page 2 of 7

Copper (II) Sulfate Solution,


Read label before use
Wash skin thoroughly after handling
Do not eat, drink or smoke when using this product
Avoid release to the environment
Wear protective gloves/protective clothing/eye protection/face protection
Avoid breathing dust/fume/gas/mist/vapours/spray
Contaminated work clothing should not be allowed out of the workplace
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
IF ON SKIN: Wash with soap and water
Specific treatment (see supplemental first aid instructions on this label)
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse
If eye irritation persists get medical advice/attention
Collect spillage
Get Medical advice/attention if you feel unwell
Dispose of contents and container to an approved waste disposal plant

Other Non-GHS Classification:

WHMIS



NFPA/HMIS



NFPA SCALE (0-4)

Health	2
Flammability	0
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

SECTION 3 : Composition/information on ingredients

Ingredients:		
CAS 7758-99-8	Copper Sulfate	2.5-3 %
CAS 7732-18-5	Water, purified	97-97.5 %
Percentages are by weight		

SECTION 4 : First aid measures

Description of first aid measures

After inhalation: Move exposed individual to fresh air. Loosen clothing as necessary and position individual in

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.06.2015

Page 3 of 7

Copper (II) Sulfate Solution,

a comfortable position. Give artificial respiration if necessary. Get medical assistance if cough or other symptoms appear.

After skin contact: Wash affected area with soap and water. Seek medical advice if discomfort or irritation persists.

After eye contact: Protect unexposed eye. Rinse or flush exposed eye gently using water for 15-20 minutes. Remove contact lenses while rinsing. Continue rinsing eyes for an additional 15 minutes. Immediately get medical assistance.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Get medical assistance.

Most important symptoms and effects, both acute and delayed:

Shortness of breath. Irritation. Nausea. Headache.;

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents: No information available.

Special hazards arising from the substance or mixture:

May react with metals to release hydrogen gas.

Advice for firefighters:

Protective equipment: Wear protective eyewear, gloves, and clothing.

Additional information (precautions): Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Not relevant considering the small amounts used.

Methods and material for containment and cleaning up:

Keep in suitable closed containers for disposal. If necessary use trained response staff or contractor. Absorb with suitable material. Wear protective eyewear, gloves, and clothing. Refer to Section 8. Always obey local regulations. Containerize for disposal. Refer to Section 13.

Reference to other sections:

SECTION 7 : Handling and storage

Precautions for safe handling:

Wash hands after handling. Follow proper disposal methods. Refer to Section 13. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials. Protect from freezing and physical damage.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.06.2015

Page 4 of 7

Copper (II) Sulfate Solution,

SECTION 8 : Exposure controls/personal protection



Control Parameters:	7732-18-5, Water, purified, ACGIH TLV: NA, OSHA PEL: NA 7732-18-5, Copper Sulfate, ACGIH TLV: NA, OSHA PEL: NA
Appropriate Engineering controls:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Normal ventilation is adequate. Ensure eyewash and safety showers are available.
Respiratory protection:	Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.
Protection of skin:	Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.
Eye protection:	Safety glasses with side shields or goggles. Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
General hygienic measures:	Before rewearing wash contaminated clothing. Wash hands and exposed skin with soap and plenty of water. Perform routine housekeeping. Avoid contact with skin, eyes, and clothing.

SECTION 9 : Physical and chemical properties

Appearance (physical state,color):	Clear, colorless liquid	Explosion limit lower: Explosion limit upper:	Non Explosive Non Explosive
Odor:	Odorless	Vapor pressure:	Not Applicable
Odor threshold:	Not Applicable	Vapor density:	0.62 (Air = 1)
pH-value:	Not determined.	Relative density:	~ 1.0 -1.2
Melting/Freezing point:	Approx 100° C	Solubilities:	
Boiling point/Boiling range:	Approx 0° C	Partition coefficient (n-octanol/water):	Not Available
Flash point (closed cup):	Not Applicable	Auto/Self-ignition temperature:	Not Applicable
Evaporation rate:	Not Applicable	Decomposition temperature:	Not Available
Flammability (solid,gaseous):	Not flammable	Viscosity:	a. Kinematic:Not Applicable b. Dynamic: 0.952 mPas at 20 °C (68 °F)

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.06.2015

Page 5 of 7

Copper (II) Sulfate Solution,

Density: Approximately 1.0 -1.2 g/cm³ (8.345 lbs/gal) at 20 °C (68 °F)

SECTION 10 : Stability and reactivity

Reactivity: Nonreactive under normal conditions.

Chemical stability: Stable under normal conditions of use and storage.

Possible hazardous reactions:

Conditions to avoid: Incompatible materials.

Incompatible materials: Hydroxylamine, phosphates, alkalis, sulfuric acid, hydrazine, finely powdered metals, active metals.

Hazardous decomposition products: Highly toxic fumes of Sulfur oxides.

SECTION 11 : Toxicological information

Acute Toxicity:

Oral:	758-99-8	LD50 Rat 300 mg/kg
Inhalation:	758-99-8	LC50 -rat: 510mg/m ³ /2h

Chronic Toxicity: No additional information.

Corrosion Irritation: No additional information.

Sensitization: No additional information.

Single Target Organ (STOT): No additional information.

Numerical Measures: No additional information.

Carcinogenicity: No additional information.

Mutagenicity: No additional information.

Reproductive Toxicity: No additional information.

SECTION 12 : Ecological information

Ecotoxicity

Copper Sulfate: Copper has high chronic and acute toxicity to aquatic life.

Copper Sulfate: 96 Hr LC50 Lepomis macrochirus: 0.66 - 1.15 mg/L [semi-static]; 96 Hr LC50 Lepomis macrochirus: 0.96 - 1.8 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 0.1478 - 0.165 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: 0.09 - 0.19 mg/L [static]; 96 Hr LC50 Pimephales promelas: 0.6752 mg/L [static]

Persistence and degradability: Highly persistent with a >200 day half-life. Not expected to biodegrade.

Bioaccumulative potential: This material is expected to bioaccumulate significantly.

Mobility in soil:

Other adverse effects:

SECTION 13 : Disposal considerations

Waste disposal recommendations:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.06.2015

Page 6 of 7

Copper (II) Sulfate Solution,

SECTION 14 : Transport information

UN-Number

Not regulated

UN proper shipping name

Not regulated

Transport hazard class(es)

Packing group: Not regulated

Environmental hazard:

Transport in bulk:

Special precautions for user:

SECTION 15 : Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7758-99-8 Copper Sulfate Pentahydrate 10 lbs

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

12125-02-9 Not Regulated.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients is listed

SECTION 16 : Other information

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.06.2015

Page 7 of 7

Copper (II) Sulfate Solution,

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

Effective date : 01.06.2015

Last updated : 03.19.2015