

SAFETY DATA SHEET

Creation Date 22-Sep-2009

Revision Date 24-Dec-2021

Revision Number 6

 1. Identification

 Product Name
 Allyl chloride, stabilized

 Cat No. :
 AC102910000; AC102910010; AC102910025; AC102910050; AC102910050; AC102911000

 CAS No
 107-05-1

 Synonyms
 3-Chloropropene

 Recommended Use
 Laboratory chemicals.

 Uses advised against
 Food, drug, pesticide or biocidal product use.

 Details of the supplier of the safety data sheet

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	
Specific target organ toxicity - (repeated exposure)	Category 2
Target Organs - Central nervous system (CNS), Liver, Kidney.	

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor Causes skin irritation Causes serious eye irritation May cause respiratory irritation Suspected of causing genetic defects Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure Harmful if swallowed, in contact with skin or if inhaled



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Call a POISON CENTER or doctor/physician if you feel unwell

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Indestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant <u>Hazards not otherwise classified (HNOC)</u> Very toxic to aquatic life WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Allyl chloride	107-05-1	>95
Propylene oxide	75-56-9	0.05-0.09

4. First-aid measures		
Eye Contact	Immediate medical attention is required. Get medical attention.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.	
Inhalation	Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration.	
Ingestion	Do NOT induce vomiting. Get medical attention.	
Most important symptoms and effects Notes to Physician	Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically	

5. Fire-fighting measures

Suitable Extinguishing Media	Carbon dioxide (CO 2). Dry chemical. Water mist may be used to cool closed containers. Chemical foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	-29 °C / -20.2 °F
Method -	No information available
Autoignition Temperature	390 °C / 734 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	11.2% 3.3% ct No information available No information available

Specific Hazards Arising from the Chemical

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Phosgene. Hydrogen chloride gas. **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 3	Flammability 3	Instability 2	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	Remove all sources of ign Avoid contact with skin, ev		res against static discharges.
Environmental Precautions	contaminate ground water	vater or sanitary sewer system. I system. Prevent product from e icant spillages cannot be contair	ntering drains. Local authorities
Methods for Containment and C Up	sawdust). Keep in suitable	ent material (e.g. sand, silica gel e, closed containers for disposal. explosion-proof equipment. Pro	Remove all sources of ignition.
	7. Handling	and storage	
Handling	breathe mist/vapors/spray in closed system or provic explosion-proof equipmen Take precautionary measu	e appropriate exhaust ventilatior t. Use only non-sparking tools. F ures against static discharges. K unition. To avoid ignition of vapor	on clothing. Handle product only n. Use spark-proof tools and Remove all sources of ignition. eep away from open flames, hot
Storage.		way from heat, sparks and flame lace. Incompatible Materials. A	e. Keep container tightly closed in .cids. Bases. Amines. Metals.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Allyl chloride	TWA: 1 ppm STEL: 2 ppm Skin	(Vacated) TWA: 1 ppm (Vacated) TWA: 3 mg/m ³ (Vacated) STEL: 2 ppm (Vacated) STEL: 6 mg/m ³ TWA: 1 ppm TWA: 3 mg/m ³	IDLH: 250 ppm TWA: 1 ppm TWA: 3 mg/m ³ STEL: 2 ppm STEL: 6 mg/m ³	TWA: 1 ppm STEL: 2 ppm
Propylene oxide	TWA: 2 ppm	(Vacated) TWA: 20 ppm (Vacated) TWA: 50 mg/m ³ TWA: 100 ppm TWA: 240 mg/m ³	IDLH: 400 ppm	TWA: 2 ppm

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	pungent
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-136 °C / -212.8 °F
Boiling Point/Range	44 - 46 °C / 111.2 - 114.8 °F @ 760 mmHg
Flash Point	-29 °C / -20.2 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	11.2%
Lower	3.3%
Vapor Pressure	395 mbar @ 20 °C
Vapor Density	No information available
Specific Gravity	0.939
Solubility	3.6 g/L (20°C)
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	390 °C / 734 °F
Decomposition Temperature	No information available
Viscosity	0.34 mPa.s at 20 °C
Molecular Formula	C3 H5 Cl
Molecular Weight	76.53

10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	May form explosive peroxides.		
Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Excess heat. Ex to light. Incompatible products. Exposure to moist air or water.			
Incompatible Materials Acids, Bases, Amines, Metals, Finely powdered metals			
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas			
Hazardous Polymerization Hazardous polymerization may occur.			
Hazardous Reactions None under normal processing.			
	11. Toxicological information		

Acute Toxicity

Product Information

Oral LD50 Dermal LD50 Vapor LC50 Component Informa	tion	Category 4. ATE = Category 4. ATE = Category 3. ATE =	= 1000 - 2000 mg/			
Component		LD50 Oral		LD50 Dermal	LC50 li	nhalation
Allyl chloride	e L	.D50 = 450 mg/kg(R	tat) LD50 =	2026 mg/kg (Rabbit) LC50 = 11 m	ng/L(Rat)4 h
Propylene oxi	de L	.D50 = 520 mg/kg(R	tat) LD50 =	1244 mg/kg (Rabbit) 9.48 mg/l	L (Rat)4 h
Toxicologically Syne Products Delayed and immedi	-	No information ava		nd long-term expo	sure_	
Irritation		Irritating to eyes, re	espiratory system	and skin		
Sensitization		No information ava	ailable			
Carcinogenicity				cancer based on al listed any ingredien		le below
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Allyl chloride	107-05-1	Not listed	Not listed	A3	Not listed	A3
Propylene oxide IARC (Internationa	75-56-9	Group 2B	Reasonably Anticipated	A3 rnational Agency for R	Х	A3
Hygienists) Mexico - Occupatio Mutagenic Effects	n Conference of G	Substances which the available inform	NTP: (Nati Known - K Reasonab Carcinoge ial A1 - Know A2 - Suspe A3 - Anima ACGIH: (/ Mexico - C A1 - Confii A2 - Suspe A3 - Confii A4 - Not C A5 - Not S cause concern fo mation is not adeo	Possibly Carcinogen onal Toxicity Program nown Carcinogen y Anticipated - Reaso n Human Carcinogen acted Human Carcinogen American Conference ccupational Exposure med Human Carcinog acted Human Carcinog acted Human Carcinog acted Human Carcinog lassifiable as a Human uspected as a Human or man owing to pos juate for making a s) nably Anticipated to b gen of Governmental Indu Limits - Carcinogens gen gen en Carcinogen Sible mutagenic effe	ects but for which
Reproductive Effect		No information ava				
Developmental Effect	cts	No information ava				
		No information ava				
STOT - single expos STOT - repeated exp		Respiratory system Central nervous sy		Kidney		
Aspiration hazard		No information ava	ailable			
Symptoms / effects delayed	both acute and	Inhalation of high v tiredness, nausea		ons may cause sym	ptoms like headach	ie, dizziness,
Endocrine Disruptor	Information	No information ava	ailable			
Other Adverse Effec	ts	The toxicological properties have not been fully investigated.				

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Allyl chloride	Not listed	LC50: 41.03 - 67.02 mg/L, 96h static (Poecilia reticulata) LC50: 14.97 - 24.78 mg/L, 96h static (Pimephales promelas) LC50: 33.52 - 53.47 mg/L, 96h static (Lepomis macrochirus)	Not listed	Not listed
Propylene oxide	EC50: = 240 mg/L, 96h (Pseudokirchneriella subcapitata)	LC50: = 215 mg/L, 96h static (Lepomis macrochirus)	EC50 = 3300 mg/L 160 min	EC50: = 350 mg/L, 48ł (Daphnia magna)

Persistence and Degradability Bioaccumulation/ Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Allyl chloride	2.1
Propylene oxide	0.08

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	
UN-No	UN1100
Proper Shipping Name	ALLYL CHLORIDE
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	I
TDG	
UN-No	UN1100
Proper Shipping Name	ALLYL CHLORIDE
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	I
IATA	
UN-No	UN1100
Proper Shipping Name	ALLYL CHLORIDE
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	I
IMDG/IMO	
UN-No	UN1100
Proper Shipping Name	ALLYL CHLORIDE
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	I

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Allyl chloride	107-05-1	Х	ACTIVE	-
Propylene oxide	75-56-9	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Allyl chloride	107-05-1	Х	-	203-457-6	Х	Х	Х	Х	Х	KE-05882
Propylene oxide	75-56-9	Х	-	200-879-2	Х	Х	Х	Х	Х	KE-24565

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Allyl chloride	107-05-1	>95	1.0
Propylene oxide	75-56-9	0.05-0.09	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Allyl chloride	Х	1000 lb	-	-
Propylene oxide	Х	100 lb	-	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Allyl chloride	Х		-
Propylene oxide	X		-

OSHA - Occupational Safety and Health Administration

OSHA - United States Occupational Safety and Health Administration

	Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals		
	Allyl chloride	-	TQ: 1000 lb		
CERCLA	substanc	This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liabili Act (CERCLA) (40 CFR 302)			

Component	Hazardous Substances RQs	CERCLA EHS RQs
Allyl chloride	1000 lb 1 lb	-
Propylene oxide	100 lb	100 lb

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Propylene oxide	75-56-9	Carcinogen	-	Carcinogen
U.S. State Right-to-Know				

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Allyl chloride	Х	Х	Х	Х	Х
Propylene oxide	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):
DOT Marine Pollutant
DOT Severe Marine Pollutant

U.S. Department of Homeland

Security

This product contains the following DHS chemicals: **Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Propylene oxide	Release STQs - 10000lb

Other International Regulations

Mexico - Grade

No information available

Y Y N

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Allyl chloride	-	Use restricted. See item 75.	-
		(see link for restriction details)	
Propylene oxide	-	Use restricted. See item 28.	SVHC Candidate list - Carcinogenic
		(see link for restriction details)	(Article 57a)
		Use restricted. See item 29.	SVHC Candidate list - Mutagenic
		(see link for restriction details)	(Article 57b)
		Use restricted. See item 75.	
		(see link for restriction details)	

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Allyl chloride	107-05-1	Listed	Not applicable	Not applicable	Not applicable
Propylene oxide	75-56-9	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Allvl chloride	107-05-1	Not applicable	Not applicable	Not applicable	Annex I - Y45

Propylene oxide	75-56-9	5 tonne	50 tonne	Not applicable	Not applicable
		16. Other inf	ormation		
		TO. Other III	ormation		
Prepared By	Regulato	ory Affairs			
	Thermo	Fisher Scientific			
	Email: E	MSDS.RA@thermofi	sher.com		
Creation Date	22-Sep-2	2000			
Revision Date	24-Dec-2021				
Print Date	24-Dec-2021				
Revision Summary				the US OSHA HazCo 910.1200 to align with	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Harmonized System of Classification and Labeling of Chemicals (GHS).

End of SDS