

SAFETY DATA SHEET

Creation Date 05-Dec-2005 Revision Date 18-Dec-2025 **Revision Number** 10

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product Name 2-Butvne-1.4-diol

Cat No.: AC108080000; AC108080010; AC108080025; AC108080050;

AC108082500

CAS No 110-65-6

Synonyms 1,4-Dihydroxy-2-butyne

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Acros Organics Fisher Scientific Company One Reagent Lane One Reagent Lane Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Acute oral toxicity Category 3 Acute dermal toxicity Category 3 Acute Inhalation Toxicity - Dusts and Mists Category 3 Skin Corrosion/Irritation Category 1 B Serious Eve Damage/Eve Irritation Category 1 Skin Sensitization Category 1 Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Liver, Kidney, spleen.

Label Elements

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage

May cause respiratory irritation

May cause an allergic skin reaction

May cause damage to organs through prolonged or repeated exposure

Toxic if swallowed, in contact with skin or if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Response

Immediately call a POISON CENTER or doctor

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Skin

Take off contaminated clothing and wash before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

If skin irritation or rash occurs: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposa

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available

3. Composition/information on Ingredients

Component	CAS No	Weight %
2-Butyne-1,4-diol	110-65-6	>95
4-Methylene-2-pentyne-1,5-diol	881313-36-6	0.1-0.5
Formaldehyde	50-00-0	0.01-0.1

4. First-aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point 152 °C / 305.6 °F

Method - No information available

Autoignition Temperature 410 °C / 770 °F

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Thermal decomposition can lead to release of irritating gases and vapors. **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards310N/A

6. Accidental release measures

Revision Date 18-Dec-2025 2-Butyne-1,4-diol

Personal Precautions

Environmental Precautions

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak, Avoid dust formation. Should not be released into the environment. Do not flush into surface water or sanitary

sewer system. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

7. Handling and Storage

Handling Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear

personal protective equipment/face protection. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas), Avoid dust

formation.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Storage.

Incompatible Materials. Strong oxidizing agents. Strong acids. Strong bases. Finely

powdered metals. Acid anhydrides. Acid chlorides.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Formaldehyde	TWA: 0.1 ppm	(Vacated) TWA: 3 ppm	IDLH: 20 ppm	Ceiling: 0.3 ppm
	STEL: 0.3 ppm	(Vacated) STEL: 10 ppm	REL = 0.016 ppm (TWA)	
		(Vacated) Ceiling: 5 ppm	Ceiling: 0.1 ppm	
		TWA: 0.75 ppm		
		STEL: 2 ppm		

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Tight sealing safety goggles. Face protection shield.

Wear appropriate protective gloves and clothing to prevent skin exposure. Skin and body protection

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance

Physical State Solid Color Beige

No information available Odor

Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>• Method</u>

Melting Point/Range 54 - 58 °C / 129.2 - 136.4 °F

Softening Point

No data available

Boiling Point/Range

238 °C / 460.4 °F

Flash Point 152 °C / 305.6 °F Method - No information available

Flammability (liquid) Not applicable Solid

Flammability (solid,gas) No information available

Explosion Limits No data available

Autoignition Temperature 410 °C / 770 °F

Decomposition Temperature > 150°C pH 6.4

pH 6.4 100 g/L aq.sol

Viscosity Not applicable Solid Water Solubility 2960 g/L (20°C)

Solubility in other solvents

No information available

Partition Coefficient (n-octanol/water)

Componentlog Pow2-Butyne-1,4-diol-0.73Formaldehyde-0.35

Vapor Pressure 1.33 mbar @ 102 °C

Density / Specific Gravity 1.200

Bulk DensityNo data availableVapor DensityNot applicable

Particle characteristics No data available

Other Information

Molecular Formula C4 H6 O2 Molecular Weight 86.09

Evaporation Rate Not applicable - Solid

10. Stability and reactivity

Solid

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases, Finely powdered metals, Acid

anhydrides, Acid chlorides

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO₂), Thermal decomposition can lead to release

of irritating gases and vapors

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Information on expected route of exposure

Inhalation Harmful by inhalation.

Ingestion Ingestion causes burns of the upper digestive and respiratory tracts. Can burn mouth,

throat, and stomach. Harmful if swallowed.

Eyes Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Risk of serious damage to eyes.

Skin Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Causes burns.

Toxicology data for the components

Component LD50 Oral		LD50 Dermal	LC50 Inhalation
2-Butyne-1,4-diol	176 mg/kg (Rat female)	659 mg/kg (Rat)	0.69 mg/L/4h (Rat)
Formaldehyde	500 mg/kg (Rat)	LD50 = 270 mg/kg (Rabbit)	0.578 mg/L (Rat) 4 h

Toxicologically Synergistic

Products

No information available

(b) skin corrosion/irritation;

Category 1 B

(c) serious eye damage/irritation;

Category 1

(d) respiratory or skin sensitization;

Respiratory Skin Based on available data, the classification criteria are not met

Category 1

Component	Test method	Test species	Study result
Formaldehyde	Skin sensitization	Man	Sensitizer
50-00-0 (0.01-0.1)	Test method Patch Test	guinea pig	Sensitization
	Respiratory sensitization in vitro		

May cause sensitization by skin contact

(e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

Not mutagenic in AMES Test

(f) carcinogenicity;

Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
2-Butyne-1,4-diol	110-65-6	Not listed				
4-Methylene-2-pentyn	881313-36-6	Not listed				
e-1,5-diol						
Formaldehyde	50-00-0	Group 1	Known	A1	Х	A2

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system.

(i) STOT-repeated exposure; Category 2

Target Organs Liver, Kidney, spleen.

(j) aspiration hazard; Not applicable

Solid

Revision Date 18-Dec-2025 2-Butyne-1,4-diol

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

The toxicological properties have not been fully investigated. **Other Adverse Effects**

Endocrine Disrupting Properties This product does not contain any known or suspected endocrine disruptors.

12. Ecological information

Ecotoxicity

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2-Butyne-1,4-diol	430 mg/L EC50 = 96 h	49.3 - 58.3 mg/L LC50 96 h	EC50 = 1343 mg/L 48 h	26.8 mg/L EC50 = 48 h
	480 mg/L EC50 = 72 h	_	EC50 = 2940 mg/L 17 h	_
Formaldehyde	EC50 (72h) = 4.89 mg/L	Leuciscus idus: LC50 = 15	Not listed	EC50 = 20 mg/L 96h
	(Desmodesmus	mg/L 96h		EC50 = 2 mg/L 48h
	subspicatus)			-

Persistence and Degradability

Persistence is unlikely

Bioaccumulation/ Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
2-Butyne-1,4-diol	-0.73
Formaldehyde	-0.35

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Formaldehyde - 50-00-0	U122	-

14. Transport information

DOT

UN2716 **UN-No Proper Shipping Name** 1,4-Butynediol

Hazard Class 6.1 **Packing Group** Ш

TDG

UN2716 **UN-No**

Proper Shipping Name 1,4-Butynediol

Hazard Class 6.1 **Packing Group**

IATA

UN-No UN2716

Proper Shipping Name 1,4-Butynediol

Hazard Class 6.1 **Packing Group** Ш

IMDG/IMO

UN-No UN2716 1,4-Butynediol **Proper Shipping Name**

Hazard Class 6.1 Packing Group III

15. Regulatory Information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
2-Butyne-1,4-diol	110-65-6	X	ACTIVE	-
4-Methylene-2-pentyne-1,5-diol	881313-36-6	=	-	-
Formaldehyde	50-00-0	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
2-Butyne-1,4-diol	110-65-6	Χ	-	203-788-6	Χ	Χ	Χ	Х	Χ	X
4-Methylene-2-pentyne-1,5-diol	881313-36-6	-	-	-	-	-		-	-	-
Formaldehyde	50-00-0	Х	-	200-001-8	Х	Х	Х	Х	Х	KE-17074

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Formaldehyde	50-00-0	0.01-0.1	0.1 %	-

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Formaldehyde	X	100 lb	-	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Formaldehyde	X		-

OSHA - Occupational Safety and

Health Administration

Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Formaldehyde	2 ppm STEL	TQ: 1000 lb
	0.5 ppm Action Level	
	0.75 ppm TWA	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	100 lb 45.4 kg

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Formaldehyde	50-00-0	Carc. (Gaseous only)	40 μg/day	Carcinogen

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
2-Butyne-1,4-diol	-	X	-	-	-
Formaldabyda	V	V	V	V	V

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Formaldehyde	Release STQs - 15000lb (solution)

Other International Regulations

Mexico - Grade

Slight risk, Grade 1

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
2-Butyne-1,4-diol	110-65-6	-	Use restricted. See entry 75. (see link for restriction details)	-
4-Methylene-2-pentyne-1,5-diol	881313-36-6	-	-	-
Formaldehyde	50-00-0	-	Use restricted. See entry 72. (see link for restriction details) Use restricted. See entry 77. (see link for restriction details) Use restricted. See entry	-

	28.
	(see link for restriction
	(see link for restriction details)
	Use restricted. See entry
	75. ·
	(see link for restriction
	(see link for restriction details)

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
2-Butyne-1,4-diol	110-65-6	Listed	Not applicable	Not applicable	Not applicable
4-Methylene-2-pentyne-1,5-di	881313-36-6	Not applicable	Not applicable	Not applicable	Not applicable
ol					
Formaldehyde	50-00-0	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
2-Butyne-1,4-diol	110-65-6	Not applicable	Not applicable	Not applicable	Not applicable
4-Methylene-2-pentyne-1,5-di ol	881313-36-6	Not applicable	Not applicable	Not applicable	Not applicable
Formaldehyde	50-00-0	5 tonne	50 tonne	Not applicable	Not applicable

16. Other Information

Prepared By Product stewardship (Regulatory Affairs)

Thermo Fisher Scientific

email - begel.sdsdesk@thermofisher.com

 Creation Date
 05-Dec-2005

 Revision Date
 18-Dec-2025

 Print Date
 18-Dec-2025

Revision Summary Updated to the U.S. Department of Labor's Occupational Safety and Health Administration

(OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200,

2024), May 20, 2024, effective July 19, 2024.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS