

## SAFETY DATA SHEET

Creation Date 05-Dec-2005 Revision Date 24-Dec-2021 Revision Number 8

1. Identification

Product Name 2-Butyne-1,4-diol

Cat No.: AC108080000; AC108080010; AC108080025; AC108080050;

AC108082500

**CAS No** 110-65-6

**Synonyms** 1,4-Dihydroxy-2-butyne

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

Company

Fisher Scientific Company Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

### 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 3 Acute dermal toxicity Category 3 Acute Inhalation Toxicity - Dusts and Mists Category 3 Skin Corrosion/Irritation Category 1 B Serious Eye Damage/Eye Irritation Category 1 Skin Sensitization Category 1 Specific target organ toxicity (single exposure) Category 3 Target Organs - Respiratory system. Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Liver, Kidney, spleen.

### Label Elements

#### Signal Word

Danger

### **Hazard Statements**

Causes severe skin burns and eye damage

May cause respiratory irritation

May cause an allergic skin reaction

May cause damage to organs through prolonged or repeated exposure

Toxic if swallowed, in contact with skin or if inhaled



### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation or rash occurs: Get medical advice/attention

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

## Ingestion

Rinse mouth

Do NOT induce vomiting

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposa

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

| Component         | CAS No   | Weight % |
|-------------------|----------|----------|
| 2-Butyne-1,4-diol | 110-65-6 | >95      |
| Formaldehyde      | 50-00-0  | 0.01-0.1 |

### 4. First-aid measures

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing Treat symptomatically

Notes to Physician

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

**Flash Point** 152 °C / 305.6 °F

Method - No information available

Autoignition Temperature 410 °C / 770 °F

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Thermal decomposition can lead to release of irritating gases and vapors. **Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards310N/A

### 6. Accidental release measures

**Personal Precautions** 

**Environmental Precautions** 

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

Revision Date 24-Dec-2021 2-Butyne-1,4-diol

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

7. Handling and storage

Handling

Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust

formation.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Strong oxidizing agents. Strong acids. Strong bases. Finely

powdered metals. Acid anhydrides. Acid chlorides.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

| Component    | ACGIH TLV     | OSHA PEL                 | NIOSH IDLH       | Mexico OEL (TWA) |
|--------------|---------------|--------------------------|------------------|------------------|
| Formaldehyde | TWA: 0.1 ppm  | (Vacated) TWA: 3 ppm     | IDLH: 20 ppm     | Ceiling: 0.3 ppm |
|              | STEL: 0.3 ppm | (Vacated) STEL: 10 ppm   | TWA: 0.016 ppm   |                  |
|              |               | (Vacated) Ceiling: 5 ppm | Ceiling: 0.1 ppm |                  |
|              |               | TWA: 0.75 ppm            |                  |                  |
|              |               | STEL: 2 ppm              |                  |                  |

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

**Personal Protective Equipment** 

Tight sealing safety goggles. Face protection shield. **Eye/face Protection** 

Wear appropriate protective gloves and clothing to prevent skin exposure. Skin and body protection

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

### 9. Physical and chemical properties

Solid **Physical State Appearance** Beige

Odor No information available **Odor Threshold** No information available pН 6.4 100 g/L aq.sol

Melting Point/Range 54 - 58 °C / 129.2 - 136.4 °F

238 °C / 460.4 °F **Boiling Point/Range** Flash Point 152 °C / 305.6 °F **Evaporation Rate** Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available No data available Lower

Vapor Pressure1.33 mbar @ 102 °CVapor DensityNot applicable

Specific Gravity 1.200

SolubilitySoluble in waterPartition coefficient; n-octanol/waterNo data availableAutoignition Temperature410 °C / 770 °F

Decomposition Temperature> 150°CViscosityNot applicableMolecular FormulaC4 H6 O2Molecular Weight86.09

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases, Finely powdered metals, Acid

anhydrides, Acid chlorides

Hazardous Decomposition Products Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>), Thermal decomposition can lead to release

of irritating gases and vapors

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

 Oral LD50
 Category 3. ATE = 50 - 300 mg/kg.

 Dermal LD50
 Category 3. ATE = 200 - 1000 mg/kg.

 Mist LC50
 Category 3. ATE = 0.5 - 1 mg/l.

**Component Information** 

| Component         | LD50 Oral              | LD50 Dermal               | LC50 Inhalation      |
|-------------------|------------------------|---------------------------|----------------------|
| 2-Butyne-1,4-diol | 176 mg/kg (Rat female) | 659 mg/kg (Rat)           | 0.69 mg/L/4h (Rat)   |
| Formaldehyde      | 500 mg/kg (Rat)        | LD50 = 270 mg/kg (Rabbit) | 0.578 mg/L (Rat) 4 h |

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization May cause sensitization by skin contact

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component         | CAS No   | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-------------------|----------|------------|------------|------------|------------|------------|
| 2-Butyne-1,4-diol | 110-65-6 | Not listed |
| Formaldehyde      | 50-00-0  | Group 1    | Known      | A1         | Х          | A2         |

Mutagenic Effects Not mutagenic in AMES Test

Reproductive Effects

No information available.

Developmental Effects

No information available.

Revision Date 24-Dec-2021 2-Butyne-1,4-diol

**Teratogenicity** No information available.

STOT - single exposure Respiratory system STOT - repeated exposure Liver Kidney spleen

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation; Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

No information available **Endocrine Disruptor Information** 

The toxicological properties have not been fully investigated. Other Adverse Effects

## 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains. Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

| Component         | Freshwater Algae     | Freshwater Fish            | Microtox                 | Water Flea            |
|-------------------|----------------------|----------------------------|--------------------------|-----------------------|
| 2-Butyne-1,4-diol | 430 mg/L EC50 = 96 h | 49.3 - 58.3 mg/L LC50 96 h | EC50 = 1343 mg/L 48 h    | 26.8 mg/L EC50 = 48 h |
|                   | 480 mg/L EC50 = 72 h |                            | EC50 = 2940  mg/L  17  h | _                     |
| Formaldehyde      | Not listed           | Leuciscus idus: LC50 = 15  | Not listed               | EC50 = 20 mg/L 96h    |
|                   |                      | ma/L 96h                   |                          | FC50 = 2  mg/L  48h   |

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

| Component         | log Pow |
|-------------------|---------|
| 2-Butyne-1,4-diol | -0.73   |
| Formaldehyde      | -0.35   |

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component              | RCRA - U Series Wastes | RCRA - P Series Wastes |
|------------------------|------------------------|------------------------|
| Formaldehyde - 50-00-0 | U122                   | -                      |

### 14. Transport information

DOT

**UN-No** UN2716 **Proper Shipping Name** 1,4-Butynediol

**Hazard Class** 6.1 **Packing Group** Ш

TDG

**UN-No** UN2716 **Proper Shipping Name** 1,4-Butynediol

**Hazard Class** 6.1 **Packing Group** Ш

<u>IATA</u>

**UN-No** UN2716 1,4-Butynediol **Proper Shipping Name** 

**Hazard Class** 6.1 **Packing Group** 

IMDG/IMO

UN2716 **UN-No Proper Shipping Name** 1,4-Butynediol

**Hazard Class Packing Group** Ш

## 15. Regulatory information

### **United States of America Inventory**

| Component         | CAS No   | TSCA | TSCA Inventory notification -<br>Active-Inactive | TSCA - EPA Regulatory<br>Flags |
|-------------------|----------|------|--|--------------------------------|
| 2-Butyne-1,4-diol | 110-65-6 | X    | ACTIVE   | -                              |
| Formaldehyde      | 50-00-0  | X    | ACTIVE   | -                              |

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component         | CAS No   | DSL | NDSL | EINECS    | PICCS | ENCS | ISHL | AICS | IECSC | KECL     |
|-------------------|----------|-----|------|-----------|-------|------|------|------|-------|----------|
| 2-Butyne-1,4-diol | 110-65-6 | Х   | -    | 203-788-6 | Χ     | Χ    | Х    | Х    | Х     | X        |
| Formaldehyde      | 50-00-0  | X   | -    | 200-001-8 | Х     | Х    | Х    | Х    | Х     | KE-17074 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

### **SARA 313**

| Component    | CAS No  | Weight % | SARA 313 - Threshold<br>Values % |
|--------------|---------|----------|----------------------------------|
| Formaldehyde | 50-00-0 | 0.01-0.1 | 0.1                              |

#### See section 2 for more information SARA 311/312 Hazard Categories

### **CWA (Clean Water Act)**

| Component    | CWA - Hazardous<br>Substances | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|--------------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Formaldehyde | Χ                             | 100 lb                         | -                      | -                         |

### Clean Air Act

| Component    | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|--------------|-----------|-------------------------|-------------------------|
| Formaldehyde | X         |                         | -                       |

**OSHA** - Occupational Safety and Not applicable

Health Administration

| Component    | Specifically Regulated Chemicals | Highly Hazardous Chemicals |
|--------------|----------------------------------|----------------------------|
| Formaldehyde | 2 ppm STEL                       | TQ: 1000 lb                |
| ,            | 0.5 ppm Action Level             |                            |
|              | 0.75 ppm TWA                     |                            |

CERCLA Not applicable

| Component    | Hazardous Substances RQs | CERCLA EHS RQs |  |
|--------------|--------------------------|----------------|--|
| Formaldehyde | 100 lb                   | 100 lb         |  |

### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

| Component    | CAS No  | California Prop. 65  | Prop 65 NSRL | Category   |
|--------------|---------|----------------------|--------------|------------|
| Formaldehyde | 50-00-0 | Carc. (Gaseous only) | 40 μg/day    | Carcinogen |

## U.S. State Right-to-Know

### Regulations

| Component         | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------|---------------|------------|--------------|----------|--------------|
| 2-Butyne-1,4-diol | -             | X          | -            | -        | -            |
| Formaldehyde      | X             | Х          | Х            | X        | X            |

### **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### U.S. Department of Homeland

Security

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component    | DHS Chemical Facility Anti-Terrorism Standard |  |  |
|--------------|---|--|--|
| Formaldehyde | Release STQs - 15000lb (solution)             |  |  |

### Other International Regulations

Mexico - Grade

Slight risk, Grade 1

### Authorisation/Restrictions according to EU REACH

| Component         | REACH (1907/2006) - Annex XIV -<br>Substances Subject to<br>Authorization | REACH (1907/2006) - Annex XVII -<br>Restrictions on Certain Dangerous<br>Substances   | REACH Regulation (EC<br>1907/2006) article 59 - Candidate<br>List of Substances of Very High<br>Concern (SVHC) |
|-------------------|---|---|--|
| 2-Butyne-1,4-diol | -   | Use restricted. See item 75. (see link for restriction details)   | -  |
| Formaldehyde      | -   | Use restricted. See item 72. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) | -  |

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component         | CAS No   | OECD HPV | Persistent Organic<br>Pollutant | Ozone Depletion<br>Potential | Restriction of<br>Hazardous<br>Substances (RoHS) |
|-------------------|----------|----------|---------------------------------|------------------------------|--|
| 2-Butyne-1,4-diol | 110-65-6 | Listed   | Not applicable                  | Not applicable               | Not applicable                                   |
| Formaldehyde      | 50-00-0  | Listed   | Not applicable                  | Not applicable               | Not applicable                                   |

| Component         | CAS No   | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Major Accident<br>Notification | (2012/18/EC) - | Rotterdam<br>Convention (PIC) | Basel Convention<br>(Hazardous Waste) |
|-------------------|----------|---|----------------|-------------------------------|---------------------------------------|
| 2-Butyne-1,4-diol | 110-65-6 | Not applicable  | Not applicable | Not applicable                | Not applicable                        |
| Formaldehyde      | 50-00-0  | 5 tonne   | 50 tonne       | Not applicable                | Not applicable                        |

### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 05-Dec-2005

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**