

# SAFETY DATA SHEET

Revision Date 18-Dec-2025 Revision Number 5

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product Name 4-Chloro-2-methylaniline

Cat No.: AC109370000; AC109370050; AC109371000; AC109372500;

AC109375000

**CAS No** 95-69-2

Synonyms 4-Chloro-o-toluidine

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

Company

Fisher Scientific Company Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

## **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Acute oral toxicity
Category 3
Acute dermal toxicity
Category 3
Germ Cell Mutagenicity
Category 1B
Carcinogenicity
Category 1A

**Label Elements** 

Signal Word

Danger

**Hazard Statements** 

May cause genetic defects May cause cancer Toxic if swallowed or in contact with skin



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF exposed or concerned: Get medical attention/advice

#### Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor if you feel unwell

Take off immediately all contaminated clothing

Take off contaminated clothing and wash before reuse

## Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Rinse mouth

## Storage

Store locked up

### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

#### Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available

WARNING. Cancer - https://www.p65warnings.ca.gov/.

## 3. Composition/information on Ingredients

Component	CAS No	Weight %
4-Chloro-o-toluidine	95-69-2	98

## 4. First-aid measures

Immediate medical attention is required. Rinse immediately with plenty of water, also under **Eye Contact** 

the eyelids, for at least 15 minutes.

Wash off immediately with soap and plenty of water while removing all contaminated **Skin Contact** 

clothes and shoes. Immediate medical attention is required.

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Get medical attention.

Call a physician immediately. Clean mouth with water. Ingestion

4-Chloro-2-methylaniline

Revision Date 18-Dec-2025

Most important symptoms and

effects

**Notes to Physician** Treat symptomatically

## Fire-fighting measures

Suitable Extinguishing Media Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Alcohol resistant foam.

No information available.

**Unsuitable Extinguishing Media** No information available

**Flash Point** 124 °C / 255.2 °F

Method -No information available

**Autoignition Temperature** 560 °C / 1040 °F

**Explosion Limits** 

No data available Upper Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen chloride gas.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA** 

Health	Flammability	Instability	Physical hazards
3	0	0	N/A

### 6. Accidental release measures

**Personal Precautions Environmental Precautions**  Ensure adequate ventilation. Use personal protective equipment as required. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Up

## Handling and Storage

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Handle Handling

product only in closed system or provide appropriate exhaust ventilation.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Material Storage.

darkens in color during storage. Incompatible Materials. Acids. Strong oxidizing agents.

Acid anhydrides. Acid chlorides. Chloroformates.

## 8. Exposure controls / personal protection

This product does not contain any hazardous materials with occupational exposure **Exposure Guidelines** 

limitsestablished by the region specific regulatory bodies.

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

Remarks

Liquid

Method

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline **Respiratory Protection** 

respirator in the positive pressure mode with emergency escape provisions.

Particulates filter conforming to EN 143. Ammonia and organic ammonia derivatives filter. Recommended Filter type:

Type K. Green. conforming to EN14387.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Appearance

**Physical State** Liquid Color Brown Odor Odorless

**Odor Threshold** No information available

Property Values 29 - 30 °C / 84.2 - 86 °F

**Melting Point/Range** 

**Softening Point** No data available **Boiling Point/Range** 241 °C / 465.8 °F

124 °C / 255.2 °F **Flash Point** Method - No information available

Flammability (liquid) No data available Flammability (solid, gas) Not applicable

**Explosion Limits** No data available

560 °C / 1040 °F **Autoignition Temperature Decomposition Temperature** No data available No information available pН Viscosity No data available

Water Solubility No information available No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

**Vapor Pressure** No data available

**Density / Specific Gravity** 1.190

**Bulk Density** Not applicable Liquid Vapor Density (Air = 1.0)

**Particle characteristics** Not applicable (liquid)

Other Information

Molecular Formula C7 H8 CI N 141.6 **Molecular Weight** 

## 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

4-Chloro-2-methylaniline

Revision Date 18-Dec-2025

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides, Chloroformates

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride

gas

Hazardous Polymerization No information available.

Hazardous Reactions None under normal processing.

## 11. Toxicological information

## Information on expected route of exposure

InhalationNot an expected route of exposure.IngestionMay be harmful if swallowed.EyesAvoid contact with eyes.

Skin Avoid contact with skin. Harmful in contact with skin.

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
4-Chloro-o-toluidine	LD50 = 1058 mg/kg (Rat)	-	-

**Toxicologically Synergistic** 

**Products** 

No information available

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

**Respiratory**Skin
No data available
No data available

(e) germ cell mutagenicity; Category 2

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
4-Chloro-o-toluidine	95-69-2	Group 2A	Reasonably	Not listed	X	Not listed
		· ·	Anticipated			

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure: No data available

**Target Organs** No information available.

No data available (j) aspiration hazard;

Symptoms / effects,both acute and No information available.

delayed

Other Adverse Effects The toxicological properties have not been fully investigated.

No information available.

**Endocrine Disrupting Properties** This product does not contain any known or suspected endocrine disruptors.

## 12. Ecological information

#### **Ecotoxicity**

Mobility

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Persistence and Degradability No information available **Bioaccumulation/ Accumulation** No information available.

## 13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a **Waste Disposal Methods** 

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN2239 **Hazard Class** 6.1 **Packing Group** Ш

TDG

**UN-No** UN2239 **Hazard Class** 6.1 **Packing Group** Ш

IATA

**UN-No** UN2239

CHLOROTOLUIDINES, SOLID **Proper Shipping Name** 

**Hazard Class** 6.1 **Packing Group** Ш

IMDG/IMO

**UN-No** 

CHLOROTOLUIDINES, SOLID **Proper Shipping Name** 

**Hazard Class** 6.1 **Packing Group** 

## 15. Regulatory Information

#### **United States of America Inventory**

Component	CAS No	No TSCA TSCA Inventory notification - Active-Inactive		TSCA - EPA Regulatory Flags
4-Chloro-o-toluidine	95-69-2	X	ACTIVE	S

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule.

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable

TSCA 12(b) - Notices of Export

Component	CAS No	TSCA 12(b) - Notices of Export
4-Chloro-o-toluidine	95-69-2	Section 5(a)(2)

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
4-Chloro-o-toluidine	95-69-2	-	-	202-441-6	-	Χ	Χ	Х	-	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

C	omponent	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
4-Chl	oro-o-toluidine	95-69-2	98	0.1 %	-

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Not applicable

Health Administration

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	SRL Category	
4-Chloro-o-toluidine	95-69-2	Carcinogen	3 μg/day	Carcinogen	

# U.S. State Right-to-Know

## Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
4-Chloro-o-toluidine	X	X	Х	Х	-

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		Candidate List of
			Substances	Substances of Very High
				Concern (SVHC)
4-Chloro-o-toluidine	95-69-2	-	Use restricted. See entry	-
			28.	
			(see link for restriction	
			details)	
			Use restricted. See entry	
			43.	
			(see link for restriction	
			details)	
			Use restricted. See entry	
			75.	
			(see link for restriction	
			details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
4-Chloro-o-toluidine	95-69-2	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

## Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Qualifying Quantities	Qualifying Quantities	` ,	, ,
		for Major Accident	for Safety Report		
		Notification	Requirements		
4-Chloro-o-toluidine	95-69-2	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other Information

Prepared By Product stewardship (Regulatory Affairs)

Thermo Fisher Scientific

email - begel.sdsdesk@thermofisher.com

Revision Date18-Dec-2025Print Date18-Dec-2025

**Revision Summary** Updated to the U.S. Department of Labor's Occupational Safety and Health Administration

(OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200,

2024), May 20, 2024, effective July 19, 2024.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**