

## SAFETY DATA SHEET

Creation Date 19-Apr-2012 Revision Date 18-Dec-2025 Revision Number 5

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product Name N,N-Dimethylaniline

Cat No.: AC115920000; AC115920010; AC115920025; AC115920050;

AC115920100

CAS No 121-69-7 Synonyms DMA

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

## **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Flammable liquids
Category 4
Acute oral toxicity
Category 3
Acute dermal toxicity
Category 3
Acute Inhalation Toxicity - Vapors
Carcinogenicity
Category 2

#### Label Elements

#### Signal Word

Danger

#### **Hazard Statements**

Combustible liquid Suspected of causing cancer Toxic if swallowed, in contact with skin or if inhaled



#### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep cool

Wear protective gloves/protective clothing/eye protection/face protection

## Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor

#### Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor if you feel unwell

Take off immediately all contaminated clothing

Take off contaminated clothing and wash before reuse

#### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

## **Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

## Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available

## 3. Composition/information on Ingredients

Component	CAS No	Weight %
Dimethylaniline	121-69-7	>95

## 4. First-aid measures

**Eye Contact** 

Immediate medical attention is required. Rinse immediately with plenty of water, also under

Revision Date 18-Dec-2025 N,N-Dimethylaniline

the eyelids, for at least 15 minutes.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Immediate medical attention is required.

Call a physician immediately. Clean mouth with water. Ingestion

Most important symptoms and

effects

Notes to Physician

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting Treat symptomatically

## 5. Fire-fighting measures

**Suitable Extinguishing Media** Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water mist may be used to cool closed containers.

Water mist may be used to cool closed containers.

**Unsuitable Extinguishing Media** No information available

**Flash Point** 63 °C / 145.4 °F

No information available Method -

**Autoignition Temperature** 370 °C / 698 °F

**Explosion Limits** 

Upper 7.0% 1.2% Lower

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards 3 N/A

## Accidental release measures

**Personal Precautions Environmental Precautions**  Remove all sources of ignition. Take precautionary measures against static discharges.

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Wear self-contained breathing apparatus and protective suit. Do not let this chemical enter the environment. Remove all sources of ignition.

## 7. Handling and Storage

Handling Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Take

precautionary measures against static discharges. Do not ingest. If swallowed then seek

Revision Date 18-Dec-2025 N,N-Dimethylaniline

immediate medical assistance. Handle product only in closed system or provide appropriate exhaust ventilation. Keep away from open flames, hot surfaces and sources of ignition.

Keep away from heat, sparks and flame. Protect from direct sunlight. Keep containers Storage.

tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Acids. Strong

oxidizing agents. Halogens. Acid anhydrides. Acid chlorides. Chloroformates.

## 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Dimethylaniline	TWA: 5 ppm	(Vacated) TWA: 5 ppm	IDLH: 100 ppm	TWA: 5 ppm
	STEL: 10 ppm	(Vacated) TWA: 25 mg/m <sup>3</sup>	REL = 5 ppm (TWA)	STEL: 10 ppm
	Skin	(Vacated) TWA: 2 ppm	$REL = 25 \text{ mg/m}^3 \text{ (TWA)}$	
		(Vacated) TWA: 8 mg/m <sup>3</sup>	STEL: 10 ppm	
		(Vacated) STEL: 10 ppm	STEL: 50 mg/m <sup>3</sup>	
		(Vacated) STEL: 50 mg/m <sup>3</sup>		
		Skin		
		TWA: 5 ppm		
		TWA: 25 mg/m <sup>3</sup>		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Ensure adequate ventilation, especially in confined areas. **Engineering Measures** 

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Wear appropriate protective gloves and clothing to prevent skin exposure. Skin and body protection

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Remarks

Method

Particulates filter conforming to EN 143. Ammonia and organic ammonia derivatives filter. **Recommended Filter type:** 

Type K. Green. conforming to EN14387.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

#### 9. Physical and chemical properties

Appearance **Physical State** 

Liquid Color Yellow Fishy Odor **Odor Threshold** 

No information available **Property** Values

1.5 - 2.5 °C / 34.7 - 36.5 °F Melting Point/Range

**Softening Point** No data available

**Boiling Point/Range** 193 - 194 °C / 379.4 - 381.2 °F @ 760 mmHg

Flash Point 63 °C / 145.4 °F Method - No information available

Flammability (liquid) Combustible liquid On basis of test data

Flammability (solid, gas) Not applicable Liquid

Explosion Limits Lower 1.2

Upper 7

Autoignition Temperature 370 °C / 698 °F Decomposition Temperature No data available

pH 7.4 1 g/l water

ViscosityNo data availableWater Solubility1 g/L (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowDimethylaniline2.278

Vapor Pressure 0.53 mbar @ 20 °C

Density / Specific Gravity 0.950

Bulk DensityNot applicableLiquidVapor DensityNo information available(Air = 1.0)

Particle characteristics Not applicable (liquid)

Other Information

Molecular Formula C8 H11 N Molecular Weight 121.18

Explosive Properties explosive air/vapour mixtures possible

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Excess heat. Exposure to air. Exposure to light. Incompatible products. Keep away from

open flames, hot surfaces and sources of ignition.

Incompatible Materials Acids, Strong oxidizing agents, Halogens, Acid anhydrides, Acid chlorides, Chloroformates

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>)

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

## 11. Toxicological information

## Information on expected route of exposure

InhalationNot an expected route of exposure.IngestionMay be harmful if swallowed.EyesAvoid contact with eyes.

**Skin** Avoid contact with skin. Harmful in contact with skin.

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Dimethylaniline	Dimethylaniline LD50 = 951 mg/kg ( Rat )		LC50 > 0.5 - 5.0 mg/L (Rat) 4 h		

**Toxicologically Synergistic** 

**Products** 

No information available

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

**Respiratory**Skin
Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Dimethylaniline	121-69-7	Not listed				

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. delayed

Other Adverse Effects The toxicological properties have not been fully investigated.

**Endocrine Disrupting Properties** This product does not contain any known or suspected endocrine disruptors.

## 12. Ecological information

#### **Ecotoxic**ity

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Dimethylaniline	EC50: = 340 mg/L, 96h (Desmodesmus subspicatus)	LC50: = 53.7 mg/L, 96h semi-static (Poecilia reticulata) LC50: = 51.1 mg/L, 96h semi-static (Brachydanio rerio) LC50: 0.183 - 0.186 mg/L, 96h (Brachydanio rerio) LC50: = 65.6 mg/L, 96h (Pimephales promelas) LC50: = 52.6 mg/L, 96h flow-through (Pimephales promelas)	EC50 = 110 mg/L 24 h EC50 = 13.6 mg/L 5 min EC50 = 14.6 mg/L 30 min	EC50: = 5 mg/L, 48h (Daphnia magna)
		LC50: = 52.6 mg/L, 96h flow-through (Pimephales		

Persistence and Degradability Persistence is unlikely

Bioaccumulation/ Accumulation No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Dimethylaniline	2.278

## 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No UN2253
Hazard Class 6.1
Packing Group II

TDG

UN-No UN2253
Hazard Class 6.1
Packing Group II

<u>IATA</u>

UN-No UN2253

Proper Shipping Name N,N-DIMETHYLANILINE

Hazard Class 6.1 Packing Group II

IMDG/IMO

UN-No UN2253

Proper Shipping Name N,N-DIMETHYLANILINE

Hazard Class 6.1 Packing Group II

## 15. Regulatory Information

## **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Dimethylaniline	121-69-7	X	ACTIVE	TP

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TP - Indicates a substance that is the subject of a proposed TSCA Section 4 test rule

TSCA - Per 40 CFR 751, Regulation of Certain Chemical

Not applicable

Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export Not applicable

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Dimethylaniline	121-69-7	Х	-	204-493-5	Х	Х	Х	Х	Х	KE-05-0532

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Dimethylaniline	121-69-7	>95	1.0 %	-

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** 

Not applicable

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors	
Dimethylaniline	X		-	

**OSHA** - Occupational Safety and

Not applicable

Health Administration

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Dimethylaniline	100 lb	-	100 lb 45.4 kg

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Dimethylaniline	X	X	X	X	X

## **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

## U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC

\_\_\_\_\_

		Annex XIV - Substances Subject to Authorization		1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Dimethylaniline	121-69-7	-	Use restricted. See entry	-
			/5.	
			(see link for restriction	
			details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Dimethylaniline	121-69-7	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

#### Other International Regulations

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
	Qualifying Quantities Qualifying Quantities			, ,	,
		for Major Accident	for Safety Report		
		Notification	Requirements		
Dimethylaniline	121-69-7	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other Information

Prepared By Product stewardship (Regulatory Affairs)

Thermo Fisher Scientific

email - begel.sdsdesk@thermofisher.com

 Creation Date
 19-Apr-2012

 Revision Date
 18-Dec-2025

 Print Date
 18-Dec-2025

**Revision Summary** Updated to the U.S. Department of Labor's Occupational Safety and Health Administration

(OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200,

2024), May 20, 2024, effective July 19, 2024.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**