

SAFETY DATA SHEET

Creation Date 02-Jul-2014 Revision Date 24-Dec-2021 Revision Number 4

1. Identification

Product Name 2(2-Ethoxyethoxy)ethanol

Cat No.: AC117890000; AC117890010; AC117890025; AC117890250

CAS No 111-90-0

Synonyms Diethylene glycol monoethyl ether; Carbitol^o4

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation Category 2

Label Elements

Signal Word

Warning

Hazard Statements

Causes serious eye irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Diethylene glycol monoethyl ether	111-90-0	98

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

symptoms occur.

Inhalation Remove to fresh air. Get medical attention if symptoms occur. If not breathing, give artificial

respiration.

Ingestion Do NOT induce vomiting. Get medical attention if symptoms occur.

Most important symptoms and

effects

Notes to Physician

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting Treat symptomatically

Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

94 °C / 201.2 °F **Flash Point**

Method -No information available

204 °C / 399.2 °F **Autoignition Temperature**

Explosion Limits

Upper 23.5 vol % 1.20 vol % Lower

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Containers may explode when heated. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2). peroxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	_	_	_
NI	⊏	o	Λ

Health	Flammability	Instability	Physical hazards
1	1	1	N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Avoid contact

with skin, eyes or clothing.

Environmental Precautions Avoid release to the environment. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.
Storage.	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep under nitrogen. Incompatible Materials. Strong oxidizing agents. Strong acids. Acid anhydrides. Acid chlorides.

8. Exposure controls / personal protection

Exposure Guidelines

Engineering Measures None under normal use conditions.

Personal Protective Equipment

Eye/face ProtectionWear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection No protective equipment is needed under normal use conditions.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid
Appearance Colorless
Odor sweet

Odor Threshold No information available pH No information available

2(2-Ethoxyethoxy)ethanol

23.5 vol %

Melting Point/Range

-80 °C / -112 °F 197 °C / 386.6 °F @ 760 mmHg **Boiling Point/Range**

94 °C / 201.2 °F **Flash Point Evaporation Rate** No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper Lower 1.20 vol % **Vapor Pressure** No information available **Vapor Density** No information available

Specific Gravity 0.990

No information available Solubility Partition coefficient; n-octanol/water No data available **Autoignition Temperature** 204 °C / 399.2 °F

Decomposition Temperature No information available **Viscosity** No information available

Molecular Formula C6 H14 O3 **Molecular Weight** 134.17

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stable under normal conditions. Hygroscopic. Stability

Conditions to Avoid Incompatible products. Excess heat. Exposure to moisture.

Strong oxidizing agents, Strong acids, Acid anhydrides, Acid chlorides **Incompatible Materials**

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), peroxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diethylene glycol monoethyl ether	6031 mg/kg(Rat)	9143 mg/kg (Rabbit) 4200 μL/kg (Rabbit) 6 mL/kg (Rat)	LC50 > 5240 mg/m³ (Rat) 4 h

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to eyes Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Diethylene glycol	111-90-0	Not listed				

Mutagenic Effects No information available

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposureSTOT - repeated exposure
None known

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Diethylene glycol monoethyl Not listed		LC50: 11600 - 16700 mg/L,	Not listed	EC50: 3940 - 4670 mg/L,
ether		96h flow-through		48h (Daphnia magna)
		(Pimephales promelas)		
		LC50: 11400 - 15700 mg/L,		
		96h flow-through		
		(Oncorhynchus mykiss)		
		LC50: 19100 - 23900 mg/L,		
		96h flow-through (Lepomis		
		macrochirus)		
		LC50: = 10000 mg/L, 96h		
		static (Lepomis macrochirus)		

Persistence and Degradability Persistence is unlikely

Bioaccumulation/ Accumulation No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Diethylene glycol monoethyl ether	-0.8

10 5	to the second se

Waste Disposal Methods
Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information			
DOT	Not regulated		
DOT TDG IATA	Not regulated		
<u>IATA</u>	Not regulated		
IMDG/IMO	Not regulated		
15. Regulatory information			

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification -	TSCA - EPA Regulatory
			Active-Inactive	Flags

2(2-Ethoxyethoxy)ethanol

Diethylene glycol monoethyl ether	111-90-0	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

Not applicable TSCA 12(b) - Notices of Export

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Diethylene glycol monoethyl ether	111-90-0	Х	-	203-919-7	X	X	Х	Х	Х	KE-10467

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Diethylene glycol monoethyl ether	111-90-0	98	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Diethylene glycol monoethyl ether	X		-

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

This product does not contain any Proposition 65 chemicals. **California Proposition 65**

U.S. State Right-to-Know

0.3.	State	rigiit	-to-r	CHOV
Reg	ulatio	ns		

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Diethylene glycol	-	X	X	X	-
monoethyl ether					

U.S. Department of Transportation

Reportable Quantity (RQ): Ν **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** Ν

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

No information available **Mexico - Grade**

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Diethylene glycol monoethyl ether	111-90-0	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		for Major Accident Notification	for Safety Report Requirements		
Diethylene glycol monoethyl ether	111-90-0	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 02-Jul-2014

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS