

SAFETY DATA SHEET

Creation Date 14-May-2010 Revision Date 24-Dec-2021 Revision Number 5

1. Identification

Product Name 2-Ethyl-1-hexanol

Cat No.: AC118530000; AC118530010; AC118530025; AC118530050;

AC118530250

CAS No 104-76-7

Synonyms 2-Ethylhexanol; 2-Ethylhexyl alcohol.; Octyl alcohol

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids
Category 4
Acute Inhalation Toxicity - Vapors
Category 4
Skin Corrosion/Irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 2
Specific target organ toxicity (single exposure)
Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Warning

Hazard Statements

Combustible liquid
Causes skin irritation
Causes serious eye irritation
Harmful if inhaled
May cause respiratory irritation



Precautionary Statements

Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep cool

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
2-Ethylhexanol	104-76-7	>95

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention.

Inhalation Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen.

If not breathing, give artificial respiration. Get medical attention.

Revision Date 24-Dec-2021 2-Ethyl-1-hexanol

Ingestion Clean mouth with water. Get medical attention.

Most important symptoms and

effects

Notes to Physician

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting Treat symptomatically

Fire-fighting measures

Water spray. Carbon dioxide (CO₂). Dry chemical. Chemical foam. Water mist may be used **Suitable Extinguishing Media**

to cool closed containers.

No information available **Unsuitable Extinguishing Media**

Flash Point 77 °C / 170.6 °F

Method -No information available

Autoignition Temperature 270 °C / 518 °F

Explosion Limits

Upper 7.4% Lower 1.1%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Combustible material. Flammable. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	1	0	N/A

6. Accidental release measures

Personal Precautions Environmental Precautions Remove all sources of ignition. Take precautionary measures against static discharges. See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Do not let this chemical enter the environment. Remove all sources of ignition. Take precautionary measures against static discharges.

7. Handling and storage

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Do not ingest. If Handling

swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

Storage. Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away

from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing

agents. Strong acids. Strong bases.

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Physical and chemical properties

Physical State Liquid Appearance Colorless

Odor Alcohol-like
Odor Threshold No information available

pH 7 1 g/l aq.sol

 Melting Point/Range
 -76 °C / -104.8 °F

 Boiling Point/Range
 184 °C / 363.2 °F @ 760 mmHg

Boiling Point/Range 184 °C / 363.2 °F @ 760 mml-Flash Point 77 °C / 170.6 °F

Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 7.4%

 Lower
 1.1%

 Vapor Pressure
 0.36 hPa @ 20 °C

 Vapor Density
 4.5 (Air = 1.0)

 Specific Gravity
 0.833

Solubility
1 g/l (20°C)
Partition coefficient; n-octanol/water
Autoignition Temperature
270 °C / 518 °F
Decomposition Temperature
No information available

Viscosity 10 mPa s at 20 °C **Molecular Formula** C8 H18 O

Molecular Weight 130.23

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases

Revision Date 24-Dec-2021 2-Ethyl-1-hexanol

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component LD50 Oral		LD50 Dermal	LC50 Inhalation	
2-Ethylhexanol	3290 mg/kg (Rat)	>3000 mg/kg (Rabbit)	>0.89 <5.3 mg/L/4h	

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
2-Ethylhexanol	104-76-7	Not listed				

Not mutagenic in AMES Test **Mutagenic Effects**

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2-Ethylhexanol	EC50: = 11.5 mg/L, 72h	LC50: 32 - 37 mg/L, 96h	Not listed	EC50: = 39 mg/L, 48h
	(Desmodesmus	static (Oncorhynchus		(Daphnia magna)
	subspicatus)	mykiss)		
		LC50: > 7.5 mg/L, 96h		
		(Oncorhynchus mykiss)		
		LC50: 27 - 29.5 mg/L, 96h		
		flow-through (Pimephales		
		promelas)		
		LC50: = 29.7 mg/L, 96h		

Revision Date 24-Dec-2021 2-Ethyl-1-hexanol

	static (Pimephales promelas) LC50: 10.0 - 33.0 mg/L, 96h static (Lepomis macrochirus)	
	cialio (Esperillo maeroerillas)	

Soluble in water Persistence is unlikely based on information available. Persistence and Degradability

. Will likely be mobile in the environment due to its water solubility. Mobility

No information available.

Component	log Pow
2-Ethylhexanol	3.1

13. Disposal considerations

Waste Disposal Methods

Bioaccumulation/ Accumulation

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

COMBUSTIBLE LIQUID, NOT REGULATED FOR TRANSPORT IN THIS QUANTITY DOT

According to 49 CFR §173.150(f)(1), this material should reclassified as NA1993,

Combustible Liquid, NOS if it is shipped in bulk.

UN-No NA1993

Proper Shipping Name Combustible liquid, n.o.s. Ш

Packing Group

TDG Not regulated IATA Not regulated IMDG/IMO Not regulated

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
2-Ethylhexanol	104-76-7	X	ACTIVE	TP

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TP - Indicates a substance that is the subject of a proposed TSCA Section 4 test rule

Not applicable TSCA 12(b) - Notices of Export

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
2-Ethylhexanol	104-76-7	Х	-	203-234-3	Χ	Χ	Х	Х	Χ	KE-13766

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
2-Ethylhexanol	X	=	Х	=	-

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
2-Ethylhexanol	104-76-7	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Qualifying Quantities	Qualifying Quantities		(1.14_41.4040.114010)
		for Major Accident Notification	for Safety Report Requirements		
2-Ethylhexanol	104-76-7	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 14-May-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS