

SAFETY DATA SHEET

Creation Date 21-May-2012 Revision Date 18-Dec-2025 Revision Number 7

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product Name Ethyl vinyl ketone, stabilized

Cat No.: AC119090000; AC119090050; AC119090250

CAS No 1629-58-9 **Synonyms** EVK

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Flammable liquids Category 2

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor



Precautionary Statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground and bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Wear protective gloves/protective clothing/eye protection/face protection

Take action to prevent static discharges

Use non-sparking tools

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available

Other hazards

Contains a known or suspected endocrine disruptor.

3. Composition/information on Ingredients

Component	CAS No	Weight %
Ethyl vinyl ketone	1629-58-9	>95
2,6-Di-tert-butyl-p-cresol	128-37-0	0.1

4. First-aid measures

General Advice If symptoms persist, call a physician.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get **Eye Contact**

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

Notes to Physician

. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Carbon dioxide (CO 2). Dry chemical. Chemical foam. Water mist may be used to cool

closed containers.

Unsuitable Extinguishing Media No information available

Flash Point -6 °C / 21.2 °F

Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper
Lower
Sensitivity to Mechanical Impact
Sensitivity to Static Discharge
No data available
No information available
No information available

Specific Hazards Arising from the Chemical

Flammable. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2). Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
0	3	0	N/A

Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation.

Environmental Precautions Should not be released into the environment.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**

	7. Handling and Storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing.
Storage.	Keep away from heat, sparks and flame. Refrigerator/flammables. Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
2.6-Di-tert-butvl-p-cresol	TWA: 2 mg/m ³	(Vacated) TWA: 10 mg/m ³	$REL = 10 \text{ mg/m}^3 \text{ (TWA)}$	TWA: 2 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations

and safety showers are close to the workstation location. Ensure adequate ventilation,

especially in confined areas.

Personal Protective Equipment

Eye/face Protection Tight sealing safety goggles. Face protection shield.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection No protective equipment is needed under normal use conditions.

Hygiene Measures Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or

smoke. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before

re-use. Wear suitable gloves and eye/face protection.

9. Physical and chemical properties

Appearance
Physical State Liquid
Color Amber

ColorAmberOdorOdorless

Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks</u> <u>• Method</u>

Melting Point/RangeNo data availableSoftening PointNo data available

Boiling Point/Range 103 - 104 °C / 217.4 - 219.2 °F @ 760 mmHg

Flash Point -6 °C / 21.2 °F Method - No information available

Flammability (liquid) Highly flammable On basis of test data

Flammability (solid,gas) Not applicable Liquid

Explosion Limits

No data available

Autoignition Temperature
Decomposition Temperature
pH
Viscosity
Water Solubility
Solubility in other solvents
No data available
No information available
No information available
No information available

Partition Coefficient (n-octanol/water)

Component log Pow 2,6-Di-tert-butyl-p-cresol 5.1

Vapor Pressure No information available

Density / Specific Gravity 0.849

Bulk DensityNot applicableLiquidVapor Density2.9(Air = 1.0)

Particle characteristics Not applicable (liquid)

Other Information

Molecular Formula C5 H8 O Molecular Weight 84.12

Explosive Properties Vapors may form explosive mixtures with air

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Exposure to air or moisture over prolonged periods.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO₂), Carbon dioxide (CO₂), Thermal decomposition can lead to release

of irritating gases and vapors

Hazardous Polymerization No information available.

Hazardous Reactions None under normal processing.

11. Toxicological information

Information on expected route of exposure

Inhalation Harmful by inhalation.

Ingestion Ingestion causes burns of the upper digestive and respiratory tracts. Can burn mouth,

throat, and stomach. Harmful if swallowed.

Eyes Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Risk of serious damage to eyes.

Skin Causes burns.

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
2,6-Di-tert-butyl-p-cresol	> 6 g/kg (Rat)	> 2 g/kg (Rat)	-

Toxicologically Synergistic

Products

No information available

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Ethyl vinyl ketone	1629-58-9	Not listed				
2,6-Di-tert-butyl-p-cres	128-37-0	Not listed				
Ol						

(g) reproductive toxicity; No data available

No data available (h) STOT-single exposure;

No data available (i) STOT-repeated exposure;

Target Organs No information available.

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated.

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

Other Adverse Effects The toxicological properties have not been fully investigated.

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health

Contains a substance on the National Authorities Endocrine Disruptor Lists

Component	EU National Authorities Endocrine Disruptor Lists - Health
2,6-Di-tert-butyl-p-cresol 128-37-0 (0.1)	List II

12. Ecological information

Ecotoxicity

Do not empty into drains. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2,6-Di-tert-butyl-p-cresol	EC50 = 0.758 mg/L 96h	LC50 = 0.199 mg/L 96h	EC50 = 7.82 mg/L 5 min	EC50 >0.31 mg/L 48h
	EC50 = 6 mg/L 72 h	_	EC50 = 8.57 mg/L 15 min	-
			EC50 = 8.98 mg/L 30 min	

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available.

Mobility

Component	log Pow		
2,6-Di-tert-butyl-p-cresol	5.1		

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN1993

Flammable liquid, n.o.s. **Proper Shipping Name Technical Shipping Name** Ethyl vinyl ketone

Hazard Class Packing Group Ш

TDG

UN-No UN1993

Proper Shipping Name Flammable liquid, n.o.s.
Technical Shipping Name Ethyl vinyl ketone

Hazard Class 3
Packing Group ||

IATA

UN-No UN1993

Proper Shipping Name Flammable liquid, n.o.s.
Technical Shipping Name Ethyl vinyl ketone

Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN1993

Proper Shipping Name Flammable liquid, n.o.s. **Technical Shipping Name** Ethyl vinyl ketone

Hazard Class 3
Packing Group ||

15. Regulatory Information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags	
Ethyl vinyl ketone	1629-58-9	X	ACTIVE	-	
2,6-Di-tert-butyl-p-cresol	128-37-0	X	ACTIVE	-	

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethyl vinyl ketone	1629-58-9	Х	-	216-624-3	Х	-		Х	Х	KE-28049
2.6-Di-tert-butyl-p-cresol	128-37-0	X	-	204-881-4	X	X	X	X	Х	KE-03079

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Ethyl vinyl ketone, stabilized

Clean Air Act

Not applicable

OSHA - Occupational Safety and

Not applicable

Health Administration

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
2,6-Di-tert-butyl-p-cresol	Χ	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

This product does not contain any DHS chemicals.

Security

Other International Regulations

Mexico - Grade Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Ethyl vinyl ketone	1629-58-9	-	-	-
2,6-Di-tert-butyl-p-cresol	128-37-0	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethyl vinyl ketone	1629-58-9	Not applicable	Not applicable	Not applicable	Not applicable
2,6-Di-tert-butyl-p-cresol	128-37-0	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention

		(2012/18/EC) - (2012/18/EC) - Qualifying Quantities		Convention (PIC)	(Hazardous Waste)
		for Major Accident Notification	for Safety Report Requirements		
Ethyl vinyl ketone	1629-58-9	Not applicable	Not applicable	Not applicable	Not applicable
2,6-Di-tert-butyl-p-cresol	128-37-0	Not applicable	Not applicable	Not applicable	Not applicable

16. Other Information

Prepared By Product stewardship (Regulatory Affairs)

Thermo Fisher Scientific

email - begel.sdsdesk@thermofisher.com

 Creation Date
 21-May-2012

 Revision Date
 18-Dec-2025

 Print Date
 18-Dec-2025

Revision Summary Updated to the U.S. Department of Labor's Occupational Safety and Health Administration

(OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200,

2024), May 20, 2024, effective July 19, 2024.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS