

# **SAFETY DATA SHEET**

Creation Date 14-May-2010 Revision Date 24-Dec-2021 Revision Number 4

# 1. Identification

Product Name Phenylselenol

Cat No.: AC123520000; AC123520010; AC123520100

**CAS No** 645-96-5

Synonyms Benzeneselenol; Selenophenol

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute oral toxicity

Acute Inhalation Toxicity - Dusts and Mists

Specific target organ toxicity - (repeated exposure)

Category 3

Category 3

Category 2

Target Organs - Liver.

### Label Elements

### Signal Word

Danger

### **Hazard Statements**

Combustible liquid

May cause damage to organs through prolonged or repeated exposure

Toxic if swallowed or if inhaled



### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Wear protective gloves/protective clothing/eye protection/face protection

Keep cool

### Response

Get medical attention/advice if you feel unwell

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Benzeneselenol	645-96-5	98

# 4. First-aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

**Skin Contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

**Inhalation** Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen.

If not breathing, give artificial respiration. Immediate medical attention is required.

**Ingestion** Call a physician immediately. Clean mouth with water.

Most important symptoms and

effects

**Notes to Physician** 

Difficulty in breathing. . Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

Treat symptomatically

Revision Date 24-Dec-2021 Phenylselenol

# 5. Fire-fighting measures

**Suitable Extinguishing Media** Water spray. Carbon dioxide (CO2). Dry chemical. Chemical foam. Water mist may be used

to cool closed containers.

**Unsuitable Extinguishing Media** No information available

70 °C / 158 °F **Flash Point** 

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Combustible material. Flammable. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	1	0	N/A

### Accidental release measures

**Personal Precautions Environmental Precautions**  Remove all sources of ignition. Take precautionary measures against static discharges. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Do not let this chemical enter the environment. Remove all sources of ignition.

<ol><li>Handling and stora</li></ol>	rage
--------------------------------------	------

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Handle Handling

product only in closed system or provide appropriate exhaust ventilation. Keep away from

open flames, hot surfaces and sources of ignition.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away Storage.

from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents.

### 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Benzeneselenol	TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 0.2 mg/m <sup>3</sup>	IDLH: 1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
			TWA: 0.2 mg/m <sup>3</sup>	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical StateLiquidAppearanceYellowOdorpungent

Odor ThresholdNo information availablepHNo information available

Melting Point/Range No data available

Boiling Point/Range 183 °C / 361.4 °F @ 760 mmHg

Flash Point 70 °C / 158 °F
Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper<br/>LowerNo data available<br/>No data availableVapor PressureNo information availableVapor DensityNo information available

Specific Gravity 1.4865

Solubility
No information available
Partition coefficient: n-octanol/water
No data available

Autoignition Temperature

Decomposition Temperature

Viscosity

No information available
No information available
No information available

Molecular Formula C6 H6 Se
Molecular Weight 157

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions. Air sensitive.

Conditions to Avoid Exposure to air. Incompatible products. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization No information available.

**Hazardous Reactions**None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

Product Information Component Information

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Irritation** No information available

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Benzeneselenol	645-96-5	Not listed				

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known

STOT - repeated exposure Liver

Aspiration hazard No information available

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

**Ecotoxicity** 

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available.

**Mobility** No information available.

# 13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN3440

Proper Shipping Name SELENIUM COMPOUND, LIQUID, N.O.S.

Technical Name Benzeneselenol

Hazard Class 6.1 Packing Group II

TDG

UN-No UN3440

Proper Shipping Name SELENIUM COMPOUND, LIQUID, N.O.S.

Hazard Class 6.1 Packing Group II

<u>IATA</u>

UN-No UN3440

Proper Shipping Name SELENIUM COMPOUND, LIQUID, N.O.S.

Hazard Class 6.1 Packing Group II

IMDG/IMO

**UN-No** UN3440

Proper Shipping Name SELENIUM COMPOUND, LIQUID, N.O.S.

Hazard Class 6.1 Packing Group II

# 15. Regulatory information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Benzeneselenol	645-96-5	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Benzeneselenol	645-96-5	-	Х	211-457-2	-	-	Χ	-	-	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

SARA 313 Not applicable

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Benzeneselenol	645-96-5	98	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Benzeneselenol	-	-	X	-

Clean Air Act Not applicable

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Benzeneselenol	X		-

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Benzeneselenol	-	Х	X	X	X

**U.S. Department of Transportation** 

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

# Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Benzeneselenol	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Benzeneselenol	645-96-5	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention

ſ	Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
1			(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
			<b>Qualifying Quantities</b>	<b>Qualifying Quantities</b>		
1			for Major Accident	for Safety Report		
L			Notification	Requirements		
Γ	Benzeneselenol	645-96-5	Not applicable	Not applicable	Not applicable	Annex I - Y25

# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 14-May-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**