

# SAFETY DATA SHEET

Creation Date 26-Jan-2010

Revision Date 24-Dec-2021

Revision Number 6

1. Identification   Product Name 3-Mercaptopropionic acid				
Cat No. :				
Cat No. :	AC125530000; AC125530025; AC125530050; AC125531000; AC125535000			
CAS No	107-96-0			
Synonyms	3-Thiopropionic acid.; beta-Mercaptopropanoic acid			
Recommended Use	Laboratory chemicals.			
Uses advised against	Food, drug, pesticide or biocidal product use.			

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals
Acute oral toxicity
Acute Inhalation Toxicity - Vapors
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Specific target organ toxicity (single exposure)
Target Organs - Respiratory system.

Category 1 Category 3 Category 4 Category 1 B Category 1 Category 3

#### Label Elements

Signal Word Danger

#### **Hazard Statements**

May be corrosive to metals Toxic if swallowed Causes severe skin burns and eye damage May cause respiratory irritation Harmful if inhaled



#### Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/sprav Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Rinse mouth Do NOT induce vomiting Spills Absorb spillage to prevent material damage Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Store in corrosive resistant polypropylene container with a resistant inliner Store in a dry place Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) None identified Other hazards Stench.

## 3. Composition/Information on Ingredients

Component	CAS No	Weight %
3-Mercaptopropionic acid	107-96-0	<=100

#### 4. First-aid measures

**General Advice** 

Show this safety data sheet to the doctor in attendance. Immediate medical attention is

	required.
Eye Contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Inhalation	If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Most important symptoms and effects	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure and increased heart rate: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	CO $_{\mbox{\tiny 2}}$ dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	124 °C / 255.2 °F
Method -	No information available
Autoignition Temperature	295 °C / 563 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No data available 1.60% No information available No information available

## Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

#### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO $_2$ ). Sulfur oxides.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 2	Instability 0	Physical hazards N/A
	6. Accidental rel	lease measures	

Personal Precautions Environmental Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Should not be released into the environment. Do not flush into surface water or sanitary sewer system.
Methods for Containment and Clear Up	Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.
	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Corrosives area. Keep away from heat, sparks and flame. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Bases. Reducing Agent. Oxidizing agent.
8. E>	posure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. Physical and chemical propertie	9. F	Physical and	chemical	properties
------------------------------------	------	--------------	----------	------------

· · · · · · · · · · · · · · · · · · ·	
Physical State	Liquid
Appearance	Colorless, Light yellow
Odor	Stench
Odor Threshold	No information available
pH	No information available 120 g/L
Melting Point/Range	17 - 19 °C / 62.6 - 66.2 °F
Boiling Point/Range	110 - 111 °C / 230 - 231.8 °F @ 15 mmHg
Flash Point	124 °C / 255.2 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	1.60%
Vapor Pressure	0.04 mmHg @ 20 °C
Vapor Density	No information available

1.218 Soluble in water No data available 295 °C / 563 °F No information available No information available C3 H6 O2 S 106.14

## 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Bases, Reducing Agent, Oxidizing agent
Hazardous Decomposition Product	<b>s</b> Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Sulfur oxides
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

## 11. Toxicological information

#### Acute Toxicity

The toxicological properties have not been fully investigated

#### Product Information Component Information

Component		LD50 Oral LD50 Dermal LC50				0 Inhalation	
3-Mercaptopropioni	c acid	LD50 = 96 mg/kg (Ra	at )	Not listed	LC50 = 1.81	8 mg/L/4h (Rat)	
Toxicologically Syne Products Delayed and immedia	0	No information ava		nd long-term expo	sure_		
Irritation		Causes burns by a	all exposure routes	6			
Sensitization		No information available					
Carcinogenicity		The table below in	dicates whether e	ach agency has lis	ted any ingredient	as a carcinogen	
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
3-Mercaptopropionic acid	107-96-0	Not listed	Not listed	Not listed	Not listed	Not listed	
aciu							

Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure STOT - repeated exposure	Respiratory system None known
Aspiration hazard	No information available

Symptoms / effects,both acute and delayed	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure and increased heart rate: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.
	12. Ecological information

#### Ecotoxicity

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
3-Mercaptopropionic acid	Not listed	LC50: 88 mg/L/72h	Not listed	EC50: 9 mg/L/48h
		(Brachydanio rerio)		

Persistence and Degradability

Persistence is unlikely

#### **Bioaccumulation/Accumulation**

No information available.

#### Mobility

Will likely be mobile in the environment due to its water solubility.

Component	log Pow		
3-Mercaptopropionic acid	-2.32		

#### 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT	
UN-No	UN2922
Proper Shipping Name	Corrosive liquid, toxic, n.o.s.
Technical Name	3-Mercaptopropionic acid
Hazard Class	8
Subsidiary Hazard Class	6.1
Packing Group	11
TDG	
UN-No	UN2922
Proper Shipping Name	Corrosive liquid, toxic, n.o.s.
Hazard Class	8
Subsidiary Hazard Class	6.1
Packing Group	11
IATA	
UN-No	UN2922
Proper Shipping Name	Corrosive liquid, toxic, n.o.s.
Hazard Class	8
Subsidiary Hazard Class	6.1
Packing Group	11
IMDG/IMO	
UN-No	UN2922
Proper Shipping Name	Corrosive liquid, toxic, n.o.s.
Hazard Class	8
Subsidiary Hazard Class	6.1
•	

#### Packing Group

## 15. Regulatory information

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
3-Mercaptopropionic acid	107-96-0	Х	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

Ш

#### TSCA 12(b) - Notices of Export Not applicable

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
3-Mercaptopropionic acid	107-96-0	-	Х	203-537-0	Х	Х	Х	Х	Х	KE-23107

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	Not applicable
<b>U.S. Department of Transportation</b> Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	Slight risk, Grade 1
Authorisation/Restrictions accordin	ng to EU REACH

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
3-Mercaptopropionic acid	107-96-0	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
3-Mercaptopropionic acid	107-96-0	Not applicable	Not applicable	Not applicable	Not applicable

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	26-Jan-2010 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of SDS