

SAFETY DATA SHEET

Creation Date 26-Sep-2009

Revision Date 18-Dec-2025

Revision Number 6

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product Name Mesityl oxide

Cat No. : AC125600000; AC125600010; AC125600025; AC125600050;
AC125600100

CAS No 141-79-7
Synonyms 4-Methyl-3-penten-2-one, 4-Methylpent-3-en-2-one

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

| | |
|------------------------------------|------------|
| Flammable liquids | Category 3 |
| Acute oral toxicity | Category 4 |
| Acute dermal toxicity | Category 4 |
| Acute Inhalation Toxicity - Vapors | Category 4 |

Label Elements

Signal Word

Warning

Hazard Statements

Flammable liquid and vapor

Harmful if swallowed, in contact with skin or if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Wear protective gloves/protective clothing/eye protection/face protection
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 Keep container tightly closed
 Ground and bond container and receiving equipment
 Use explosion-proof electrical/ventilating/lighting equipment
 Take action to prevent static discharges
 Use non-sparking tools

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing
 Call a POISON CENTER or doctor if you feel unwell

Skin

Call a POISON CENTER or doctor if you feel unwell
 Take off contaminated clothing and wash before reuse
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth

Fire

In case of fire: Use CO₂, dry chemical, or foam to extinguish

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available

3. Composition/information on Ingredients

| Component | CAS No | Weight % |
|---------------|----------|----------|
| Mesityl oxide | 141-79-7 | 100 |

4. First-aid measures

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated

| | |
|--|--|
| | clothes and shoes. Get medical attention. |
| Inhalation | Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Get medical attention. |
| Ingestion | Do NOT induce vomiting. Get medical attention. |
| Most important symptoms and effects | Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|--|
| Suitable Extinguishing Media | Water spray. Carbon dioxide (CO ₂). Dry chemical. Chemical foam. Water mist may be used to cool closed containers. |
| Unsuitable Extinguishing Media | No information available |
| Flash Point | 28 °C / 82.4 °F |
| Method - | No information available |
| Autoignition Temperature | 340 °C / 644 °F |
| Explosion Limits | |
| Upper | No data available |
| Lower | No data available |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3 | 3 | 1 | N/A |

6. Accidental release measures

| | |
|---|---|
| Personal Precautions | Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges. |
| Environmental Precautions | See Section 12 for additional Ecological Information. |
| Methods for Containment and Clean Up | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not let this chemical enter the environment. |

7. Handling and Storage

| | |
|-----------------|---|
| Handling | Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot |
|-----------------|---|

surfaces and sources of ignition. Take precautionary measures against static discharges.

Storage.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Keep container tightly closed in a dry and well-ventilated place. Incompatible Materials. Acids. Bases. Halogens. Reducing Agent.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH | Mexico OEL (TWA) |
|---------------|-----------------------------|--|--|-----------------------------|
| Mesityl oxide | TWA: 15 ppm STEL: 25 ppm | (Vacated) TWA: 15 ppm (Vacated) TWA: 60 mg/m ³ (Vacated) STEL: 25 ppm (Vacated) STEL: 100 mg/m ³ TWA: 25 ppm TWA: 100 mg/m ³ | IDLH: 1400 ppm REL = 10 ppm (TWA) REL = 40 mg/m ³ (TWA) | TWA: 15 ppm STEL: 25 ppm |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Personal Protective Equipment**Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type:

Organic gases and vapours filter. Type A. Brown. conforming to EN14387.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance**Physical State**

Liquid

Color

No information available

Odor

No information available

Odor Threshold

No information available

Property**Melting Point/Range**

Values
-53 °C / -63.4 °F

Softening Point

No data available

Boiling Point/Range

129 °C / 264.2 °F

Flash Point

28 °C / 82.4 °F

Flammability (liquid)

Flammable

Flammability (solid,gas)

Not applicable

Explosion Limits

Lower 1.4

Upper 7.2

Remarks• Method

Method - No information available

On basis of test data

Liquid

| | | |
|--|--------------------------|-------------|
| Autoignition Temperature | 340 °C / 644 °F | |
| Decomposition Temperature | No data available | |
| pH | No data available | |
| Viscosity | 0.64 mPa s at 20 °C | |
| Water Solubility | 28 g/L (20°C) | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/water) | | |
| Vapor Pressure | 10.53 mbar @ 20 °C | |
| Density / Specific Gravity | 0.854 | |
| Bulk Density | Not applicable | Liquid |
| Vapor Density | No data available | (Air = 1.0) |
| Particle characteristics | (liquid) Not applicable | |

Other Information

| | |
|-----------------------------|--|
| Molecular Formula | C6 H10 O |
| Molecular Weight | 98.14 |
| Explosive Properties | explosive air/vapour mixtures possible |

10. Stability and reactivity

| | |
|---|--|
| Reactive Hazard | None known, based on information available |
| Stability | Stable under normal conditions. |
| Conditions to Avoid | Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. |
| Incompatible Materials | Acids, Bases, Halogens, Reducing Agent |
| Hazardous Decomposition Products | Carbon monoxide (CO), Carbon dioxide (CO ₂) |
| Hazardous Polymerization | No information available. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Information on expected route of exposure

| | |
|-------------------|--|
| Inhalation | Not an expected route of exposure. |
| Ingestion | May be harmful if swallowed. |
| Eyes | Avoid contact with eyes. |
| Skin | Avoid contact with skin. Harmful in contact with skin. |

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------|--------------------------|------------------------------|-----------------------------|
| Mesityl oxide | LD50 = 655 mg/kg (Rat) | LD50 = 5151 mg/kg (Rabbit) | LC50 = 1130 ppm (Rat) 4 h |

Toxicologically Synergistic Products No information available

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|---------------|----------|------------|------------|------------|------------|------------|
| Mesityl oxide | 141-79-7 | Not listed |

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects, both acute and delayed Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Other Adverse Effects The toxicological properties have not been fully investigated.

Endocrine Disrupting Properties This product does not contain any known or suspected endocrine disruptors.

12. Ecological information

Ecotoxicity

Do not empty into drains. .

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|---------------|------------------|--|------------|------------|
| Mesityl oxide | Not listed | LC50: = 72.93 mg/L, 96h static (Danio rerio) | Not listed | Not listed |

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No

UN1229

| | |
|-----------------------------|---------------|
| Proper Shipping Name | MESITYL OXIDE |
| Hazard Class | 3 |
| Packing Group | III |
| TDG | |
| UN-No | UN1229 |
| Proper Shipping Name | MESITYL OXIDE |
| Hazard Class | 3 |
| Packing Group | III |
| IATA | |
| UN-No | UN1229 |
| Proper Shipping Name | MESITYL OXIDE |
| Hazard Class | 3 |
| Packing Group | III |
| IMDG/IMO | |
| UN-No | UN1229 |
| Proper Shipping Name | MESITYL OXIDE |
| Hazard Class | 3 |
| Packing Group | III |

15. Regulatory Information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|---------------|----------|------|---|-----------------------------|
| Mesityl oxide | 141-79-7 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

- - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|---------------|----------|-----|------|-----------|-------|------|------|------|-------|----------|
| Mesityl oxide | 141-79-7 | X | - | 205-502-5 | X | X | X | X | X | KE-24767 |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|---------------|---------------|------------|--------------|----------|--------------|
| Mesityl oxide | X | X | X | - | X |

U.S. Department of Transportation

Reportable Quantity (RQ): N
 DOT Marine Pollutant N
 DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH Not applicable

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|---------------|----------|---|---|---|
| Mesityl oxide | 141-79-7 | - | - | - |

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|---------------|----------|----------------|------------------------------|---------------------------|--|
| Mesityl oxide | 141-79-7 | Not applicable | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-----------|--------|---|--|----------------------------|------------------------------------|
| | | | | | |

| | | | | | |
|---------------|----------|----------------|----------------|----------------|----------------|
| Mesityl oxide | 141-79-7 | Not applicable | Not applicable | Not applicable | Not applicable |
|---------------|----------|----------------|----------------|----------------|----------------|

16. Other Information

| | |
|-------------------------|---|
| Prepared By | Product stewardship (Regulatory Affairs) Thermo Fisher Scientific email - begel.sdsdesk@thermofisher.com |
| Creation Date | 26-Sep-2009 |
| Revision Date | 18-Dec-2025 |
| Print Date | 18-Dec-2025 |
| Revision Summary | Updated to the U.S. Department of Labor's Occupational Safety and Health Administration (OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200, 2024), May 20, 2024, effective July 19, 2024. |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS