

## SAFETY DATA SHEET

Creation Date 22-Sep-2009 Revision Date 18-Dec-2025 Revision Number 6

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

## 1. Identification

Product Name m-Phenylenediamine

Cat No.: AC130560000; AC130560010; AC130560050; AC130560250;

AC130562500; AC130565000

CAS No 108-45-2

Synonyms 1,3-Diaminobenzene

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

### Company

Fisher Scientific Company Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

## **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Acute oral toxicity
Category 3
Acute dermal toxicity
Category 3
Acute Inhalation Toxicity - Dusts and Mists
Category 3
Serious Eye Damage/Eye Irritation
Category 2
Skin Sensitization
Category 1
Germ Cell Mutagenicity
Category 2
Combustible dust
Yes

## Label Elements

#### Signal Word

Danger

#### **Hazard Statements**

May form combustible dust concentrations in air May cause an allergic skin reaction Causes serious eye irritation Suspected of causing genetic defects Toxic if swallowed, in contact with skin or if inhaled



#### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

### Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor

#### Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor if you feel unwell

Take off immediately all contaminated clothing

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

## Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Rinse mouth

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposa

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

## Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available

## 3. Composition/information on Ingredients

Component	CAS No	Weight %
-----------	--------	----------

m-Phenvlenediamine	108-45-2	<=100

### 4. First-aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eve Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

None reasonably foreseeable. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and

feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point 175 °C / 347 °F

Method - No information available

Autoignition Temperature 530 °C / 986 °F

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Dust can form an explosive mixture with air. Do not allow run-off from fire-fighting to enter drains or water courses. Fine dust dispersed in air may ignite.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	1	0	N/A

## 6. Accidental release measures

**Personal Precautions** 

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe

**Environmental Precautions** 

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up** 

## 7. Handling and Storage

Handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

Storage.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep under nitrogen. Incompatible Materials. Acids. Strong oxidizing agents. Acid anhydrides. Acid chlorides. Chloroformates.

## 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	Component ACGIH TLV		NIOSH	Mexico OEL (TWA)	
m-Phenylenediamine	TWA: 0.1 mg/m <sup>3</sup>			TWA: 0.1 mg/m <sup>3</sup>	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Particulates filter conforming to EN 143.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Appearance

Physical State Solid
Color Beige
Odor aromatic

Odor Threshold No information available

Revision Date 18-Dec-2025 m-Phenylenediamine

**Property** Values Remarks Method

63 - 65 °C / 145.4 - 149 °F **Melting Point/Range** 

**Softening Point** No data available

**Boiling Point/Range** 282 - 284 °C / 539.6 - 543.2 °F @ 760 mmHg

175 °C / 347 °F Flash Point Method - No information available Solid

Flammability (liquid) Not applicable

Flammability (solid,gas) No information available **Explosion Limits** No data available

530 °C / 986 °F **Autoignition Temperature Decomposition Temperature** No data available

100 g/l ag. sol pН

Viscosity Not applicable Solid

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component

m-Phenylenediamine -0.3

1.3 hPa @ 100 °C **Vapor Pressure Density / Specific Gravity** No data available **Bulk Density** No data available **Vapor Density** Not applicable

No data available **Particle characteristics** 

Other Information

Molecular Formula C6 H8 N2 **Molecular Weight** 108.14

**Evaporation Rate** Not applicable - Solid

## 10. Stability and reactivity

Solid

**Reactive Hazard** None known, based on information available

Stability Air sensitive.

**Conditions to Avoid** Exposure to air. Incompatible products.

Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides, Chloroformates **Incompatible Materials** 

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>)

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

### Information on expected route of exposure

Inhalation Not an expected route of exposure. Ingestion May be harmful if swallowed.

Avoid contact with eyes. Irritating to eyes. **Eyes** 

Skin Avoid contact with skin. May cause irritation. Harmful in contact with skin.

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
m-Phenylenediamine	LD50 = 204 mg/kg (Rat)	LD50 = 1100 mg/kg (Rat)	LC50 = 3.2 mg/L (Rat) 4 h	

Revision Date 18-Dec-2025 m-Phenylenediamine

**Toxicologically Synergistic** 

**Products** 

No information available

No data available (b) skin corrosion/irritation;

Category 2 (c) serious eye damage/irritation;

(d) respiratory or skin sensitization;

No data available Respiratory Skin Category 1

No information available

(e) germ cell mutagenicity; Category 2

Contains a known or suspected mutagen

(f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
m-Phenylenediamine	108-45-2	Not listed				

No data available (g) reproductive toxicity;

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

**Target Organs** None known.

Not applicable (j) aspiration hazard;

Solid

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

**Other Adverse Effects** The toxicological properties have not been fully investigated.

**Endocrine Disrupting Properties** This product does not contain any known or suspected endocrine disruptors.

## 12. Ecological information

## **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
m-Phenylenediamine	EC50: = 2.4 mg/L, 96h (Pseudokirchneriella subcapitata)	LC50: = 1600 mg/L, 96h (Pimephales promelas)	Not listed	EC50: = 5.9 mg/L, 48h (Daphnia magna)

**Persistence and Degradability** Persistence is unlikely

**Bioaccumulation/ Accumulation**No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
m-Phenylenediamine	-0.3

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN1673

Proper Shipping Name PHENYLENEDIAMINES

Hazard Class 6.1 Packing Group III

TDG

**UN-No** UN1673

Proper Shipping Name PHENYLENEDIAMINES

Hazard Class 6.1 Packing Group III

ATA

**UN-No** UN1673

Proper Shipping Name PHENYLENEDIAMINES

Hazard Class 6.1
Packing Group

IMDG/IMO

**UN-No** UN1673

Proper Shipping Name PHENYLENEDIAMINES

Hazard Class 6.1 Packing Group III

## 15. Regulatory Information

#### United States of America Inventory

Component	nponent CAS No		TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
m-Phenylenediamine	108-45-2	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
m-Phenylenediamine	108-45-2	Х	-	203-584-7	Х	Χ	Х	Х	Х	KE-02175

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

### **SARA 313**

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
m-Phenylenediamine	108-45-2	<=100	1.0 %	-

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

	Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ī	m-Phenylenediamine	X	Х	-	=	=

## **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

## **Other International Regulations**

Mexico - Grade No information available

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
m-Phenylenediamine	108-45-2	-	Use restricted. See entry 75. (see link for restriction	-

	details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
m-Phenylenediamine	108-45-2	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

#### Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
	Qualifying Quantities Qualifying Quantities			` ,	,
		for Major Accident	for Safety Report		
		Notification	Requirements		
m-Phenylenediamine	108-45-2	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other Information	
Prepared By	Product stewardship (Regulatory Affairs) Thermo Fisher Scientific	

email - begel.sdsdesk@thermofisher.com

 Creation Date
 22-Sep-2009

 Revision Date
 18-Dec-2025

 Print Date
 18-Dec-2025

**Revision Summary** Updated to the U.S. Department of Labor's Occupational Safety and Health Administration

(OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200,

2024), May 20, 2024, effective July 19, 2024.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**