

SAFETY DATA SHEET

Creation Date 24-Nov-2010

Revision Date 24-Dec-2021

Revision Number 4

Cat No. :	AC131290000; AC131290025; AC131290050; AC131290100 AC131291000; AC131295000
CAS No	110-85-0
Synonyms	N,N-Diethylenediamine; 1,4-Diethylenediamine; Antitren
Recommended Use	Laboratory chemicals.
Uses advised against	Food, drug, pesticide or biocidal product use.

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids	Category 1
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Respiratory Sensitization	Category 1
Skin Sensitization	Category 1
Reproductive Toxicity	Category 2
	0,

Label Elements

Signal Word Danger

Hazard Statements

Flammable solid

Causes severe skin burns and eye damage

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled Suspected of damaging fertility. Suspected of damaging the unborn child



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Response

Immediately call a POISON CENTER or doctor/physician Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %	
Piperazine	110-85-0	>95	

4. First-aid measures

Eye Contact

Immediate medical attention is required. Rinse immediately with plenty of water, also under

	the eyelids, for at least 15 minutes.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician immediately.
Most important symptoms and effects Notes to Physician	Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing Treat symptomatically
	5 Fire-fighting measures

5. Fire-fighting measures

Suitable Extinguishing Media	Carbon dioxide (CO 2). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	65 °C / 149 °F
Method -	No information available
Autoignition Temperature	320 °C / 608 °F
Explosion Limits	
Upper	14.00%
Lower	4.00%
Sensitivity to Mechanical Impact	No information available
	No information available

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Combustible material.

Hazardous Combustion Products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 3	Flammability 2	Instability 1	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions	Remove all sources of igni See Section 12 for addition	ition. Take precautionary measure nal Ecological Information.	es against static discharges.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Remove all sources of ignition. Up

	7. Handling and storage
Handling	Do not breathe dust. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. Handle product only in closed system or provide appropriate exhaust ventilation. Keep away from open flames, hot surfaces and sources of ignition.
Storage.	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Protect from direct sunlight. Flammables area. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Strong oxidizing agents. Strong acids. Acid anhydrides. Acid chlorides.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Piperazine	TWA: 0.03 ppm			TWA: 0.03 ppm

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties				
Physical State	Solid			
Appearance	Off-white			
Odor	Ammonia-like			
Odor Threshold	No information available			
рН	12 15% aq.solution			
Melting Point/Range	107 - 111 °C / 224.6 - 231.8 °F			
Boiling Point/Range	inge 146 - 148 °C / 294.8 - 298.4 °F @ 760 mmHg			
Flash Point	65 °C / 149 °F			
Evaporation Rate	Not applicable			
Flammability (solid,gas)	No information available			
Flammability or explosive limits				
Upper	14.00%			
Lower	4.00%			
Vapor Pressure	15 mbar @ 50 °C			
Vapor Density	Not applicable			
Specific Gravity	No information available			
Solubility	No information available			
Partition coefficient; n-octanol/water	No data available			

Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight

320 °C / 608 °F No information available Not applicable C4 H10 N2 86.14

10. Stability and reactivity			
Reactive Hazard	None known, based on information available		
Stability	bility Stable under normal conditions. Hygroscopic. Light sensitive.		
Conditions to Avoid	Exposure to light. Incompatible products. Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of ignition.		
Incompatible Materials	Strong oxidizing agents, Strong acids, Acid anhydrides, Acid chlorides		
Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)			
Hazardous Polymerization Hazardous polymerization does not occur.			
Hazardous Reactions	None under normal processing.		

11. Toxicological information

Acute Toxicity

Product Information Component Information

Component Inform Compone		LD50 Oral		LD50 Dermal	LC50	Inhalation
Piperazine		2600 mg/kg (Rat)			ot listed	
Foxicologically Syr Products Delayed and immed	-	No information availa		d long-term expo	osure_	
Irritation Causes burns by all exposure routes						
Sensitization		May cause sensitizat	May cause sensitization by skin contact			
Carcinogenicity		The table below indic	cates whether ea	ach agency has lis	ted any ingredient	as a carcinoge
Component	CAS N	D IARC	NTP	ACGIH	OSHA	Mexico
Piperazine	110-85-	0 Not listed	Not listed	Not listed	Not listed	Not listed
Reproductive Effect Developmental Effect Feratogenicity	ects sure	May impair fertility. N No information availa No information availa None known	able.	to the unborn child	J.	
Aspiration hazard	epeated exposure None known on hazard No information available					
Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindic possible perforation of stomach or esophagus should be investigated: Ingestin severe swelling, severe damage to the delicate tissue and danger of perforation of allergic reaction may include rash, itching, swelling, trouble breathing, tingli hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushin			estion causes pration: Sympto ingling of the			

Endocrine Disruptor Information

No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea		
Piperazine	Not listed	LC50: > 10000 mg/L, 96h static (Lepomis macrochirus)	Not listed	Not listed		
Persistence and Degradat	bility Soluble in v	vater Persistence is unlikely bas	sed on information ava	ilable.		
Bioaccumulation/ Accumu	ulation No information	tion available.				
Mobility	Will likely b	be mobile in the environment due to its water solubility.				
	13. D	isposal considerat	ions			
Waste Disposal Methods	hazardous	vaste generators must determine waste. Chemical waste genera zardous waste regulations to er	tors must also consult	local, regional, and		
	14.	Transport informat	ion			
DOT UN-No Proper Shipping Name Hazard Class	UN2579 PIPERAZIN 8	IE				

Hazard Class	8
Packing Group	III
TDG	
UN-No	UN2579
Proper Shipping Name	PIPERAZINE
Hazard Class	8
Packing Group	III
IATA	
UN-No	UN2579
Proper Shipping Name	PIPERAZINE
Hazard Class	8
Packing Group	III
IMDG/IMO	
UN-No	UN2579
Proper Shipping Name	PIPERAZINE
Hazard Class	8
Packing Group	III
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Piperazine	110-85-0	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

Not applicable TSCA 12(b) - Notices of Export

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Piperazine	110-85-0	Х	-	203-808-3	Х	Х	Х	Х	Х	KE-28758

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

Oslifernis Despesifier OF	This product does not contain on Droposition CC
CERCLA	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
Clean Air Act	Not applicable
CWA (Clean Water Act)	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
SARA 313	Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Piperazine	Х	Х	Х	Х	-

U.S. Department of Transportation

U.S. Department of Homeland	This product does not contain any DHS chemicals.
DOT Severe Marine Pollutant	Ν
DOT Marine Pollutant	Ν
Reportable Quantity (RQ):	Ν

U.S. Department of Homeland Security

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component	- (REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	- J
Piperazine	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component CAS No OECD HPV	Persistent Organic	Ozone Depletion	Restriction of
	Pollutant	Potential	Hazardous

					Substances (RoHS)
Piperazine	110-85-0	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Piperazine	110-85-0	Notification Not applicable	Requirements Not applicable	Not applicable	Not applicable

16. Other information

Pre	pared	By

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date Print Date Revision Summary 24-Nov-2010 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS