

SAFETY DATA SHEET

Creation Date 22-Sep-2009 Revision Date 18-Dec-2025 Revision Number 5

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product Name N-Methylcyclohexylamine

Cat No.: AC146990000; AC146990010; AC146990050; AC146992500

CAS No 100-60-7

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Flammable liquids
Corrosive to metals
Category 1
Acute oral toxicity
Category 4
Acute dermal toxicity
Category 3
Skin Corrosion/Irritation
Category 1
A Serious Eye Damage/Eye Irritation
Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Flammable liquid and vapor May be corrosive to metals Harmful if swallowed Harmful in contact with skin Causes severe skin burns and eye damage



Precautionary Statements

Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground and bond container and receiving equipment

Keep only in original packaging

Take action to prevent static discharges

Response

Immediately call a POISON CENTER or doctor

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Skin

Take off contaminated clothing and wash before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Fire

Fight fire with normal precautions from a reasonable distance

Evacuate area

Storage

Store locked up

Store in a closed container

Store in a well-ventilated place. Keep cool

Store in corrosive resistant polyethylene container with a resistant inliner

Disposa

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available

3. Composition/information on Ingredients

Component	CAS No	Weight %
N-Methyl cyclohexylamine	100-60-7	<=100

4. First-aid measures

Immediate medical attention is required. Rinse immediately with plenty of water, also under **Eye Contact**

the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

Do NOT induce vomiting. Call a physician immediately. Ingestion

Most important symptoms and

effects

Notes to Physician

Difficulty in breathing. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray. Carbon dioxide (CO₂). Dry chemical. Chemical foam.

Unsuitable Extinguishing Media No information available

29 °C / 84.2 °F **Flash Point**

Method -No information available

Autoignition Temperature 170 °C / 338 °F

Explosion Limits

Upper 10.5% Lower 2.2%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Vapors may travel to source of ignition and flash back. Will form explosive mixtures with air.

Hazardous Combustion Products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards N/A 3

Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition.

Use spark-proof tools and explosion-proof equipment.

Storage.

7. Handling and Storage

Handling Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not

breathe dust. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Handle product only in closed system or provide appropriate exhaust ventilation. Use

spark-proof tools and explosion-proof equipment. Use only non-sparking tools.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away

from heat, sparks and flame. Flammables area. Incompatible Materials. Acids. Strong

oxidizing agents. Acid anhydrides. Acid chlorides. Carbon dioxide (CO2).

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Use explosion-proof

electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance

Physical State Liquid
Color Light yellow
Odor Odorless

Odor Threshold No information available

<u>Property</u> <u>Values</u>

Melting Point/Range

Softening Point

Boiling Point/Range

Boiling Point/Range

149 °C / 300.2 °F

Flash Point

29 °C / 84.2 °F

Flammability (liquid) Flammable

Flammability (solid,gas) No information available

Explosion Limits

Lower 2.2

Upper 10.5

Autoignition Temperature

Lower 2.2

170 °C / 338 °F

Decomposition Temperature No data available pH 12

Viscosity 1.58 mPa s at 20 °C

Water Solubility 5.4 wt% (20 C)

Solubility in other solvents No information available

Remarks • Method

@ 760 mmHg

Method - No information available

On basis of test data

10 g/L aq.sol

Revision Date 18-Dec-2025

Partition Coefficient (n-octanol/water)

Vapor Pressure 5 hPa @ 20 °C

Density / Specific Gravity 0.860

Bulk Density No data available

Vapor Density (Air = 1.0)

Particle characteristics Not applicable (liquid)

Other Information

Molecular Formula C7 H15 N **Molecular Weight** 113.2

10. Stability and reactivity

None known, based on information available Reactive Hazard

Stable under normal conditions. Stability

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Incompatible Materials Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides, Carbon dioxide (CO2)

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO₂), Carbon dioxide (CO₂)

Hazardous polymerization does not occur. **Hazardous Polymerization**

Hazardous Reactions None under normal processing.

11. Toxicological information

Information on expected route of exposure

Inhalation Not an expected route of exposure. Ingestion May be harmful if swallowed.

Eyes Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including

blindness.

Skin Avoid contact with skin. Causes burns. Skin Corrosion/Irritation. Harmful in contact with

skin.

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
N-Methyl cyclohexylamine	LD50 = 400 mg/kg (Rat)	LD50 400 - 1000 mg/kg (Rat)	LC50 > 22.8 mg/L (Rat) 8 h

Toxicologically Synergistic

Products

No information available

No data available (b) skin corrosion/irritation;

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

No data available Respiratory Skin No data available

No data available (e) germ cell mutagenicity;

Revision Date 18-Dec-2025

Not mutagenic in AMES Test

(f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
N-Methyl	100-60-7	Not listed				
cyclohexylamine						

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

Target Organs No information available.

No data available (j) aspiration hazard;

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation.

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

Endocrine Disrupting Properties This product does not contain any known or suspected endocrine disruptors.

12. Ecological information

Ecotoxicity

Do not empty into drains.

No information available Persistence and Degradability

Bioaccumulation/ Accumulation No information available.

No information available. **Mobility**

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN2734

Proper Shipping Name Technical Shipping Name

Hazard Class

AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.

(N-METHYLCYCLOHEXYLAMINE)

Subsidiary Hazard Class 3
Packing Group ||

TDG

UN-No UN2734

Proper Shipping Name AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.

Technical Shipping Name (N-METHYLCYCLOHEXYLAMINE)

Hazard Class 8
Subsidiary Hazard Class 3
Packing Group ||

<u>IATA</u>

UN-No UN2734

Proper Shipping Name AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.*

Technical Shipping Name (N-METHYLCYCLOHEXYLAMINE)

Hazard Class 8
Subsidiary Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN2734

Proper Shipping Name AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.

Technical Shipping Name (N-METHYLCYCLOHEXYLAMINE)

Hazard Class 8
Subsidiary Hazard Class 3
Packing Group ||

15. Regulatory Information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
N-Methyl cyclohexylamine	100-60-7	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

	Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
I	N-Methyl cyclohexylamine	100-60-7	-	Х	202-869-3	X	X	Х	Х	X	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
N-Methyl cyclohexylamine	100-60-7	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
N-Methyl cyclohexylamii	ie 100-60-7	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
-		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		Qualifying Quantities	Qualifying Quantities	. ,	,

		for Major Accident Notification	for Safety Report Requirements		
N-Methyl cyclohexylamine	100-60-7	Not applicable	Not applicable	Not applicable	Not applicable

16. Other Information

Prepared By Product stewardship (Regulatory Affairs)

Thermo Fisher Scientific

email - begel.sdsdesk@thermofisher.com

 Creation Date
 22-Sep-2009

 Revision Date
 18-Dec-2025

 Print Date
 18-Dec-2025

Revision Summary Updated to the U.S. Department of Labor's Occupational Safety and Health Administration

(OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200,

2024), May 20, 2024, effective July 19, 2024.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS