

# **SAFETY DATA SHEET**

Revision Date 24-Dec-2021 Revision Number 5

1. Identification

Product Name 2-Chlorobenzoyl chloride

Cat No.: AC147140000; AC147140010; AC147140050; AC147142500

CAS No 609-65-4 Synonyms OCOC

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 1

Category 1

Category 1

Label Elements

Signal Word

Danger

**Hazard Statements** 

May be corrosive to metals

Causes severe skin burns and eye damage



### **Precautionary Statements**

### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep only in original container

### Response

Immediately call a POISON CENTER or doctor/physician

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion** 

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### Spills

Absorb spillage to prevent material damage

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

## Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Contact with water liberates toxic gas

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Benzoyl chloride, 2-chloro-	609-65-4	98

## 4. First-aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Inhalation** Remove from exposure, lie down. If breathing is difficult, give oxygen. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration

with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

**Ingestion** Do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an

unconscious person. Clean mouth with water.

Most important symptoms and

effects

Causes burns by all exposure routes. . Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media CO 2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

**Flash Point** 124 °C / 255.2 °F

**Method** - No information available

Autoignition Temperature 600 °C / 1112 °F

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Contact with water liberates toxic gas.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Thermal decomposition can lead to release of irritating gases and vapors. Phosgene. Hydrogen chloride gas.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards310W

## 6. Accidental release measures

Personal Precautions Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use

personal protective equipment as required. Ensure adequate ventilation.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information.

**Methods for Containment and Clean** Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Do **up** not expose spill to water.

# 7. Handling and storage

Handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with

water.

Storage. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Keep away from water or moist air. Do not store in metal containers. Incompatible

Materials. Strong bases. Alcohols. Metals.

## 8. Exposure controls / personal protection

**Exposure Guidelines** This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations **Engineering Measures** 

and safety showers are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection** 

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

## 9. Physical and chemical properties

**Physical State** Liquid **Appearance** Light yellow Odor Odorless

**Odor Threshold** No information available Ha No information available

Melting Point/Range -4 - -3 °C / 24.8 - 26.6 °F **Boiling Point/Range** 238 °C / 460.4 °F @ 760 mmHg

124 °C / 255.2 °F **Flash Point Evaporation Rate** No information available Not applicable

Flammability (solid,gas)

Flammability or explosive limits

Upper No data available No data available Lower No information available **Vapor Pressure** 

Vapor Density 6.03 **Specific Gravity** 1.380

No information available Solubility Partition coefficient; n-octanol/water No data available **Autoignition Temperature** 600 °C / 1112 °F **Decomposition Temperature** No information available **Viscosity** 1.89 mm2/s at 20 °C

Molecular Formula C7 H4 Cl2 O 175.01 **Molecular Weight** 

## 10. Stability and reactivity

**Reactive Hazard** Yes

Stability Stable under normal conditions.

### 2-Chlorobenzoyl chloride

**Conditions to Avoid** Incompatible products. Excess heat. Exposure to moist air or water. Exposure to moisture.

**Incompatible Materials** Strong bases, Alcohols, Metals

Hazardous Decomposition Products Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>), Thermal decomposition can lead to release

of irritating gases and vapors, Phosgene, Hydrogen chloride gas

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** Contact with water liberates toxic gas.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

No acute toxicity information is available for this product

**Component Information Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Benzoyl chloride,	609-65-4	Not listed				
2-chloro-						

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN3265

Proper Shipping Name Corrosive liquid, acidic, organic, n.o.s.

Technical Name Benzovl chloride, 2-chloro-

Hazard Class 8
Packing Group | |

TDG

UN-No UN3265

**Proper Shipping Name** Corrosive liquid, acidic, organic, n.o.s.

Hazard Class 8
Packing Group

IATA

UN-No UN3265

Proper Shipping Name Corrosive liquid, acidic, organic, n.o.s.

Hazard Class 8
Packing Group ||

IMDG/IMO

UN-No UN3265

Proper Shipping Name Corrosive liquid, acidic, organic, n.o.s.

Hazard Class 8
Packing Group

## 15. Regulatory information

### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Benzoyl chloride, 2-chloro-	609-65-4	X	ACTIVE	-

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Benzoyl chloride, 2-chloro-	609-65-4	-	Х	210-194-0	Χ	Χ	Х	Х	Х	KE-05541

**KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

### 2-Chlorobenzoyl chloride

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

**U.S. Department of Transportation** 

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Slight risk, Grade 1

Authorisation/Restrictions according to EU REACH

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Benzoyl chloride, 2-chloro-	609-65-4	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
		(2012/18/EC) - (2012/18/EC) -		Convention (PIC)	(Hazardous Waste)
		<b>Qualifying Quantities</b>	<b>Qualifying Quantities</b>		
		for Major Accident   for Safety Report			
		Notification	Requirements		
Benzoyl chloride, 2-chloro-	609-65-4	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

Revision Date 24-Dec-2021

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**