

# **SAFETY DATA SHEET**

Revision Date 24-Dec-2021 Revision Number 4

1. Identification

Product Name 2-Methyl-2-propanethiol

Cat No.: AC149020000; AC149020025; AC149020500; AC149025000

**CAS No** 75-66-1

Synonyms tert-Butyl mercaptan

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 2
Skin Sensitization Category 1

Label Elements

Signal Word

Danger

**Hazard Statements** 

Highly flammable liquid and vapor May cause an allergic skin reaction



### **Precautionary Statements**

#### Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

#### Skin

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

## Storage

Store in a well-ventilated place. Keep cool

#### Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

# Other hazards

Stench.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
2-Methyl-2-propanethiol	75-66-1	>95

### 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Get medical attention. Wash off immediately with plenty of water for at least 15 minutes.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.

**Ingestion** Clean mouth with water. Get medical attention.

Most important symptoms and

effects

May cause allergic skin reaction. Difficulty in breathing. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing: Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used to cool **Suitable Extinguishing Media** 

closed containers.

**Unsuitable Extinguishing Media** No information available

**Flash Point** -24 °C / -11.2 °F

No information available Method -

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air. Extremely flammable.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Sulfur oxides. Sulfides.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	3	0	N/A

# 6. Accidental release measures

Remove all sources of ignition. Take precautionary measures against static discharges. **Personal Precautions** 

Use personal protective equipment as required.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition.

Use spark-proof tools and explosion-proof equipment.

# 7. Handling and storage

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Take precautionary Handling

measures against static discharges. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment

must be grounded.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away Storage.

from heat, sparks and flame. Flammables area. Keep container tightly closed in a dry and

well-ventilated place. Incompatible Materials. Bases. Metals. Reducing Agent.

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

### 2-Methyl-2-propanethiol

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
2-Methyl-2-propanethiol		(Vacated) TWA: 0.5 ppm		
		(Vacated) TWA: 1.5 mg/m <sup>3</sup>		

#### Legend

OSHA - Occupational Safety and Health Administration

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations **Engineering Measures** 

and safety showers are close to the workstation location. Ensure adequate ventilation,

especially in confined areas.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

**Physical State** Liquid Colorless **Appearance** Stench Odor

**Odor Threshold** No information available

No information available Ha

Melting Point/Range -1.1 °C / 30 °F

**Boiling Point/Range** 62 - 65 °C / 143.6 - 149 °F

Flash Point -24 °C / -11.2 °F **Evaporation Rate** No information available

Flammability (solid, gas) Not applicable

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** 305 mmHg @ 37.8 °C

**Vapor Density** 3.0 0.800

**Specific Gravity** Solubility No information available Partition coefficient; n-octanol/water No data available

**Autoignition Temperature** No information available **Decomposition Temperature** > 65°C

0.638 cPs at 20 °C **Viscosity** 

Molecular Formula C4 H10 S **Molecular Weight** 90.18

# 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Stability Stable under normal conditions.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

**Incompatible Materials** Bases, Metals, Reducing Agent

### 2-Methyl-2-propanethiol

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Sulfur oxides, Sulfides

**Hazardous Polymerization** No information available.

**Hazardous Reactions** None under normal processing.

# Toxicological information

### **Acute Toxicity**

#### **Product Information**

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation							
2-Methyl-2-propanethiol	LD50 = 4729 mg/kg (Rat)	>2000 mg/kg (Rabbit)	LC50 = 98300 mg/m <sup>3</sup> (Rat) 4 h							

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization May cause sensitization by skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
2-Methyl-2-propanethi	75-66-1	Not listed				
ol						

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

No information available **Endocrine Disruptor Information** 

**Other Adverse Effects** The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2-Methyl-2-propanethiol	Not listed	LC50: 34 mg/L/96h	Not listed	EC50: 6.7 mg/L/48h
		(Oncorhynchus mykiss)		_

**Persistence and Degradability** Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

#### **Mobility**

Will likely be mobile in the environment due to its volatility.

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN2347

Proper Shipping Name BUTYL MERCAPTAN

Hazard Class 3 Packing Group II

**TDG** 

UN-No UN2347

Proper Shipping Name BUTYL MERCAPTAN

Hazard Class 3 Packing Group II

**IATA** 

UN-No UN2347

Proper Shipping Name BUTYL MERCAPTAN

Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN2347

Proper Shipping Name BUTYL MERCAPTAN

Hazard Class 3
Packing Group ||

# 15. Regulatory information

# United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
2-Methyl-2-propanethiol	75-66-1	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

# **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
2-Methyl-2-propanethiol	75-66-1	Х	1	200-890-2	Χ	Х	Χ	Χ	Х	KE-24873

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

### 2-Methyl-2-propanethiol

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
2-Methyl-2-propanethiol	X	X	X	=	=

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
2-Methyl-2-propanethiol	75-66-1	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		<b>Qualifying Quantities</b>	• •		
		for Major Accident	for Safety Report		
		Notification	Requirements		
2-Methyl-2-propanethiol	75-66-1	Not applicable	Not applicable	Not applicable	Not applicable

### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Revision Date 24-Dec-2021

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**