

# SAFETY DATA SHEET

Creation Date 09-Sep-2014 Revision Date 24-Dec-2021 Revision Number 4

1. Identification

Product Name Crotyl chloride

Cat No.: AC154800000; AC154801000; AC154805000

Synonyms 1-Chloro-2-butene

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute oral toxicity

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 1

Category 1

Category 3

Target Organs - Respiratory system.

#### Label Elements

#### Signal Word

Danger

#### **Hazard Statements**

Highly flammable liquid and vapor Harmful if swallowed Causes severe skin burns and eye damage

#### Causes serious eye damage May cause respiratory irritation



#### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

# Ingestion

Rinse mouth

Do NOT induce vomiting

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposa

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
1-Crotyl chloride	591-97-9	65
1-Butene, 3-chloro-	563-52-0	23-38
Butane, 1,3-dichloro-	1190-22-3	< 1

# 4. First-aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove from exposure, lie down. Remove to fresh air. Do not use mouth-to-mouth method

if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate

medical attention is required. If not breathing, give artificial respiration.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Difficulty in breathing. Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation

Notes to Physician Treat symptomatically

### 5. Fire-fighting measures

Suitable Extinguishing Media Carbon dioxide (CO2). Dry chemical. Chemical foam. Water mist may be used to cool

closed containers.

Unsuitable Extinguishing Media No information available

Flash Point -15 °C / 5 °F

Method - No information available

Autoignition Temperature 510 °C / 950 °F

**Explosion Limits** 

**Upper** 19.0% **Lower** 4.2%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen chloride gas,

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards330N/A

### 6. Accidental release measures

Personal Precautions
Environmental Precautions

Remove all sources of ignition. Take precautionary measures against static discharges. See Section 12 for additional Ecological Information.

See Section 12 for additional Ecological information.

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

Up

sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not let this chemical enter the environment.

### 7. Handling and storage

#### Handling

Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Storage.

Keep in a dry place. Keep container tightly closed. Keep away from heat, sparks and flame. Corrosives area. Flammables area. Keep refrigerated. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents.

### 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

**Engineering Measures** 

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

#### **Personal Protective Equipment**

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** 

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** 

Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

3

Physical StateLiquidAppearanceColorlessOdorIrritating

Odor Threshold No information available

Melting Point/Range -65 °C / -85 °F

**Boiling Point/Range** 80 - 85 °C / 176 - 185 °F @ 760 mmHg

Flash Point -15 °C / 5 °F
Evaporation Rate No information available

Flammability (solid,gas)

Not applicable

Flammability or explosive limits

 Upper
 19.0%

 Lower
 4.2%

Vapor PressureNo information availableVapor DensityNo information available

Specific Gravity 0.920

Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity

14 g/L @ 20 °C
No data available
510 °C / 950 °F
No information available
No information available

Molecular FormulaC4 H7 ClMolecular Weight90.55

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>), Hydrogen chloride gas

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

### 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Oral LD50** Category 4. ATE = 300 - 2000 mg/kg.

**Dermal LD50**Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Vapor LC50**Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information** 

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information availableSensitizationNo information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
1-Crotyl chloride	591-97-9	Not listed				
1-Butene, 3-chloro-	563-52-0	Not listed				
Butane, 1,3-dichloro-	1190-22-3	Not listed				

Mutagenic Effects No information available

Reproductive EffectsNo information available.Developmental EffectsNo information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

Aspiration hazard No information available

Revision Date 24-Dec-2021 Crotyl chloride

Symptoms / effects.both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

delayed

tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric layage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and

danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

### 12. Ecological information

**Ecotoxicity** 

Do not empty into drains. .

Persistence and Degradability Persistence is unlikely based on information available.

No information available. **Bioaccumulation/ Accumulation** 

Mobility Will likely be mobile in the environment due to its volatility.

### Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT

**UN-No** UN2924

**Proper Shipping Name** Flammable liquid, corrosive, n.o.s.

**Technical Name** (CROTYL CHLORIDE)

**Hazard Class Subsidiary Hazard Class** 8 **Packing Group** Ш

TDG

**UN-No** UN2924

**Proper Shipping Name** Flammable liquid, corrosive, n.o.s.

Hazard Class **Subsidiary Hazard Class** 8 **Packing Group** Ш

**IATA** 

UN-No UN2924

**Proper Shipping Name** Flammable liquid, corrosive, n.o.s.

**Hazard Class Subsidiary Hazard Class** 8 Packing Group Ш

IMDG/IMO

**UN-No** UN2924

**Proper Shipping Name** Flammable liquid, corrosive, n.o.s.

**Hazard Class** 3 **Subsidiary Hazard Class** 8 Ш **Packing Group** 

## 15. Regulatory information

#### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
1-Crotyl chloride	591-97-9	X	ACTIVE	-

1-Butene, 3-chloro-	563-52-0	Х	ACTIVE	-
Butane, 1,3-dichloro-	1190-22-3	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
1-Crotyl chloride	591-97-9	-	Х	209-739-5	Х	Х	Χ	Х	Χ	i
1-Butene, 3-chloro-	563-52-0	-	Х	209-252-8	Х	Х	Χ	-	-	-
Butane, 1,3-dichloro-	1190-22-3	-	Х	214-718-9	-	Х	Х	Х	-	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
1-Crotyl chloride	X	X	X	-	-

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
1-Crotyl chloride	591-97-9	Not applicable	Not applicable	Not applicable	Not applicable
1-Butene, 3-chloro-	563-52-0	Not applicable	Not applicable	Not applicable	Not applicable
Butane, 1,3-dichloro-	1190-22-3	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - (2012/18/EC) - Qualifying Quantities Qualifying Quantities		Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		for Major Accident	for Safety Report		
		Notification	Requirements		
1-Crotyl chloride	591-97-9	Not applicable	Not applicable	Not applicable	Not applicable
1-Butene, 3-chloro-	563-52-0	Not applicable	Not applicable	Not applicable	Not applicable
Butane, 1,3-dichloro-	1190-22-3	Not applicable	Not applicable	Not applicable	Annex I - Y45

16	Other	inform	ation
TO.	Other		анон

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 09-Sep-2014

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**