

# SAFETY DATA SHEET

Creation Date 23-Mar-2012

Revision Date 19-Dec-2025

Revision Number 5

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

## 1. Identification

**Product Name** N-Ethylethylenediamine

**Cat No. :** AC155550000; AC155550050; AC155550500; AC155552500

**CAS No** 110-72-5  
**Synonyms** 2-Ethylaminoethylamine

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

#### Company

Fisher Scientific Company  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

|                                   |              |
|-----------------------------------|--------------|
| Flammable liquids                 | Category 2   |
| Skin Corrosion/Irritation         | Category 1 B |
| Serious Eye Damage/Eye Irritation | Category 1   |

### Label Elements

**Signal Word**  
Danger

**Hazard Statements**  
Highly flammable liquid and vapor  
Causes severe skin burns and eye damage

**Precautionary Statements****Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Keep container tightly closed  
Ground and bond container and receiving equipment  
Use explosion-proof electrical/ventilating/lighting equipment  
Take action to prevent static discharges  
Use non-sparking tools

**Response**

Immediately call a POISON CENTER or doctor

**Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing

**Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
Take off contaminated clothing and wash before reuse

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

**Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

**Fire**

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam to extinguish

**Storage**

Store locked up  
Store in a well-ventilated place. Keep cool

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

None identified

**Hazards classified under paragraph (d)(1)(ii) of 1910.1200**

No information available

### 3. Composition/information on Ingredients

| Component                   | CAS No   | Weight % |
|-----------------------------|----------|----------|
| 1,2-Ethanediamine, N-ethyl- | 110-72-5 | <=100    |

### 4. First-aid measures

**Eye Contact**

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

**Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.

**Inhalation**

Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                            | respiration. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Ingestion</b>                           | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a physician immediately. If possible drink milk afterwards.                                                                                                                                                                                                                                                                        |
| <b>Most important symptoms and effects</b> | Difficulty in breathing. Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| <b>Notes to Physician</b>                  | Treat symptomatically                                                                                                                                                                                                                                                                                                                                                                                                                         |

## 5. Fire-fighting measures

|                                         |                                                                                                                                                                     |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | Carbon dioxide (CO <sub>2</sub> ). Dry chemical. Water mist may be used to cool closed containers. Chemical foam. Water mist may be used to cool closed containers. |
| <b>Unsuitable Extinguishing Media</b>   | No information available                                                                                                                                            |
| <b>Flash Point</b>                      | 10 °C / 50 °F                                                                                                                                                       |
| <b>Method -</b>                         | No information available                                                                                                                                            |
| <b>Autoignition Temperature</b>         | No information available                                                                                                                                            |
| <b>Explosion Limits</b>                 |                                                                                                                                                                     |
| <b>Upper</b>                            | No data available                                                                                                                                                   |
| <b>Lower</b>                            | No data available                                                                                                                                                   |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                                                                                                                            |
| <b>Sensitivity to Static Discharge</b>  | No information available                                                                                                                                            |

### Specific Hazards Arising from the Chemical

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

### Hazardous Combustion Products

Nitrogen oxides (NO<sub>x</sub>). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### NFPA

**Health**  
3

**Flammability**  
3

**Instability**  
0

**Physical hazards**  
N/A

## 6. Accidental release measures

|                                             |                                                                                                                                                                                                                                               |
|---------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal Precautions</b>                 | Remove all sources of ignition. Take precautionary measures against static discharges.                                                                                                                                                        |
| <b>Environmental Precautions</b>            | See Section 12 for additional Ecological Information.                                                                                                                                                                                         |
| <b>Methods for Containment and Clean Up</b> | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. |

## 7. Handling and Storage

|                 |                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling</b> | Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

**Storage.**

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Store under an inert atmosphere. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Acids. Strong oxidizing agents. Acid anhydrides. Acid chlorides. Carbon dioxide (CO<sub>2</sub>).

## 8. Exposure controls / personal protection

**Exposure Guidelines**

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

**Personal Protective Equipment****Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin and body protection**

Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection**

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:**

Particulates filter conforming to EN 143. Ammonia and organic ammonia derivatives filter. Type K. Green. conforming to EN14387.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

**Appearance****Physical State**

Liquid

**Color**

Light brown

**Odor**

No information available

**Odor Threshold**

No information available

**Property****Values****Remarks****• Method****Melting Point/Range**

No data available

**Softening Point**

No data available

**Boiling Point/Range**

128 - 130 °C / 262.4 - 266 °F

@ 760 mmHg

**Flash Point**

10 °C / 50 °F

**Method** - No information available

**Flammability (liquid)**

Highly flammable

On basis of test data

**Flammability (solid,gas)**

Not applicable

Liquid

**Explosion Limits**

No data available

**Autoignition Temperature**

No data available

**Decomposition Temperature**

No data available

**pH**

No information available

**Viscosity**

No data available

**Water Solubility**

No information available

**Solubility in other solvents**

No information available

**Partition Coefficient (n-octanol/water)**

|                                   |                         |             |
|-----------------------------------|-------------------------|-------------|
| <b>Vapor Pressure</b>             | No data available       |             |
| <b>Density / Specific Gravity</b> | 0.830                   |             |
| <b>Bulk Density</b>               | Not applicable          | Liquid      |
| <b>Vapor Density</b>              | 3.0                     | (Air = 1.0) |
| <b>Particle characteristics</b>   | Not applicable (liquid) |             |

**Other Information**

|                             |                                             |
|-----------------------------|---------------------------------------------|
| <b>Molecular Formula</b>    | C4 H12 N2                                   |
| <b>Molecular Weight</b>     | 88.15                                       |
| <b>Explosive Properties</b> | Vapors may form explosive mixtures with air |

## 10. Stability and reactivity

|                                         |                                                                                                           |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>Reactive Hazard</b>                  | None known, based on information available                                                                |
| <b>Stability</b>                        | Air sensitive.                                                                                            |
| <b>Conditions to Avoid</b>              | Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. Exposure to air. |
| <b>Incompatible Materials</b>           | Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides, Carbon dioxide (CO2)                     |
| <b>Hazardous Decomposition Products</b> | Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)                                         |
| <b>Hazardous Polymerization</b>         | No information available.                                                                                 |
| <b>Hazardous Reactions</b>              | None under normal processing.                                                                             |

## 11. Toxicological information

**Information on expected route of exposure**

|                   |                                                                                                 |
|-------------------|-------------------------------------------------------------------------------------------------|
| <b>Inhalation</b> | Not an expected route of exposure.                                                              |
| <b>Ingestion</b>  | May be harmful if swallowed.                                                                    |
| <b>Eyes</b>       | Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness. |
| <b>Skin</b>       | Avoid contact with skin. Causes burns. Skin Corrosion/Irritation.                               |

**Toxicology data for the components**

|                                               |                          |
|-----------------------------------------------|--------------------------|
| <b>Toxicologically Synergistic Products</b>   | No information available |
| <b>(b) skin corrosion/irritation;</b>         | Category 1 B             |
| <b>(c) serious eye damage/irritation;</b>     | Category 1               |
| <b>(d) respiratory or skin sensitization;</b> |                          |
| <b>Respiratory</b>                            | No data available        |
| <b>Skin</b>                                   | No data available        |
| <b>(e) germ cell mutagenicity;</b>            | No data available        |
| <b>(f) carcinogenicity;</b>                   |                          |

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component                      | CAS No   | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|--------------------------------|----------|------------|------------|------------|------------|------------|
| 1,2-Ethanediamine,<br>N-ethyl- | 110-72-5 | Not listed | Not listed | Not listed | Not listed | Not listed |

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

**Other Adverse Effects** The toxicological properties have not been fully investigated.

**Endocrine Disrupting Properties** This product does not contain any known or suspected endocrine disruptors.

## 12. Ecological information

### Ecotoxicity

Do not empty into drains.

**Persistence and Degradability** No information available

**Bioaccumulation/ Accumulation** No information available.

**Mobility** No information available.

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

### DOT

|                         |                                      |
|-------------------------|--------------------------------------|
| UN-No                   | UN2733                               |
| Proper Shipping Name    | AMINES, FLAMMABLE, CORROSIVE, N.O.S. |
| Hazard Class            | 3                                    |
| Subsidiary Hazard Class | 8                                    |
| Packing Group           | II                                   |

### TDG

|                         |                                      |
|-------------------------|--------------------------------------|
| UN-No                   | UN2733                               |
| Proper Shipping Name    | AMINES, FLAMMABLE, CORROSIVE, N.O.S. |
| Hazard Class            | 3                                    |
| Subsidiary Hazard Class | 8                                    |

|                                |                                       |
|--------------------------------|---------------------------------------|
| <b>Packing Group</b>           | II                                    |
| <b>IATA</b>                    |                                       |
| <b>UN-No</b>                   | UN2733                                |
| <b>Proper Shipping Name</b>    | AMINES, FLAMMABLE, CORROSIVE, N.O.S.* |
| <b>Hazard Class</b>            | 3                                     |
| <b>Subsidiary Hazard Class</b> | 8                                     |
| <b>Packing Group</b>           | II                                    |
| <b>IMDG/IMO</b>                |                                       |
| <b>UN-No</b>                   | UN2733                                |
| <b>Proper Shipping Name</b>    | AMINES, FLAMMABLE, CORROSIVE, N.O.S.  |
| <b>Hazard Class</b>            | 3                                     |
| <b>Subsidiary Hazard Class</b> | 8                                     |
| <b>Packing Group</b>           | II                                    |

## 15. Regulatory Information

### United States of America Inventory

| Component                   | CAS No   | TSCA | TSCA Inventory notification -<br>Active-Inactive | TSCA - EPA Regulatory<br>Flags |
|-----------------------------|----------|------|--------------------------------------------------|--------------------------------|
| 1,2-Ethanediamine, N-ethyl- | 110-72-5 | X    | ACTIVE                                           | -                              |

#### Legend:

**TSCA** US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

#### TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

#### TSCA 12(b) - Notices of Export

Not applicable

### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component                   | CAS No   | DSL | NDSL | EINECS    | PICCS | ENCS | ISHL | AICS | IECSC | KECL     |
|-----------------------------|----------|-----|------|-----------|-------|------|------|------|-------|----------|
| 1,2-Ethanediamine, N-ethyl- | 110-72-5 | -   | X    | 203-795-4 | X     | X    | X    | -    | X     | KE-13694 |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** Not applicable

**Clean Air Act** Not applicable

**OSHA - Occupational Safety and Health Administration** Not applicable

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations** Not applicable

**U.S. Department of Transportation**

Reportable Quantity (RQ): N  
DOT Marine Pollutant N  
DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security** This product does not contain any DHS chemicals.

**Other International Regulations**

**Mexico - Grade** No information available

**Authorisation/Restrictions according to EU REACH** Not applicable

| Component                   | CAS No   | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------------------------|----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| 1,2-Ethanediamine, N-ethyl- | 110-72-5 | -                                                                   | -                                                                             | -                                                                                                     |

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

| Component                   | CAS No   | OECD HPV       | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-----------------------------|----------|----------------|------------------------------|---------------------------|--------------------------------------------|
| 1,2-Ethanediamine, N-ethyl- | 110-72-5 | Not applicable | Not applicable               | Not applicable            | Not applicable                             |

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

**Other International Regulations**

| Component                   | CAS No   | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-----------------------------|----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| 1,2-Ethanediamine, N-ethyl- | 110-72-5 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |

## 16. Other Information

**Prepared By** Product stewardship (Regulatory Affairs)  
Thermo Fisher Scientific  
email - begel.sdsdesk@thermofisher.com

|                  |                                                                                                                                                                                                                                                                                                       |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Creation Date    | 23-Mar-2012                                                                                                                                                                                                                                                                                           |
| Revision Date    | 19-Dec-2025                                                                                                                                                                                                                                                                                           |
| Print Date       | 19-Dec-2025                                                                                                                                                                                                                                                                                           |
| Revision Summary | Updated to the U.S. Department of Labor's Occupational Safety and Health Administration (OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200, 2024), May 20, 2024, effective July 19, 2024. |

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**