

SAFETY DATA SHEET

Revision Date 24-Dec-2021

Revision Number 5

1. Identification

Product Name

2-Methylbenzylamine

Cat No. : AC155630000; AC155630010; AC155630050; AC155630250

CAS No Synonyms 89-93-0 o-Xylylamine

Recommended Use Uses advised against Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 4 Category 1 B Category 1

Label Elements

Signal Word Danger

Hazard Statements Combustible liquid Causes severe skin burns and eye damage



Precautionary Statements Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component		CAS No	Weight %				
Benzenemethanamine, 2-m	ethyl-	89-93-0	96				
	4.	First-aid measures					
Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also un the eyelids, for at least 15 minutes.							
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.						
Inhalation	Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Immediate medical attention is required.						
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a physician immediately. If possible drink milk afterwards.						
Most important symptoms and effects	may be head	reathing. Causes burns by all exposure ache, dizziness, tiredness, nausea and e of gastric lavage or emesis is contrain	vomiting: Product is a corrosive				

Notes to Physician	stomach or esophagus shou damage to the delicate tissu Treat symptomatically		causes severe swelling, severe
	5. Fire-fighting	g measures	
Suitable Extinguishing Media	Water spray. Carbon dioxide to cool closed containers.	(CO 2). Dry chemical. Chemi	ical foam. Water mist may be used
Unsuitable Extinguishing Media	No information available		
Flash Point	83 °C / 181.4 °F		
Method -	No information available		
Autoignition Temperature Explosion Limits	No information available		
Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	No data available No data available t No information available No information available		
Specific Hazards Arising from the C Combustible material. Flammable. Va	Chemical pors may form explosive mixtu	res with air. Containers may	explode when heated.
Nitrogen oxides (NOx). Carbon monox Protective Equipment and Precaution		·2)·	
Vapors are heavier than air and may s pressure-demand, MSHA/NIOSH (app <u>NFPA</u> Health 3	pread along floors. As in any		thing apparatus Physical hazards N/A
Vapors are heavier than air and may s pressure-demand, MSHA/NIOSH (app <u>NFPA</u> <u>Health</u>	pread along floors. As in any proved or equivalent) and full proved Flammability	orotective gear. Instability 0	Physical hazards
Vapors are heavier than air and may s pressure-demand, MSHA/NIOSH (app <u>NFPA</u> <u>Health</u>	pread along floors. As in any proved or equivalent) and full p Flammability 2 6. Accidental rele	Instability 0 ease measures on. Take precautionary measures	Physical hazards
Vapors are heavier than air and may s pressure-demand, MSHA/NIOSH (app NFPA Health 3 Personal Precautions	pread along floors. As in any proved or equivalent) and full p Flammability 2 6. Accidental rele Remove all sources of ignition See Section 12 for additiona	Instability 0 ease measures on. Take precautionary measu I Ecological Information.	Physical hazards N/A ures against static discharges.
Vapors are heavier than air and may s pressure-demand, MSHA/NIOSH (app <u>NFPA</u> Health 3 Personal Precautions Environmental Precautions Methods for Containment and Clear Up	Flammability 2 6. Accidental rele Remove all sources of ignition See Section 12 for additional Soak up with inert absorber sawdust). Keep in suitable, of 7. Handling a	Instability 0 ease measures on. Take precautionary measu I Ecological Information. material (e.g. sand, silica ge closed containers for disposal nd storage	Physical hazards N/A ures against static discharges. I, acid binder, universal binder, I. Remove all sources of ignition.
Vapors are heavier than air and may s pressure-demand, MSHA/NIOSH (app NFPA Health 3 Personal Precautions Environmental Precautions Methods for Containment and Clear	Flammability 2 6. Accidental rele Remove all sources of ignitic See Section 12 for additionan Soak up with inert absorbent sawdust). Keep in suitable, of 7. Handling a Do not breathe mist/vapors/s	Instability 0 Case measures on. Take precautionary measu I Ecological Information. I material (e.g. sand, silica ge closed containers for disposal nd storage spray. Do not get in eyes, on a n or provide appropriate exha	Physical hazards N/A ures against static discharges. I, acid binder, universal binder, I. Remove all sources of ignition.
Vapors are heavier than air and may s pressure-demand, MSHA/NIOSH (app <u>NFPA</u> Health 3 Personal Precautions Environmental Precautions Methods for Containment and Clear Up	Flammability 2 6. Accidental rele Remove all sources of ignitic See Section 12 for additional n Soak up with inert absorbent sawdust). Keep in suitable, of 7. Handling a Do not breathe mist/vapors/s product only in closed syster open flames, hot surfaces ar Keep in a dry, cool and well- from heat, sparks and flame	Instability 0 Case measures on. Take precautionary measu I Ecological Information. I material (e.g. sand, silica ge closed containers for disposal nd storage spray. Do not get in eyes, on a n or provide appropriate exha and sources of ignition. I ventilated place. Keep contai Corrosives area. Keep contai compatible Materials. Acids.	Physical hazards N/A ures against static discharges. I, acid binder, universal binder, I. Remove all sources of ignition.
Vapors are heavier than air and may s pressure-demand, MSHA/NIOSH (app NFPA	Flammability 2 6. Accidental relea Remove all sources of ignitic See Section 12 for additiona Soak up with inert absorber sawdust). Keep in suitable, of 7. Handling a Do not breathe mist/vapors/s product only in closed syster open flames, hot surfaces ar Keep in a dry, cool and well- from heat, sparks and flame and well-ventilated place. In anhydrides. Acid chlorides. (xposure controls /	Instability 0 Case measures on. Take precautionary measu I Ecological Information. I material (e.g. sand, silica ge closed containers for disposal nd storage spray. Do not get in eyes, on a nor provide appropriate exha and sources of ignition. I ventilated place. Keep contai Corrosives area. Keep contai Corrosives area. Keep contai Compatible Materials. Acids. Carbon dioxide (CO2).	Physical hazards N/A ures against static discharges. I, acid binder, universal binder, Remove all sources of ignition. skin, or on clothing. Handle aust ventilation. Keep away from ner tightly closed. Keep away ainers tightly closed in a dry, cool Strong oxidizing agents. Acid

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Light yellow
Odor	No information available
Odor Threshold	No information available
рН	No information available
Melting Point/Range	No data available
Boiling Point/Range	196 - 197 °C / 384.8 - 386.6 °F @ 760 mmHg
Flash Point	83 °C / 181.4 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	No information available
Specific Gravity	0.970
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C8 H11 N
Molecular Weight	121.18

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable.
Conditions to Avoid	Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides, Carbon dioxide (CO2)
Hazardous Decomposition Product	s Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

		11 Toylor	logical inf	rmation			
Acute Toxicity			ological info	mation			
Product Information Component Information		No acute toxicity information is available for this product					
Toxicologically Syn Products		No information available					
	liate effects as w	ell as chronic effects from short and long-term exposure					
Irritation		No information ava	ilable				
Sensitization		No information ava	ilable				
Carcinogenicity		The table below inc	dicates whether ea	ach agency has list	ed any ingredient a	as a carcinogen.	
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Benzenemethanamine , 2-methyl-	89-93-0	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information ava	ilable				
Reproductive Effec	ts	No information ava	ilable.				
Developmental Effe	ects	No information ava	ilable.				
Teratogenicity		No information ava	ilable.				
STOT - single exposision STOT - repeated ex		None known None known					
Aspiration hazard		No information ava	ilable				
Symptoms / effects delayed	s,both acute and	Symptoms of overe Product is a corros Possible perforatio severe swelling, se	ive material. Use n of stomach or es	of gastric lavage o sophagus should b	r emesis is contrain e investigated: Ing	ndicated. estion causes	
Endocrine Disrupto	or Information	No information ava	ilable				
Other Adverse Effe	cts	The toxicological p	roperties have not	been fully investig	ated.		
		12. Ecolo	ogical infor	mation			
Ecotoxicity Do not empty into dra	ains.						
Persistence and De	gradability	No information ava	ilable				
Bioaccumulation/ A	ccumulation	No information ava	ilable.				
Mobility		No information available.					
		13. Dispo	sal conside	erations			
Waste Disposal Me	thods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.					
		14. Tran	sport inform	nation			
DOT							

UN-No Proper Shipping Name Technical Name Hazard Class Packing Group TDG	UN2735 AMINES, LIQUID, CORROSIVE, N.O.S. Benzenemethanamine, 2-methyl- 8 III
UN-No	UN2735
Proper Shipping Name	AMINES, LIQUID, CORROSIVE, N.O.S.
Hazard Class	8
Packing Group	
ΙΑΤΑ	
UN-No	UN2735
Proper Shipping Name	AMINES, LIQUID, CORROSIVE, N.O.S.
Hazard Class	8
Packing Group	III
IMDG/IMO	
UN-No	UN2735
Proper Shipping Name	AMINES, LIQUID, CORROSIVE, N.O.S.
Hazard Class	8
Packing Group	
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Benzenemethanamine, 2-methyl-	89-93-0	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Benzenemethanamine, 2-methyl-	89-93-0	-	Х	201-952-1	-	-		-	-	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable

California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	Not applicable
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Benzenemethanamine, 2-methyl-	89-93-0	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Benzenemethanamine, 2-methyl-	89-93-0	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information	
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Revision Date Print Date Revision Summary	24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS