

# **SAFETY DATA SHEET**

Creation Date 26-Sep-2009 Revision Date 24-Dec-2021 Revision Number 4

1. Identification

Product Name 1-Pentanol

Cat No.: AC160600000; AC160600010; AC160600025; AC160600250;

AC160600251

**CAS No** 71-41-0

Synonyms Pentyl alcohol; n-Amyl alcohol

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

Company

Fisher Scientific Company Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 2

Category 2

Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word Warning

**Hazard Statements** 

\_\_\_\_\_

Flammable liquid and vapor Causes skin irritation Causes serious eye irritation Harmful if inhaled May cause respiratory irritation



#### **Precautionary Statements**

#### Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

## Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

#### Other hazards

Stench.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
1-Pentanol	71-41-0	>95

### 4. First-aid measures

Revision Date 24-Dec-2021 1-Pentanol

**General Advice** If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if Inhalation

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

None reasonably foreseeable. . Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

**Unsuitable Extinguishing Media** No information available

**Flash Point** 49 °C / 120.2 °F

Method -No information available

**Autoignition Temperature** 300 °C / 572 °F

**Explosion Limits** 

10.5 Vol% Upper 1.3 Vol% Lower

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Flammable. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards 2 N/A 2

### Accidental release measures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all **Personal Precautions** 

sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Should not be released into the environment.

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Up

# 7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not

get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take

precautionary measures against static discharges.

Storage. Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away

from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing

agents. Metals.

### 8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations

and safety showers are close to the workstation location. Ensure adequate ventilation,

especially in confined areas.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorStench

Odor Threshold No information available

H 7 25 g/l water

Melting Point/Range -78 °C / -108.4 °F

Boiling Point/Range 137 - 139 °C / 278.6 - 282.2 °F

Flash Point 49 °C / 120.2 °F

Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper Lower
 10.5 Vol%

 Lower
 1.3 Vol%

 Vapor Pressure
 2.6 mbar

 Vapor Density
 3.0 (Air = 1.0)

Specific Gravity 0.811

Solubility22 g/L water (22°C)Partition coefficient; n-octanol/waterNo data availableAutoignition Temperature300 °C / 572 °FDecomposition TemperatureNo information available

Viscosity 4 mPa s at 20 °C

Molecular Formula C5 H12 O
Molecular Weight 88.15

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Hygroscopic.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Excess heat.

Incompatible products. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Metals

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** No information available.

**Hazardous Reactions**None under normal processing.

### 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Component Information** 

L	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
	1-Pentanol	>2000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	Not listed

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
1-Pentanol	71-41-0	Not listed				

Mutagenic Effects No information available

Reproductive Effects

No information available.

Developmental Effects

No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

**Ecotoxicity** 

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
1-Pentanol	Not listed	LC50: 437 - 511 mg/L, 96h	Not listed	EC50: = 341 mg/L, 48h
		flow-through (Pimephales		(Daphnia magna)
		promelas)		
		LC50: = 530 mg/L, 96h static		
		(Brachydanio rerio)		
		LC50: = 650 mg/L, 96h static		
		(Lepomis macrochirus)		
		LC50: 370 - 490 mg/L, 96h		
		static (Oncorhynchus		
		mykiss)		

**Persistence and Degradability** 

Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow		
1-Pentanol	1.4		

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN1105
Proper Shipping Name PENTANOLS

Hazard Class 3 Packing Group III

TDG

UN-No UN1105

Proper Shipping Name PENTANOLS

Hazard Class 3
Packing Group

<u>IATA</u>

**UN-No** UN1105

Proper Shipping Name PENTANOLS

Hazard Class 3
Packing Group III

IMDG/IMO

UN-No UN1105 Proper Shipping Name PENTANOLS

Hazard Class 3
Packing Group III

# 15. Regulatory information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
1-Pentanol	71-41-0	Y	ACTIVE	_

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
1-Pentanol	71-41-0	Х	-	200-752-1	X	X	Х	Х	Х	KE-28005

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
1-Pentanol	X	X	X	-	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

### Authorisation/Restrictions according to EU REACH

Component	_	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
1-Pentanol	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
1-Pentanol	71-41-0	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
1-Pentanol	71-41-0	Not applicable	Not applicable	Not applicable	Not applicable

-		$\triangle$	!	! 1	c		
		()Tr	1 🗅 r	ını	$\alpha$ rr	nati	ın
	ιο.	$\mathcal{O}_{LL}$			$\cup$	пац	$\mathbf{U}$

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 26-Sep-2009

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

**Revision Summary**This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**