

# SAFETY DATA SHEET

Creation Date 22-Sep-2009

Revision Date 19-Dec-2025

Revision Number 5

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

## 1. Identification

<b>Product Name</b>	<b>Chlorosulfonyl isocyanate</b>
<b>Cat No. :</b>	<b>AC162040000; AC162040010; AC162040025; AC162040050; AC162040250; AC162040500; AC162042500</b>
<b>CAS No</b>	1189-71-5
<b>Synonyms</b>	CSI
<b>Recommended Use</b>	Laboratory chemicals.
<b>Uses advised against</b>	Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

<b>Company</b>	
Fisher Scientific Company	Acros Organics
One Reagent Lane	One Reagent Lane
Fair Lawn, NJ 07410	Fair Lawn, NJ 07410
Tel: (201) 796-7100	

## **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

CHEMTRAC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Respiratory Sensitization	Category 1
Skin Sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	

## Label Elements

**Signal Word**

Danger

**Hazard Statements**

Causes severe skin burns and eye damage  
May cause an allergic skin reaction  
May cause allergy or asthma symptoms or breathing difficulties if inhaled  
May cause respiratory irritation  
Harmful if swallowed, in contact with skin or if inhaled

**Precautionary Statements****Prevention**

Wear protective gloves/protective clothing/eye protection/face protection  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Use only outdoors or in a well-ventilated area  
Do not breathe dust/fume/gas/mist/vapors/spray  
In case of inadequate ventilation wear respiratory protection  
Contaminated work clothing should not be allowed out of the workplace

**Response**

Call a POISON CENTER or doctor if you feel unwell

**Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing  
Call a POISON CENTER or doctor if you feel unwell

**Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
Take off contaminated clothing and wash before reuse  
Immediately call a POISON CENTER or doctor

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor/physician

**Ingestion**

Rinse mouth  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

**Storage**

Store locked up  
Store in a well-ventilated place. Keep container tightly closed

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

None identified

**Hazards classified under paragraph (d)(1)(ii) of 1910.1200****Hazards resulting from a reaction with other chemicals under normal conditions of use**

Reacts violently with water. Contact with water liberates toxic gas.

### 3. Composition/information on Ingredients

Component	CAS No	Weight %
Sulfuryl chloride isocyanate	1189-71-5	<=100

### 4. First-aid measures

<b>Eye Contact</b>	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin Contact</b>	Immediate medical attention is required. Wash off immediately with plenty of water for at least 15 minutes.
<b>Inhalation</b>	Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.
<b>Ingestion</b>	Do NOT induce vomiting. Get medical attention.
<b>Most important symptoms and effects</b>	Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
<b>Notes to Physician</b>	Treat symptomatically

### 5. Fire-fighting measures

**Suitable Extinguishing Media** Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam.

**Unsuitable Extinguishing Media** No information available

**Flash Point** > 110 °C / > 230 °F

**Method -** No information available

**Autoignition Temperature** No information available  
**Explosion Limits**

Upper No data available

Lower No data available

**Sensitivity to Mechanical Impact** No information available

**Sensitivity to Static Discharge** No information available

#### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

#### Hazardous Combustion Products

Nitrogen oxides (NO<sub>x</sub>). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Sulfur oxides. Hydrogen cyanide (hydrocyanic acid). Hydrogen chloride gas.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### NFPA

Health  
3

Flammability  
1

Instability  
2

Physical hazards  
W

## 6. Accidental release measures

<b>Personal Precautions</b>	Ensure adequate ventilation. Use personal protective equipment as required.
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.

**Methods for Containment and Clean Up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Do not let this chemical enter the environment.

## 7. Handling and Storage

<b>Handling</b>	Ensure adequate ventilation. Wear personal protective equipment/face protection. Avoid contact with skin, eyes or clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid ingestion and inhalation. Avoid prolonged or repeated contact with skin.
<b>Storage.</b>	Keep in a dry place. Keep container tightly closed. Corrosives area. Keep under nitrogen. Keep refrigerated. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Water. Strong oxidizing agents. Strong bases. Alcohols. Amines.

## 8. Exposure controls / personal protection

<b>Exposure Guidelines</b>	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
----------------------------	---

<b>Engineering Measures</b>	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
-----------------------------	---

### Personal Protective Equipment

<b>Eye/face Protection</b>	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
----------------------------	---

<b>Skin and body protection</b>	Wear appropriate protective gloves and clothing to prevent skin exposure.
---------------------------------	---

<b>Respiratory Protection</b>	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
-------------------------------	---

<b>Recommended Filter type:</b>	Organic gases and vapours filter. Type A. Brown. conforming to EN14387.
---------------------------------	---

<b>Hygiene Measures</b>	Handle in accordance with good industrial hygiene and safety practice.
-------------------------	--

## 9. Physical and chemical properties

### Appearance

**Physical State**

Liquid

**Color**

Clear

**Odor**

pungent

**Odor Threshold**

No information available

**Property**

**Values**

**Remarks**

**• Method**

**Melting Point/Range**

-44 °C / -47.2 °F

**Softening Point**

No data available

**Boiling Point/Range**

106 °C / 222.8 °F

**Flash Point**

> 110 °C / > 230 °F

**Method** - No information available

**Flammability (liquid)**

No data available

**Flammability (solid,gas)**

Not applicable

Liquid

**Explosion Limits**

No data available

<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	> 300°C
<b>pH</b>	No information available
<b>Viscosity</b>	0.996 mPa.s at 20 °C
<b>Water Solubility</b>	reacts
<b>Solubility in other solvents</b>	No information available
<b>Partition Coefficient (n-octanol/water)</b>	25.6 hPa @ 20 °C
<b>Vapor Pressure</b>	1.626
<b>Density / Specific Gravity</b>	Not applicable
<b>Bulk Density</b>	4.88
<b>Vapor Density</b>	Not applicable (liquid)
<b>Particle characteristics</b>	Liquid (Air = 1.0)

**Other Information**

<b>Molecular Formula</b>	C Cl N O <sub>3</sub> S
<b>Molecular Weight</b>	141.53

**10. Stability and reactivity**

<b>Reactive Hazard</b>	Yes
<b>Stability</b>	Moisture sensitive. Air sensitive.
<b>Conditions to Avoid</b>	Excess heat. Exposure to air. Incompatible products. Exposure to moist air or water.
<b>Incompatible Materials</b>	Water, Strong oxidizing agents, Strong bases, Alcohols, Amines
<b>Hazardous Decomposition Products</b>	Nitrogen oxides (NO <sub>x</sub> ), Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Sulfur oxides, Hydrogen cyanide (hydrocyanic acid), Hydrogen chloride gas
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Hazardous Reactions</b>	None under normal processing.

**11. Toxicological information****Information on expected route of exposure**

<b>Inhalation</b>	May produce an allergic reaction.
<b>Ingestion</b>	May cause allergic reaction. May be harmful if swallowed.
<b>Eyes</b>	Corrosive to the eyes and may cause severe damage including blindness. Avoid contact with eyes. Lachrymator (substance which increases the flow of tears). Sensitization.
<b>Skin</b>	Causes burns. Avoid contact with skin. Skin Corrosion/Irritation. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Harmful in contact with skin.

**Toxicology data for the components**

<b>Toxicologically Synergistic Products</b>	No information available
<b>(b) skin corrosion/irritation;</b>	Category 1 B
<b>(c) serious eye damage/irritation;</b>	No data available

**(d) respiratory or skin sensitization;**

Respiratory	Category 1
Skin	Category 1
	May cause sensitization by skin contact

**(e) germ cell mutagenicity;**

No data available
Not mutagenic in AMES Test

**(f) carcinogenicity;**

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Sulfonyl chloride isocyanate	1189-71-5	Not listed				

**(g) reproductive toxicity;**

No data available
-------------------

**(h) STOT-single exposure;**

No data available
-------------------

**(i) STOT-repeated exposure;**

No data available
-------------------

Target Organs	No information available.
---------------	---------------------------

**(j) aspiration hazard;**

No data available
-------------------

**Other Adverse Effects**

The toxicological properties have not been fully investigated.
--

<b>Symptoms / effects,both acute and delayed</b>	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.
--	--

**Other Adverse Effects**

The toxicological properties have not been fully investigated.
--

**Endocrine Disrupting Properties**

This product does not contain any known or suspected endocrine disruptors.
--

**12. Ecological information****Ecotoxicity**

Do not empty into drains. Do not flush into surface water or sanitary sewer system.
---

**Persistence and Degradability**

Soluble in water Persistence is unlikely based on information available.
--

**Bioaccumulation/ Accumulation**

No information available.
---------------------------

**Mobility**

Will likely be mobile in the environment due to its water solubility.
---

**13. Disposal considerations****Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
---

## 14. Transport information

**DOT**

<b>UN-No</b>	UN3129
<b>Proper Shipping Name</b>	WATER-REACTIVE LIQUID, CORROSIVE, N.O.S.
<b>Technical Shipping Name</b>	(CHLOROSULFONYL ISOCYANATE)
<b>Hazard Class</b>	4.3
<b>Subsidiary Hazard Class</b>	(8)
<b>Packing Group</b>	II

**TDG**

<b>UN-No</b>	UN3265
<b>Proper Shipping Name</b>	Corrosive liquid, acidic, organic, n.o.s.
<b>Technical Shipping Name</b>	(CHLOROSULFONYL ISOCYANATE)
<b>Hazard Class</b>	8

**IATA**

<b>UN-No</b>	UN3265
<b>Proper Shipping Name</b>	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.*
<b>Technical Shipping Name</b>	(CHLOROSULFONYL ISOCYANATE)
<b>Hazard Class</b>	8
<b>Packing Group</b>	II

**IMDG/IMO**

<b>UN-No</b>	UN3265
<b>Proper Shipping Name</b>	Corrosive liquid, acidic, organic, n.o.s.
<b>Technical Shipping Name</b>	(CHLOROSULFONYL ISOCYANATE)
<b>Hazard Class</b>	8
<b>Packing Group</b>	II

## 15. Regulatory Information

### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Sulfuryl chloride isocyanate	1189-71-5	X	ACTIVE	-

**Legend:**

**TSCA** US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

**TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)** Not applicable

**TSCA 12(b) - Notices of Export** Not applicable

### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Sulfuryl chloride isocyanate	1189-71-5	-	X	214-715-2	X	X	X	X	X	97-3-73

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** Not applicable

**Clean Air Act** Not applicable

**OSHA - Occupational Safety and Health Administration** Not applicable

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations** Not applicable

**U.S. Department of Transportation**

Reportable Quantity (RQ): N  
DOT Marine Pollutant N  
DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security** This product does not contain any DHS chemicals.

**Other International Regulations**

**Mexico - Grade** No information available

**Authorisation/Restrictions according to EU REACH** Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Sulfuryl chloride isocyanate	1189-71-5	-	-	-

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Sulfuryl chloride isocyanate	1189-71-5	Not applicable	Not applicable	Not applicable	Not applicable

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

## Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Sulfuryl chloride isocyanate	1189-71-5	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other Information

Prepared By	Product stewardship (Regulatory Affairs) Thermo Fisher Scientific email - begel.sdsdesk@thermofisher.com
Creation Date	22-Sep-2009
Revision Date	19-Dec-2025
Print Date	19-Dec-2025
Revision Summary	Updated to the U.S. Department of Labor's Occupational Safety and Health Administration (OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200, 2024), May 20, 2024, effective July 19, 2024.

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS