

# **SAFETY DATA SHEET**

Creation Date 10-Nov-2010 Revision Date 24-Mar-2022 Revision Number 5

1. Identification

Product Name Valeryl chloride

Cat No.: AC169120000; AC169120010; AC169121000

**CAS No** 638-29-9

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids
Corrosive to metals
Category 1
Acute Inhalation Toxicity - Vapors
Skin Corrosion/Irritation
Category 1
Acute Damage/Eye Irritation
Category 1
Category 1
Category 1

Label Elements

Signal Word

Danger

**Hazard Statements** 

Flammable liquid and vapor May be corrosive to metals

Causes severe skin burns and eye damage

Toxic if inhaled



### **Precautionary Statements**

#### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep cool

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep only in original container

#### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Spills

Absorb spillage to prevent material damage

#### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

### Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %		
Valeryl chloride	638-29-9	<=100		

# 4. First-aid measures

**General Advice** 

Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation Treat symptomatically

Notes to Physician

# 5. Fire-fighting measures

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. CO<sub>2</sub>, dry chemical, dry sand,

alcohol-resistant foam. Water mist may be used to cool closed containers.

Unsuitable Extinguishing Media DO NOT USE WATER

**Flash Point** 32 °C / 89.6 °F

Method - No information available

Autoignition Temperature 265 °C / 509 °F

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Contact with water liberates toxic gas. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Phosgene. Hydrogen chloride gas.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards320W

### 6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all

Revision Date 24-Mar-2022 Valeryl chloride

**Environmental Precautions** 

sources of ignition. Take precautionary measures against static discharges. Should not be released into the environment. Do not flush into surface water or sanitary

sewer system.

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Do not expose spill to water. Remove all sources of ignition. Use spark-proof tools and

explosion-proof equipment.

### 7. Handling and storage

Handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Protect from moisture. Flammables area. Store under an inert atmosphere. Keep away from water or moist air. Protect from moisture. Keep away from open flames, hot surfaces and sources of ignition. Corrosives area. Incompatible Materials. Water. Strong oxidizing agents. Strong bases. Alcohols. Amines.

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

**Engineering Measures** 

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas.

### Personal Protective Equipment

**Eye/face Protection** 

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** 

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** 

Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

**Physical State** Liquid **Appearance** Light yellow Odor pungent

**Odor Threshold** No information available

Not applicable рH Melting Point/Range -110 °C / -166 °F

**Boiling Point/Range** 125 - 127 °C / 257 - 260.6 °F @ 760 mmHg

**Flash Point** 32 °C / 89.6 °F **Evaporation Rate** No information available Not applicable

Flammability (solid,gas) Flammability or explosive limits

No data available Upper

•

LowerNo data availableVapor Pressure11.4 mbar @ 20 °C

Vapor Density4.16Specific Gravity0.990

Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity

No information available
265 °C / 509 °F
No information available
No information available

Molecular FormulaC5 H9 Cl OMolecular Weight120.58

# 10. Stability and reactivity

Reactive Hazard Yes

Stability Moisture sensitive. Contact with water liberates toxic gas.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Exposure to moist air or water. Heat, flames and sparks. Exposure to moisture.

Incompatible Materials Water, Strong oxidizing agents, Strong bases, Alcohols, Amines

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Vapor LC50** Category 3. ATE = 2 - 10 mg/l.

**Component Information** 

Component	Component LD50 Oral		LC50 Inhalation		
Valeryl chloride	Not listed	Not listed	2.07 mg/L/54h ( Rat )		

**Toxicologically Synergistic** 

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available

Irritation Causes burns by all exposure routes

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Valeryl chloride	638-29-9	Not listed				

Mutagenic Effects Not mutagenic in AMES Test

Reproductive Effects

No information available.

Developmental Effects

No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

Revision Date 24-Mar-2022 Valeryl chloride

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

The toxicological properties have not been fully investigated. Other Adverse Effects

# 12. Ecological information

#### **Ecotoxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Valeryl chloride	Not listed	Leuciscus idus: 46-100 mg/L	Not listed	Not listed
		96h		

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Will likely be mobile in the environment due to its water solubility. Mobility

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

**UN-No** UN2502

VALERYL CHLORIDE **Proper Shipping Name** 

**Hazard Class Subsidiary Hazard Class** 3 **Packing Group** Ш

TDG

**UN-No** UN2502

**Proper Shipping Name** VALERYL CHLORIDE

**Hazard Class Subsidiary Hazard Class** 3 Ш **Packing Group** 

<u>IATA</u>

UN-No UN2502

**Proper Shipping Name** VALERYL CHLORIDE

**Hazard Class** 8 **Subsidiary Hazard Class** 3 **Packing Group** Ш

IMDG/IMO

**UN-No** UN2502

**Proper Shipping Name** VALERYL CHLORIDE

**Hazard Class Subsidiary Hazard Class** 3 **Packing Group** Ш

# 15. Regulatory information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Valeryl chloride	638-29-9	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Valeryl chloride	638-29-9	Х	-	211-330-1	Х	Χ	Х	Х	Х	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Valeryl chloride	-	X	-	-	-

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

•

#### Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of
			Substances	Substances of Very High
				Concern (SVHC)
Valeryl chloride	638-29-9	-	-	-

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Valeryl chloride	638-29-9	Not applicable	Not applicable	Not applicable	Not applicable

Γ	Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
			(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
1			<b>Qualifying Quantities</b>	<b>Qualifying Quantities</b>		
			for Major Accident	for Safety Report		
L			Notification	Requirements		
	Valeryl chloride	638-29-9	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 10-Nov-2010

 Revision Date
 24-Mar-2022

 Print Date
 24-Mar-2022

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**