

# SAFETY DATA SHEET

Creation Date 05-Nov-2010

Revision Date 19-Dec-2025

Revision Number 6

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

## 1. Identification

**Product Name** Ethyl malonyl chloride

**Cat No. :** AC172690000; AC172690050; AC172690250; AC172691000

**CAS No** 36239-09-5  
**Synonyms** Ethyl (chloroformyl)acetate

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

#### Company

Fisher Scientific Company  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Flammable liquids	Category 4
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1

### Label Elements

**Signal Word**  
Danger

**Hazard Statements**  
Combustible liquid  
Causes severe skin burns and eye damage

**Precautionary Statements****Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

**Response**

Immediately call a POISON CENTER or doctor

**Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing

**Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
 Take off contaminated clothing and wash before reuse

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

**Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

**Fire**

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam to extinguish

**Storage**

Store locked up  
 Store in a well-ventilated place. Keep cool

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

None identified

**Hazards classified under paragraph (d)(1)(ii) of 1910.1200****Hazards resulting from a reaction with other chemicals under normal conditions of use**

Reacts violently with water.

### 3. Composition/information on Ingredients

Component	CAS No	Weight %
Propanoic acid, 3-chloro-3-oxo-, ethyl ester	36239-09-5	90

### 4. First-aid measures

**Eye Contact**

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

**Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.

**Inhalation**

Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Immediate medical attention is required.

<b>Ingestion</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. If possible drink milk afterwards.
<b>Most important symptoms and effects</b>	Difficulty in breathing. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
<b>Notes to Physician</b>	Treat symptomatically

## 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Water mist may be used to cool closed containers.
<b>Unsuitable Extinguishing Media</b>	No information available
<b>Flash Point</b>	67 °C / 152.6 °F
<b>Method -</b>	No information available
<b>Autoignition Temperature</b>	No information available
<b>Explosion Limits</b>	
<b>Upper</b>	No data available
<b>Lower</b>	No data available
<b>Sensitivity to Mechanical Impact</b>	No information available
<b>Sensitivity to Static Discharge</b>	No information available

### Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated.

### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen chloride gas.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### NFPA

**Health**  
3

**Flammability**  
1

**Instability**  
0

**Physical hazards**  
W

## 6. Accidental release measures

<b>Personal Precautions</b>	Remove all sources of ignition. Take precautionary measures against static discharges.
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.

<b>Methods for Containment and Clean Up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition.
---	--

## 7. Handling and Storage

<b>Handling</b>	Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Handle product only in closed system or provide appropriate exhaust ventilation. Keep away from open flames, hot surfaces and sources of ignition.
<b>Storage.</b>	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Corrosives area. Store under an inert atmosphere. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Bases. Alcohols. Metals.

## 8. Exposure controls / personal protection

<b><u>Exposure Guidelines</u></b>	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
<b>Engineering Measures</b>	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
<b><u>Personal Protective Equipment</u></b>	
<b>Eye/face Protection</b>	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
<b>Skin and body protection</b>	Wear appropriate protective gloves and clothing to prevent skin exposure.
<b>Respiratory Protection</b>	Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions.
<b>Recommended Filter type:</b>	Organic gases and vapours filter. Type A. Brown. conforming to EN14387.
<b>Hygiene Measures</b>	Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

<b><u>Appearance</u></b>			
<b>Physical State</b>	Liquid		
<b>Color</b>	Dark yellow		
<b>Odor</b>	Odorless		
<b>Odor Threshold</b>	No information available		
<b><u>Property</u></b>		<b><u>Values</u></b>	<b><u>Remarks</u></b> • <b><u>Method</u></b>
<b>Melting Point/Range</b>	No data available		
<b>Softening Point</b>	No data available		
<b>Boiling Point/Range</b>	79 - 80 °C / 174.2 - 176 °F		@ 25 mmHg
<b>Flash Point</b>	67 °C / 152.6 °F		<b>Method</b> - No information available
<b>Flammability (liquid)</b>	Combustible liquid		On basis of test data
<b>Flammability (solid,gas)</b>	Not applicable		Liquid
<b>Explosion Limits</b>	No data available		
<b>Autoignition Temperature</b>	No data available		
<b>Decomposition Temperature</b>	No data available		
<b>pH</b>	No information available		
<b>Viscosity</b>	No data available		
<b>Water Solubility</b>	Water reactive		
<b>Solubility in other solvents</b>	No information available		
<b>Partition Coefficient (n-octanol/water)</b>			
<b>Vapor Pressure</b>	No data available		
<b>Density / Specific Gravity</b>	1.170		
<b>Bulk Density</b>	Not applicable		Liquid
<b>Vapor Density</b>	5.19		(Air = 1.0)
<b>Particle characteristics</b>	Not applicable (liquid)		
<b><u>Other Information</u></b>			
<b>Molecular Formula</b>	C5 H7 Cl O3		
<b>Molecular Weight</b>	150.56		
<b>Explosive Properties</b>	explosive air/vapour mixtures possible		

## 10. Stability and reactivity

<b>Reactive Hazard</b>	Yes
<b>Stability</b>	Moisture sensitive.
<b>Conditions to Avoid</b>	Incompatible products. Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of ignition.
<b>Incompatible Materials</b>	Bases, Alcohols, Metals
<b>Hazardous Decomposition Products</b>	Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Hydrogen chloride gas
<b>Hazardous Polymerization</b>	No information available.
<b>Hazardous Reactions</b>	None under normal processing.

## 11. Toxicological information

### Information on expected route of exposure

<b>Inhalation</b>	Not an expected route of exposure.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Eyes</b>	Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness.
<b>Skin</b>	Avoid contact with skin. Causes burns. Skin Corrosion/Irritation.

### Toxicology data for the components

**Toxicologically Synergistic Products** No information available

**(b) skin corrosion/irritation;** Category 1 B

**(c) serious eye damage/irritation;** Category 1

**(d) respiratory or skin sensitization;**

<b>Respiratory</b>	No data available
<b>Skin</b>	No data available

**(e) germ cell mutagenicity;** No data available

**(f) carcinogenicity;**

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Propanoic acid, 3-chloro-3-oxo-, ethyl ester	36239-09-5	Not listed	Not listed	Not listed	Not listed	Not listed

**(g) reproductive toxicity;** No data available

(h) STOT-single exposure;	No data available
(i) STOT-repeated exposure;	No data available
Target Organs	No information available.
(j) aspiration hazard;	No data available
<b>Symptoms / effects,both acute and delayed</b>	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.
<b>Other Adverse Effects</b>	The toxicological properties have not been fully investigated.
<b>Endocrine Disrupting Properties</b>	This product does not contain any known or suspected endocrine disruptors.

## 12. Ecological information

### Ecotoxicity

Reacts with water so no ecotoxicity data for the substance is available.

**Persistence and Degradability** Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

**DOT** COMBUSTIBLE LIQUID, NOT REGULATED FOR TRANSPORT IN THIS QUANTITY  
According to 49 CFR §173.150(f)(1), this material should reclassified as NA1993, Combustible Liquid, NOS if it is shipped in bulk

**UN-No** NA1993  
**Proper Shipping Name** Combustible liquid, n.o.s.  
**Packing Group** III

**TDG** Not regulated

**IATA**  
**UN-No** UN3265  
**Proper Shipping Name** Corrosive liquid, acidic, organic, n.o.s.  
**Hazard Class** 8  
**Packing Group** II

**IMDG/IMO**  
**UN-No** UN3265  
**Proper Shipping Name** Corrosive liquid, acidic, organic, n.o.s.  
**Hazard Class** 8  
**Packing Group** II

## 15. Regulatory Information

### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Propanoic acid, 3-chloro-3-oxo-, ethyl ester	36239-09-5	-	-	-

**Legend:**

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'- - Not Listed

**TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)** Not applicable

**TSCA 12(b)** - Notices of Export Not applicable

**International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Propanoic acid, 3-chloro-3-oxo-, ethyl ester	36239-09-5	X	-	252-934-5	X	-		-	-	-

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** Not applicable

**Clean Air Act** Not applicable

**OSHA - Occupational Safety and Health Administration** Not applicable

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations** Not applicable

**U.S. Department of Transportation**

Reportable Quantity (RQ): N

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

## U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

## Mexico - Grade

No information available

## Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Propanoic acid, 3-chloro-3-oxo-, ethyl ester	36239-09-5	-	-	-

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Propanoic acid, 3-chloro-3-oxo-, ethyl ester	36239-09-5	Not applicable	Not applicable	Not applicable	Not applicable

## Contains component(s) that meet a 'definition' of per &amp; poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Propanoic acid, 3-chloro-3-oxo-, ethyl ester	36239-09-5	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other Information

## Prepared By

Product stewardship (Regulatory Affairs)  
Thermo Fisher Scientific  
email - begel.sdsdesk@thermofisher.com

## Creation Date

05-Nov-2010

## Revision Date

19-Dec-2025

## Print Date

19-Dec-2025

## Revision Summary

Updated to the U.S. Department of Labor's Occupational Safety and Health Administration (OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200, 2024), May 20, 2024, effective July 19, 2024.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information



relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**