

# SAFETY DATA SHEET

Revision Date 22-Feb-2022

Revision Number 5

# 1. Identification

#### **Product Name**

### Ethyl 4-chloroacetoacetate

#### Cat No. :

# **...**..

CAS No Synonyms 638-07-3 Ethyl 4-chloro-3-oxobutanoate

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

AC177640000; AC177640010; AC177640500; AC177642500

## 2. Hazard(s) identification

#### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Acute dermal toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Skin Sensitization Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 3 Category 2 Category 1 B Category 1 Category 1 Category 3

#### Label Elements

Signal Word Danger

#### **Hazard Statements**

Toxic if swallowed Fatal in contact with skin Causes severe skin burns and eye damage May cause respiratory irritation May cause an allergic skin reaction



#### Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not get in eyes, on skin, or on clothing Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin Wash contaminated clothing before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If skin irritation or rash occurs: Get medical advice/attention Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Rinse mouth Do NOT induce vomiting Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) Toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component		CAS No	Weight %
Butanoic acid, 4-chloro	-3-oxo-, ethyl ester	638-07-3	98
4. First-aid measures			
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.		
Eye Contact		Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical	

	advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Inhalation	If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Most important symptoms and effects	Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing Treat symptomatically
Notes to Physician	i reat symptomatically

#### 5. Fire-fighting measures

Suitable Extinguishing Media	CO $_{\mbox{\tiny 2}},$ dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point	96 °C / 204.8 °F
Method -	No information available
Autoignition Temperature	320 °C / 608 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	.00% 1.80% t No information available No information available

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen chloride gas.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>	Health 4	Flammability 0	Instability 0	Physical hazards N/A
		6. Accidental rel	lease measures	
Persona	I Precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.		
Environr	mental Precautions	Do not flush into surface water or sanitary sewer system.		

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Up

	7. Handling and storage
Handling	Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Acids. Bases. Reducing Agent.
8. E	Exposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9.	Physical and chemical properties
Physical State	Liquid
Appearance	Clear
Odor	vinegar-like
Odor Threshold	No information available
pH	2.9 10 g/L aq.sol
Melting Point/Range	-8 °C / 17.6 °F
Boiling Point/Range	103 °C / 217.4 °F @ 16 mmHg
Flash Point	96 °C / 204.8 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	.00%
Lower	1.80%
Vapor Pressure	0.18 hPa @ 20 °C
Vapor Density	5.68
Specific Gravity	1.210
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	320 °C / 608 °F
Decomposition Temperature	100 °C
Viscosity	No information available
Molecular Formula	C6 H9 CI O3
Molecular Weight	164.59

10. Stability and reactivity		
Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products.	
Incompatible Materials	Acids, Bases, Reducing Agent	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas		
Hazardous Polymerization	n No information available.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

#### Acute Toxicity

#### Product Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Butanoic acid, 4-chloro-3-oxo-, ethyl	LD50 = 200 mg/kg (Rat)	Not listed	Not listed
ester			
Toxicologically Synergistic	No information available		
Products			
Delayed and immediate effects	elayed and immediate effects as well as chronic effects from short and long-term exposure_		
Irritation	No information available		

#### Sensitization

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

May cause sensitization by skin contact

	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Butanoic acid, 4-chloro-3-oxo-, ethyl ester	638-07-3	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable			
Reproductive Effects		No information available.				
Developmental Effect	cts	No information available.				
Teratogenicity		No information available.				
STOT - single exposure STOT - repeated exposure		Respiratory system None known				
Aspiration hazard		No information available				
Symptoms / effects,both acute and delayed		Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing				
Endocrine Disruptor Information		No information available				
Other Adverse Effects		The toxicological properties have not been fully investigated.				

	1_1_consgreat methation	
<u>Ecotoxicity</u> Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.		
Persistence and Degradability	Soluble in water Persistence is unlikely based on information available.	
<b>Bioaccumulation/ Accumulation</b>	No information available.	
Mobility	Will likely be mobile in the environment due to its water solubility.	
	13. Disposal considerations	
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.	

12. Ecological information

	14. Transport information
DOT	
UN-No	UN2927
Proper Shipping Name	TOXIC LIQUIDS, CORROSIVE, ORGANIC, N.O.S.
Technical Name	Butanoic acid, 4-chloro-3-oxo-, ethyl ester
Hazard Class	6.1
Subsidiary Hazard Class	8
Packing Group	II
TDG	
UN-No	UN2927
Proper Shipping Name	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
Hazard Class	6.1
Subsidiary Hazard Class	8
Packing Group	II
IATA	
UN-No	UN2927
Proper Shipping Name	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
Hazard Class	6.1
Subsidiary Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN2927
Proper Shipping Name	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
Hazard Class	6.1
Subsidiary Hazard Class	8
Packing Group	ll
	15. Regulatory information

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Butanoic acid, 4-chloro-3-oxo-, ethyl ester	638-07-3	Х	ACTIVE	-

Legend: TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Not applicable

Page 6/8

#### Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

#### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Butanoic acid, 4-chloro-3-oxo-,	638-07-3	Х	-	211-317-0	Х	Х	Х	Х	Х	-
ethyl ester										

**KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations	
SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	Not applicable
<b>U.S. Department of Transportation</b> Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	No information available

Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Butanoic acid, 4-chloro-3-oxo-, ethyl ester	638-07-3	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention

		(2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Convention (PIC)	(Hazardous Waste)
Butanoic acid, 4-chloro-3-oxo-, ethyl ester	638-07-3	Not applicable	Not applicable	Not applicable	Not applicable

### 16. Other information

Prepared By

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Revision Date Print Date Revision Summary 22-Feb-2022 22-Feb-2022 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**