

SAFETY DATA SHEET

Creation Date 30-Apr-2012 Revision Date 24-Dec-2021 Revision Number 4

1. Identification

Product Name N,N-Diethylaniline

Cat No.: AC181060000; AC181060010; AC181060025; AC181062500

CAS No 91-66-7 Synonyms DEA

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Vapors

Specific target organ toxicity - (repeated exposure)

Target Organs - Damage to fetus possible.

Category 2

Category 2

Category 2

Label Elements

Signal Word

Danger

Hazard Statements

Combustible liquid

May cause damage to organs through prolonged or repeated exposure

-

Toxic if swallowed, in contact with skin or if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep cool

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS No	Weight %
N,N-Diethylaniline	91-66-7	>95

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Immediate medical attention is required. Wash off immediately with plenty of water for at

least 15 minutes.

Inhalation Remove to fresh air. Immediate medical attention is required. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If

not breathing, give artificial respiration.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Notes to Physician

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media No information available

Flash Point 84 °C / 183.2 °F

Method - No information available

Autoignition Temperature 385 °C / 725 °F

Explosion Limits

Upper 5.3 **Lower** 1.1

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Combustible material. Keep product and empty container away from heat and sources of ignition. Risk of ignition. Containers may explode when heated.

Hazardous Combustion Products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards20N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Evacuate personnel to safe areas. Keep

people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all

sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. **Up** Remove all sources of ignition.

7. Handling and storage

Handling Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only

under a chemical fume hood. Wear personal protective equipment/face protection. Do not

•

ingest. If swallowed then seek immediate medical assistance. Keep away from open

flames, hot surfaces and sources of ignition.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks and flame. Incompatible Materials. Acids. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Tight sealing safety goggles.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateLiquidAppearanceYellowOdorOdorless

Odor Threshold
pHNo information availableMelting Point/Range6.91% aq.solution-38°C / -36.4°F

Boiling Point/Range 215 - 217 °C / 419 - 422.6 °F @ 760 mmHg

Flash Point 84 °C / 183.2 °F

Symposition Pate No information available in the pate of the

Evaporation Rate No information available Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 5.3

 Lower
 1.1

Vapor Pressure 0.13 hPa (20°C)

Vapor Density 5.1 Specific Gravity 0.933

Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature

Decomposition Temperature

Viscosity

Soluble in water

No data available

385 °C / 725 °F

No information available

No information available

Molecular Formula C10 H15 N Molecular Weight 149.24

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Excess heat. Incompatible products. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Acids, Strong oxidizing agents

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component LD50 Oral		LD50 Dermal	LC50 Inhalation		
N,N-Diethylaniline	LD50 = 606 mg/kg (Rat)	>5000 mg/kg (Rat)	$LC50 = 1920 \text{ mg/m}^3 \text{ (Rat) 4 h}$		

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
N,N-Diethylaniline	91-66-7	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental EffectsNo information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure Damage to fetus possible

Aspiration hazard No information available

delayed

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Ecotoxicity

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
N,N-Diethylaniline	Not listed	LC50: = 16.4 mg/L, 96h	EC50 = 6.50 mg/L 5 min	EC50: 1.0 - 1.6 mg/L, 48h
		flow-through (Pimephales	EC50 = 7.70 mg/L 15 min	semi-static (Daphnia magna)
		promelas)		
		LC50: = 38.5 mg/L, 96h		

(Oncorhynchus mykiss)

Persistence and Degradability Persistence is unlikely

Bioaccumulation/ Accumulation No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
N,N-Diethylaniline	3.31

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN2432

Proper Shipping Name N,N-DIETHYLANILINE

Hazard Class 6.1 Packing Group III

<u>TDG</u>

UN-No UN2432

Proper Shipping Name N,N-DIETHYLANILINE

Hazard Class 6.1 Packing Group III

IATA

UN-No UN2432

Proper Shipping Name N,N-DIETHYLANILINE

Hazard Class 6.1
Packing Group

IMDG/IMO

UN-No UN2432

Proper Shipping Name N,N-DIETHYLANILINE

Hazard Class 6.1
Packing Group III

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
N,N-Diethylaniline	91-66-7	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
N.N-Diethylaniline	91-66-7	Х	-	202-088-8	Х	Х	Х	Х	Х	KE-10434

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

Not applicable **CWA (Clean Water Act)**

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
N,N-Diethylaniline	1000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
N,N-Diethylaniline	X	X	X	-	-

U.S. Department of Transportation

Υ Reportable Quantity (RQ): **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** Ν

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Slight risk, Grade 1

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
N,N-Diethylaniline	91-66-7	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	for Safety Report	Convention (PIC)	Basel Convention (Hazardous Waste)
		Notification	Requirements		
N,N-Diethylaniline	91-66-7	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 30-Apr-2012

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS