

SAFETY DATA SHEET

Creation Date 10-Sep-2010

Revision Date 19-Dec-2025

Revision Number 9

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product Name Aluminium chloride

Cat No. : AC195780000; AC195780010; AC195780050; AC195780051;
AC195785000

CAS No 7446-70-0
Synonyms Aluminium trichloride

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

| | |
|--|--------------|
| Skin Corrosion/Irritation | Category 1 B |
| Serious Eye Damage/Eye Irritation | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Target Organs - Respiratory system. | |

Label Elements

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage
May cause respiratory irritation



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Use only outdoors or in a well-ventilated area

Response

Immediately call a POISON CENTER or doctor

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

Hazards resulting from a reaction with other chemicals under normal conditions of use

Reacts violently with water.

3. Composition/information on Ingredients

| Component | CAS No | Weight % |
|-------------------|-----------|----------|
| Aluminum chloride | 7446-70-0 | <=100 |

4. First-aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.

| | |
|--|--|
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. |
| Ingestion | Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects | Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|---|
| Suitable Extinguishing Media | CO ₂ , dry chemical, dry sand, alcohol-resistant foam. |
| Unsuitable Extinguishing Media | DO NOT USE WATER |
| Flash Point | No information available |
| Method - | No information available |
| Autoignition Temperature | No information available |
| Explosion Limits | |
| Upper | No data available |
| Lower | No data available |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Reacts violently with water.

Hazardous Combustion Products

Hydrogen chloride gas. Fumes of aluminum or aluminum oxide.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3 | 0 | 2 | W |

6. Accidental release measures

| | |
|---|---|
| Personal Precautions | Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. |
| Environmental Precautions | Do not flush into surface water or sanitary sewer system. |
| Methods for Containment and Clean Up | Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Do not expose spill to water. |

7. Handling and Storage

| | |
|-----------------|---|
| Handling | Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. Handle under an inert atmosphere. |
|-----------------|---|

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from water or moist air. Do not store in metal containers. Store under an inert atmosphere. Air sensitive. Incompatible Materials. Water. Strong oxidizing agents. Alkali metals. Strong bases. Metals.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH | Mexico OEL (TWA) |
|-------------------|-----------|------------------------------------|---------------------------------|------------------|
| Aluminum chloride | | (Vacated) TWA: 2 mg/m ³ | REL = 2 mg/m ³ (TWA) | |

Legend

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance

Physical State

Solid

Color

Yellow

Odor

pungent

Odor Threshold

No information available

Property

Values

Remarks

Method

Melting Point/Range

194 °C / 381.2 °F

Softening Point

No data available

Boiling Point/Range

No information available

Flash Point

No information available

Method - No information available

Flammability (liquid)

Not applicable

Solid

Flammability (solid,gas)

No information available

Explosion Limits

No data available

Autoignition Temperature

No data available

Decomposition Temperature

No data available

pH

2.4

100 g/L aq.sol

Viscosity

Not applicable

Solid

Water Solubility

Water reactive

Solubility in other solvents

No information available

Partition Coefficient (n-octanol/water)

| | | |
|----------------------------|-------------------|-------|
| Vapor Pressure | No data available | |
| Density / Specific Gravity | 2.440 | |
| Bulk Density | No data available | |
| Vapor Density | Not applicable | Solid |
| Particle characteristics | No data available | |

Other Information

| | |
|-------------------|------------------------|
| Molecular Formula | Al Cl ₃ |
| Molecular Weight | 133.34 |
| Evaporation Rate | Not applicable - Solid |

10. Stability and reactivity

| | |
|---|---|
| Reactive Hazard | Yes |
| Stability | Stable under normal conditions. |
| Conditions to Avoid | Excess heat. Incompatible products. Exposure to moist air or water. Exposure to moisture. |
| Incompatible Materials | Water, Strong oxidizing agents, Alkali metals, Strong bases, Metals |
| Hazardous Decomposition Products | Hydrogen chloride gas, Fumes of aluminum or aluminum oxide |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. Reacts violently with water. |

11. Toxicological information

Information on expected route of exposure

| | |
|-------------------|---|
| Inhalation | Not an expected route of exposure. |
| Ingestion | May be harmful if swallowed. |
| Eyes | Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness. Risk of serious damage to eyes. |
| Skin | Avoid contact with skin. Causes burns. Skin Corrosion/Irritation. Contact with moist skin may cause skin burns. |

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------------|---------------------------|-------------|-----------------|
| Aluminum chloride | LD50 = 3470 mg/kg (Rat) | - | - |

| | |
|---|--|
| Toxicologically Synergistic Products | No information available |
| (b) skin corrosion/irritation; | Category 1 B |
| (c) serious eye damage/irritation; | Category 1 |
| (d) respiratory or skin sensitization; | |
| Respiratory | Based on available data, the classification criteria are not met |
| Skin | Based on available data, the classification criteria are not met |
| (e) germ cell mutagenicity; | Based on available data, the classification criteria are not met |

(f) carcinogenicity; Based on available data, the classification criteria are not met
The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|-------------------|-----------|------------|------------|------------|------------|------------|
| Aluminum chloride | 7446-70-0 | Not listed | Not listed | Not listed | Not listed | Not listed |

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Not applicable
Solid

Symptoms / effects, both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Other Adverse Effects The toxicological properties have not been fully investigated.

Endocrine Disrupting Properties This product does not contain any known or suspected endocrine disruptors.

12. Ecological information

Ecotoxicity

Do not empty into drains.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-------------------|------------------|---|------------|---|
| Aluminum chloride | Not listed | Gambusia affinis: LC50=27.1 mg/L 97h | Not listed | EC50: 3.9 mg/L 48h EC50: 27.3 mg/L 48h |

Persistence and Degradability Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Is not likely mobile in the environment.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1726
Proper Shipping Name ALUMINUM CHLORIDE, ANHYDROUS
Hazard Class 8
Packing Group II

TDG

UN-No UN1726

| | |
|-----------------------------|-------------------------------|
| Proper Shipping Name | ALUMINUM CHLORIDE, ANHYDROUS |
| Hazard Class | 8 |
| Packing Group | II |
| IATA | |
| UN-No | UN1726 |
| Proper Shipping Name | ALUMINIUM CHLORIDE, ANHYDROUS |
| Hazard Class | 8 |
| Packing Group | II |
| IMDG/IMO | |
| UN-No | UN1726 |
| Proper Shipping Name | ALUMINIUM CHLORIDE, ANHYDROUS |
| Hazard Class | 8 |
| Packing Group | II |

15. Regulatory Information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|-------------------|-----------|------|--|--------------------------------|
| Aluminum chloride | 7446-70-0 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|-------------------|-----------|-----|------|-----------|-------|------|------|------|-------|----------|
| Aluminum chloride | 7446-70-0 | X | - | 231-208-1 | X | X | X | X | X | KE-01045 |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------|---------------|------------|--------------|----------|--------------|
| Aluminum chloride | X | X | X | - | X |

U.S. Department of Transportation

Reportable Quantity (RQ): N
 DOT Marine Pollutant N
 DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product contains the following DHS chemicals:
Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component | DHS Chemical Facility Anti-Terrorism Standard |
|-------------------|---|
| Aluminum chloride | APA |

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------------|-----------|---|---|---|
| Aluminum chloride | 7446-70-0 | - | Use restricted. See entry 75. (see link for restriction details) | - |

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-------------------|-----------|----------|------------------------------|---------------------------|--|
| Aluminum chloride | 7446-70-0 | Listed | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities | Seveso III Directive (2012/18/EC) - Qualifying Quantities | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-----------|--------|---|---|----------------------------|------------------------------------|
| | | | | | |

| | | for Major Accident Notification | for Safety Report Requirements | | |
|-------------------|-----------|---------------------------------|--------------------------------|----------------|----------------|
| Aluminum chloride | 7446-70-0 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other Information

| | |
|-------------------------|---|
| Prepared By | Product stewardship (Regulatory Affairs) Thermo Fisher Scientific email - begel.sdsdesk@thermofisher.com |
| Creation Date | 10-Sep-2010 |
| Revision Date | 19-Dec-2025 |
| Print Date | 19-Dec-2025 |
| Revision Summary | Updated to the U.S. Department of Labor's Occupational Safety and Health Administration (OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200, 2024), May 20, 2024, effective July 19, 2024. |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS