

SAFETY DATA SHEET

Creation Date 10-Feb-2011

Revision Date 19-Dec-2025

Revision Number 8

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product Name Zinc standard solution, 1 mg/ml Zn in 2-5% HCl

Cat No. : AC196460000; AC196465000

Synonyms No information available

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

| | |
|-----------------------------------|--------------|
| Corrosive to metals | Category 1 |
| Skin Corrosion/Irritation | Category 1 B |
| Serious Eye Damage/Eye Irritation | Category 1 |

Label Elements

Signal Word

Danger

Hazard Statements

May be corrosive to metals

Causes severe skin burns and eye damage

**Precautionary Statements****Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Use only outdoors or in a well-ventilated area
Keep only in original packaging

Response

Immediately call a POISON CENTER or doctor

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Spills

Absorb spillage to prevent material damage

Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed
Store in corrosive resistant polypropylene container with a resistant inliner
Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available

3. Composition/information on Ingredients

| Component | CAS No | Weight % |
|-------------------|-----------|----------|
| Water | 7732-18-5 | 95-98 |
| Hydrochloric acid | 7647-01-0 | 2-5 |
| Zinc chloride | 7646-85-7 | 0.2 |

4. First-aid measures

General Advice

If symptoms persist, call a physician.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

| | |
|--|--|
| Inhalation | If not breathing, give artificial respiration. Remove to fresh air. Get medical attention if symptoms occur. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. |
| Most important symptoms and effects | . Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|---|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CO ₂ , dry chemical, dry sand, alcohol-resistant foam. |
| Unsuitable Extinguishing Media | No information available |
| Flash Point | No information available |
| Method - | No information available |
| Autoignition Temperature | No information available |
| Explosion Limits | |
| Upper | No data available |
| Lower | No data available |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health
3

Flammability
0

Instability
0

Physical hazards
N/A

6. Accidental release measures

| | |
|----------------------------------|---|
| Personal Precautions | Ensure adequate ventilation. Use personal protective equipment as required. |
| Environmental Precautions | Should not be released into the environment. |

Methods for Containment and Clean Up Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.

7. Handling and Storage

| | |
|-----------------|---|
| Handling | Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. |
| Storage. | Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Corrosives area. Incompatible Materials. Strong bases. Amines. |

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH | Mexico OEL (TWA) |
|-------------------|---|--|--|---|
| Hydrochloric acid | Ceiling: 2 ppm | Ceiling: 5 ppm Ceiling: 7 mg/m ³ (Vacated) Ceiling: 5 ppm (Vacated) Ceiling: 7 mg/m ³ | IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m ³ | Ceiling: 2 ppm |
| Zinc chloride | TWA: 1 mg/m ³ STEL: 2 mg/m ³ | (Vacated) TWA: 1 mg/m ³ (Vacated) STEL: 2 mg/m ³ TWA: 1 mg/m ³ | IDLH: 50 mg/m ³ REL = 1 mg/m ³ (TWA) STEL: 2 mg/m ³ | TWA: 1 mg/m ³ STEL: 2 mg/m ³ |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment**Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type:

Particulates filter conforming to EN 143.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical propertiesAppearance**Physical State**

Liquid

Color

No information available

Odor

Odorless

Odor Threshold

No information available

PropertyValuesRemarks• Method**Melting Point/Range**

-5 °C / 23 °F

Softening Point

No data available

Boiling Point/Range

104 °C / 219.2 °F

Flash Point

No information available

Flammability (liquid)

No data available

Flammability (solid,gas)

Not applicable

Explosion Limits

No data available

Autoignition Temperature

No data available

Decomposition Temperature

No data available

pH

< 1

Viscosity

No data available

Water Solubility

Soluble

@ 760 mmHg

Method - No information available

Liquid

| | | |
|--|--------------------------|-------------|
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/water) | | |
| Vapor Pressure | No data available | |
| Density / Specific Gravity | 1.010 | |
| Bulk Density | Not applicable | Liquid |
| Vapor Density | No data available | (Air = 1.0) |
| Particle characteristics | Not applicable (liquid) | |

Other Information

10. Stability and reactivity

| | |
|---|--|
| Reactive Hazard | None known, based on information available |
| Stability | Stable under normal conditions. |
| Conditions to Avoid | Incompatible products. |
| Incompatible Materials | Strong bases, Amines |
| Hazardous Decomposition Products | Hydrogen chloride gas |
| Hazardous Polymerization | No information available. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Information on expected route of exposure

| | |
|-------------------|---|
| Inhalation | Not an expected route of exposure. |
| Ingestion | May be harmful if swallowed. |
| Eyes | Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness. |
| Skin | Avoid contact with skin. Causes burns. Skin Corrosion/Irritation. |

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------------|-------------------------|-------------------------|---|
| Water | - | - | - |
| Hydrochloric acid | 238 - 277 mg/kg (Rat) | > 5010 mg/kg (Rabbit) | 1.68 mg/L (Rat) 1 h |
| Zinc chloride | 350 mg/kg (Rat) | - | LC50 <= 1975 mg/m ³ (Rat) 10 min |

| | |
|---|--------------------------|
| Toxicologically Synergistic Products | No information available |
| (b) skin corrosion/irritation; | No data available |
| (c) serious eye damage/irritation; | No data available |
| (d) respiratory or skin sensitization; | |
| Respiratory | No data available |
| Skin | No data available |

(e) germ cell mutagenicity; No data available

(f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|-------------------|-----------|------------|------------|------------|------------|------------|
| Water | 7732-18-5 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Hydrochloric acid | 7647-01-0 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Zinc chloride | 7646-85-7 | Not listed | Not listed | Not listed | Not listed | Not listed |

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Other Adverse Effects The toxicological properties have not been fully investigated.

Endocrine Disrupting Properties This product does not contain any known or suspected endocrine disruptors.

12. Ecological information

Ecotoxicity

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-------------------|----------------------------|--|------------|-------------------------|
| Hydrochloric acid | - | 282 mg/L LC50 96 h Gambusia affinis mg/L LC50 48 h Leuciscus idus | - | 56mg/L EC50 72h Daphnia |
| Zinc chloride | EC50: 0.027-0.105 mg/L/72h | LC50: 0.4-2.2 mg/L/96h (Cyprinus carpio) | Not listed | EC50: 0.2 mg/L/48h |

Persistence and Degradability Persistence is unlikely based on information available. Soluble in water

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No

UN1789

| | |
|-----------------------------|-----------------------------|
| Proper Shipping Name | HYDROCHLORIC ACID SOLUTION |
| Hazard Class | 8 |
| Packing Group | III |
| TDG | |
| UN-No | UN1789 |
| Proper Shipping Name | HYDROCHLORIC ACID SOLUTION |
| Hazard Class | 8 |
| Packing Group | III |
| IATA | |
| UN-No | UN1789 |
| Proper Shipping Name | Hydrochloric acid (Mixture) |
| Hazard Class | 8 |
| Packing Group | III |
| IMDG/IMO | |
| UN-No | UN1789 |
| Proper Shipping Name | Hydrochloric acid (Mixture) |
| Hazard Class | 8 |
| Packing Group | III |

15. Regulatory Information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|-------------------|-----------|------|---|-----------------------------|
| Water | 7732-18-5 | X | ACTIVE | - |
| Hydrochloric acid | 7647-01-0 | X | ACTIVE | - |
| Zinc chloride | 7646-85-7 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|-------------------|-----------|-----|-----|-----------|-------|------|------|------|-------|----------|
| Water | 7732-18-5 | X | - | 231-791-2 | X | X | | X | X | KE-35400 |
| Hydrochloric acid | 7647-01-0 | X | - | 231-595-7 | X | X | X | X | X | KE-20189 |
| Zinc chloride | 7646-85-7 | X | - | 231-592-0 | X | X | X | X | X | KE-35535 |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Component | CAS No | Weight % | SARA 313 - Threshold Values % | SARA 313 - Reporting thresholds |
|-------------------|-----------|----------|-------------------------------|---------------------------------|
| Hydrochloric acid | 7647-01-0 | 2-5 | 1.0 % | - |
| Zinc chloride | 7646-85-7 | 0.2 | 1.0 % | - |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-------------------|----------------------------|-----------------------------|------------------------|---------------------------|
| Hydrochloric acid | X | 5000 lb | - | - |
| Zinc chloride | X | 1000 lb | X | - |

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depleters | Class 2 Ozone Depleters |
|-------------------|-----------|-------------------------|-------------------------|
| Hydrochloric acid | X | | - |

OSHA - Occupational Safety and Health Administration

| Component | Specifically Regulated Chemicals | Highly Hazardous Chemicals |
|-------------------|----------------------------------|----------------------------|
| Hydrochloric acid | - | TQ: 5000 lb |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

| Component | Hazardous Substances RQs | CERCLA Extremely Hazardous Substances RQs | SARA Reportable Quantity (RQ) |
|-------------------|--------------------------|---|-------------------------------|
| Hydrochloric acid | 5000 lb | 5000 lb | 5000 lb 2270 kg |
| Zinc chloride | 1000 lb | - | 1000 lb 454 kg |

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------|---------------|------------|--------------|----------|--------------|
| Water | - | - | X | - | - |
| Hydrochloric acid | X | X | X | X | X |
| Zinc chloride | X | X | X | - | X |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component | DHS Chemical Facility Anti-Terrorism Standard |
|-------------------|---|
| Hydrochloric acid | Release STQs - 15000lb (concentration >=37%) Release STQs - 5000lb (anhydrous) Theft STQs - 500lb (anhydrous) |

Other International Regulations**Mexico - Grade**

No information available

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------------|-----------|---|---|---|
| Water | 7732-18-5 | - | - | - |
| Hydrochloric acid | 7647-01-0 | - | Use restricted. See entry 75. (see link for restriction details) | - |
| Zinc chloride | 7646-85-7 | - | Use restricted. See entry 75. (see link for restriction details) | - |

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-------------------|-----------|----------|------------------------------|---------------------------|--|
| Water | 7732-18-5 | Listed | Not applicable | Not applicable | Not applicable |
| Hydrochloric acid | 7647-01-0 | Listed | Not applicable | Not applicable | Not applicable |
| Zinc chloride | 7646-85-7 | Listed | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-------------------|-----------|---|--|----------------------------|------------------------------------|
| Water | 7732-18-5 | Not applicable | Not applicable | Not applicable | Not applicable |
| Hydrochloric acid | 7647-01-0 | 25 tonne | 250 tonne | Not applicable | Annex I - Y34 |
| Zinc chloride | 7646-85-7 | Not applicable | Not applicable | Not applicable | Annex I - Y23 |

16. Other Information

Prepared By

Product stewardship (Regulatory Affairs)
Thermo Fisher Scientific
email - begel.sdsdesk@thermofisher.com

Creation Date

10-Feb-2011

Revision Date

19-Dec-2025

Print Date

19-Dec-2025

Revision Summary

Updated to the U.S. Department of Labor's Occupational Safety and Health Administration (OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200, 2024), May 20, 2024, effective July 19, 2024.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS