

SAFETY DATA SHEET

Creation Date 24-Nov-2010 Revision Date 24-Dec-2021 Revision Number 6

1. Identification

Product Name Chromium(VI) oxide

Cat No.: AC196610000; AC196610010; AC196610025; AC196610250;

AC196612500

CAS No 1333-82-0

Synonyms Chromium trioxide; Chromic acid; Chromic anhydride

Recommended Use Laboratory chemicals.

Uses advised against . . .

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids Category 1 Acute oral toxicity Category 3 Acute dermal toxicity Category 2 Acute Inhalation Toxicity - Dusts and Mists Category 2 Skin Corrosion/Irritation Category 1 A Serious Eye Damage/Eye Irritation Category 1 Respiratory Sensitization Category 1 Skin Sensitization Category 1 Germ Cell Mutagenicity Category 1B Category 1A Carcinogenicity Reproductive Toxicity Category 2 Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Liver, Kidney, Blood.

Label Elements

Signal Word

Danger

Hazard Statements

May cause fire or explosion; strong oxidizer

Toxic if swallowed

Causes severe skin burns and eye damage

May cause respiratory irritation

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause genetic defects

May cause cancer

Suspected of damaging fertility

Causes damage to organs through prolonged or repeated exposure

Fatal in contact with skin or if inhaled



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Wear fire/flame resistant/retardant clothing

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN: Gently wash with plenty of soap and water

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes

Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

Rinse mouth

Do NOT induce vomiting

Fire

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Chromium trioxide (CrO3)	1333-82-0	>95

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of

stomach or esophagus should be investigated

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. CO

2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Revision Date 24-Dec-2021 Chromium(VI) oxide

Autoignition Temperature

Explosion Limits

No information available

Upper No data available Lower No data available

Oxidizing Properties Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Toxic fumes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Health	Flammability	Instability	Physical hazards
4	0	1	OX

Accidental release measures

Personal Precautions

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation. Do not flush into surface water or sanitary sewer system. Do not allow material to **Environmental Precautions**

contaminate ground water system. Prevent product from entering drains. Local authorities

should be advised if significant spillages cannot be contained.

Up

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust formation. Keep away from clothing and other combustible materials.

Storage.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Do not store near combustible materials. Corrosives area. Store under an inert atmosphere. Protect from moisture. Incompatible Materials. Bases. Alcohols. Amines. Ammonia. Hydrocarbons. Ketones, Acetone, Acid anhydrides, Metals, Reducing Agent, Finely powdered metals, Strong reducing agents. Combustible material.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Chromium trioxide (CrO3)	TWA: 0.0002 mg/m³ STEL: 0.0005 mg/m³ Skin	(Vacated) Ceiling: 0.1 mg/m³ Ceiling: 0.1 mg/m³	IDLH: 15 mg/m ³ TWA: 0.0002 mg/m ³	TWA: 0.05 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Solid

Appearance Reddish violet
Odor Odorless

Odor Threshold No information available

0H 1 50g/l aq.sol

Melting Point/Range 196 °C / 384.8 °F
Boiling Point/Range No information available
Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Density Not applicable

Specific Gravity No information available

Solubility Soluble in water Partition coefficient; n-octanol/water No data available

Autoignition Temperature No information available

Decomposition Temperature 198 °C
Viscosity 198 °C
Not applicable

Molecular FormulaCr O3Molecular Weight99.99

10. Stability and reactivity

Reactive Hazard Yes

Stability Oxidizer: Contact with combustible/organic material may cause fire. Hygroscopic.

Conditions to Avoid Excess heat. Incompatible products. Exposure to moist air or water. Combustible material.

Incompatible Materials Bases, Alcohols, Amines, Ammonia, Hydrocarbons, Ketones, Acetone, Acid anhydrides,

Metals, Reducing Agent, Finely powdered metals, Strong reducing agents, Combustible

material

Hazardous Decomposition Products Toxic fumes

Hazardous Polymerization Hazardous polymerization does not occur.

Revision Date 24-Dec-2021 Chromium(VI) oxide

Hazardous Reactions

None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	Component LD50 Oral		LC50 Inhalation		
Chromium trioxide (CrO3)	LD50 = 80 mg/kg (Rat)	LD50 = 57 mg/kg (Rabbit)	$LC50 = 217 \text{ mg/m}^3 \text{ (Rat) 4 h}$		

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe burns by all exposure routes

Sensitization May cause sensitization by skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Chromium trioxide (CrO3)	1333-82-0	Group 1	Known	A1	X	A1

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

NTP: (National Toxicity Program)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen

A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects Mutagenic Ames test: positive.

Possible risk of impaired fertility. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity Teratogenic effects have occurred in experimental animals.

STOT - single exposure Respiratory system Liver Kidney Blood STOT - repeated exposure

No information available **Aspiration hazard**

delayed

Symptoms / effects, both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

Endocrine Disruptor Information No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

shwater Algae	Freshwater Fish	Microtox	Water Flea
Not listed	LC50: = 40 mg/L, 96h static (Colisa fasciatus)	Not listed	Not listed
	J	Not listed LC50: = 40 mg/L, 96h static	Not listed LC50: = 40 mg/L, 96h static Not listed

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1463

Proper Shipping Name CHROMIUM TRIOXIDE, ANHYDROUS

Hazard Class 5.1 Subsidiary Hazard Class 8; 6.1 Packing Group II

TDG

UN-No UN1463

Proper Shipping Name CHROMIUM TRIOXIDE, ANHYDROUS

Hazard Class 5.1 Subsidiary Hazard Class 8; 6.1 Packing Group II

<u>IATA</u>

UN-No UN1463

Proper Shipping Name CHROMIUM TRIOXIDE, ANHYDROUS

Hazard Class 5.1 Subsidiary Hazard Class 6.1, 8 Packing Group II

IMDG/IMO

UN-No UN1463

Proper Shipping Name CHROMIUM TRIOXIDE, ANHYDROUS

Hazard Class 5.1 Subsidiary Hazard Class 6.1, 8 Packing Group II

15. Regulatory information

United States of America Inventory

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
I	Chromium trioxide (CrO3)	1333-82-0	Χ	ACTIVE	R

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

Revision Date 24-Dec-2021

Chromium(VI) oxide

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

TSCA 12(b) - Notices of Export

Component	CAS No	TSCA 12(b) - Notices of Export
Chromium trioxide (CrO3)	1333-82-0	Section 6

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

	Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ī	Chromium trioxide (CrO3)	1333-82-0	Х	-	215-607-8	Χ	Χ	Χ	Χ	Χ	KE-06020

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Chromium trioxide (CrO3)	1333-82-0	>95	0.1

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances			CWA - Priority Pollutants	
Chromium trioxide (CrO3)	-	-	X	-	

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors							
Chromium trioxide (CrO3)	X		-							

OSHA - Occupational Safety and

Health Administration

Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Chromium trioxide (CrO3)	5 μg/m³ TWA	-
, ,	2.5 µg/m³ Action Level	

CERCLA Not applicable

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	California Prop. 65 Prop 65 NSRL			
Chromium trioxide	Chromium trioxide 1333-82-0		0.001 μg/day	Developmental		
(CrO3)		Developmental		Carcinogen		
(3.33)		Female Reproductive				
		Male Reproductive				

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Chromium trioxide	X	X	Х	X	Х
(CrO3)					

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Chromium trioxide (CrO3)	Carcinogenic Category 1B, Mutagenic Category 1B Article 57 Application date: March 21, 2016 Sunset date: September 21, 2017 Exemption - None	Use restricted. See item 72. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 29. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) Use restricted. See item 47. (see link for restriction details)	SVHC Candidate list - 215-607-8 - Carcinogenic, Article 57a;Mutagenic, Article 57b

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)		
Chromium trioxide (CrO3)	ium trioxide (CrO3) 1333-82-0 Listed Not applicable		Not applicable	Not applicable			
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)		
Chromium trioxide (CrO3)	1333-82-0	Not applicable	Not applicable	Not applicable	Annex I - Y21		

				r					

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

24-Nov-2010 **Creation Date** 24-Dec-2021 **Revision Date** 24-Dec-2021 **Print Date**

This document has been updated to comply with the US OSHA HazCom 2012 Standard **Revision Summary**

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS