

SAFETY DATA SHEET

Creation Date 16-Sep-2010 Revision Date 19-Dec-2025 Revision Number 7

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product Name Potassium osmate(VI) dihydrate

Cat No.: AC197660000; AC197660025; AC197665000

CAS No 10022-66-9

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Dusts and Mists

Category 3

Category 3

Label Elements

Signal Word

Danger

Hazard Statements

Toxic if swallowed, in contact with skin or if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor

Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor if you feel unwell

Take off immediately all contaminated clothing

Take off contaminated clothing and wash before reuse

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available

3. Composition/information on Ingredients

Component	CAS No	Weight %
Potassium osmate dihydrate	10022-66-9	<=100
Osmate (OsO42-), dipotassium, (T-4)-	19718-36-6	-

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a

pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

None reasonably foreseeable. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should

be investigated

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available No information available Method -

Autoignition Temperature

Explosion Limits

No information available

No data available Upper Lower No data available

Oxidizer **Oxidizing Properties**

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

Hazardous Combustion Products

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	1	1	OX

6. Accidental release measures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust **Personal Precautions**

formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe

Environmental Precautions Should not be released into the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Soak up with inert absorbent

Up

material. Keep in suitable, closed containers for disposal. Sweep up and shovel into

suitable containers for disposal. Avoid dust formation.

7. Handling and Storage

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Keep away from clothing and other combustible materials. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not

ingest. If swallowed then seek immediate medical assistance.

Storage. Keep under nitrogen. Do not store near combustible materials. Keep containers tightly

closed in a dry, cool and well-ventilated place. Corrosives area. Store under an inert atmosphere. Air sensitive. Incompatible Materials. Strong oxidizing agents. Combustible

material. Strong reducing agents. Metals.

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers **Engineering Measures**

are close to the workstation location. Ensure adequate ventilation, especially in confined

areas.

Personal Protective Equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye/face Protection**

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

> > Remarks

Solid

Method

Particulates filter conforming to EN 143. Recommended Filter type:

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Physical and chemical properties

Appearance

Physical State Solid

Reddish violet Color Odor Odorless

No information available **Odor Threshold**

Property Values

Melting Point/Range No data available **Softening Point** No data available **Boiling Point/Range** No information available

Flash Point No information available Method - No information available Solid

Flammability (liquid) Not applicable

No information available Flammability (solid,gas)

Explosion Limits No data available

No data available **Autoignition Temperature Decomposition Temperature** No data available рΗ Not applicable Not applicable Viscosity

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

No data available **Vapor Pressure Density / Specific Gravity** No data available **Bulk Density** No data available

Potassium osmate(VI) dihydrate

Revision Date 19-Dec-2025

Vapor Density Not applicable Solid

Particle characteristics No data available

Other Information

Molecular Formula K2 O4 Os . 2 H2 O

Molecular Weight368.42Oxidizing PropertiesOxidizer

Evaporation Rate Not applicable - Solid

10. Stability and reactivity

Reactive Hazard Yes

Stability Hygroscopic. Oxidizer: Contact with combustible/organic material may cause fire.

Conditions to Avoid Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.

Combustible material.

Incompatible Materials Strong oxidizing agents, Combustible material, Strong reducing agents, Metals

Hazardous Decomposition Products None under normal use conditions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Information on expected route of exposure

InhalationNot an expected route of exposure.IngestionMay be harmful if swallowed.EyesAvoid contact with eyes.

Skin Avoid contact with skin. Harmful in contact with skin.

Toxicology data for the components

ı	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
- 1	Component	LD30 Olai	LD30 Deliliai	LOJU IIII alation
	Osmate (OsO42-), dipotassium, (T-4)-	orl-rat LD50: 2694 mg/kg	-	-

Toxicologically Synergistic

Products

No information available

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Potassium osmate dihydrate	10022-66-9	Not listed				
Osmate (OsO42-), dipotassium, (T-4)-	19718-36-6	Not listed				

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

Target Organs None known.

Not applicable (j) aspiration hazard;

Solid

The toxicological properties have not been fully investigated. **Other Adverse Effects**

delayed

Symptoms / effects, both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated.

Other Adverse Effects The toxicological properties have not been fully investigated.

Endocrine Disrupting Properties This product does not contain any known or suspected endocrine disruptors.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Soluble in water Persistence is unlikely based on information available. Persistence and Degradability

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Transport information

DOT

UN-No UN3288

Proper Shipping Name TOXIC SOLID, INORGANIC, N.O.S. **Technical Shipping Name** Potassium osmate dihydrate

Hazard Class 6.1 **Packing Group** Ш

TDG

UN3288 **UN-No**

TOXIC SOLID, INORGANIC, N.O.S. **Proper Shipping Name Technical Shipping Name** Potassium osmate dihydrate

Hazard Class 6.1 **Packing Group**

IATA

UN-No UN3288

Proper Shipping Name TOXIC SOLID, INORGANIC, N.O.S. **Technical Shipping Name** Potassium osmate dihydrate

Hazard Class Packing Group

IMDG/IMO

UN-No UN3288

Proper Shipping Name TOXIC SOLID, INORGANIC, N.O.S. **Technical Shipping Name** Potassium osmate dihydrate

Hazard Class Packing Group Ш

15. Regulatory Information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Potassium osmate dihydrate	10022-66-9	=	-	-
Osmate (OsO42-), dipotassium,	19718-36-6	X	INACTIVE	-
(T-4)-				

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable

Not applicable

International Inventories

TSCA 12(b) - Notices of Export

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Potassium osmate dihydrate	10022-66-9	-	-	243-247-1	Χ	-		-	-	KE-29169
Osmate (OsO42-), dipotassium, (T-4)-	19718-36-6	-	Х	243-247-1	-	-		-	-	KE-29169

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

Not applicable

Health Administration

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

U.S. Department of Transportation

Reportable Quantity (RQ): Ν **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** Ν

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Potassium osmate dihydrate	10022-66-9	-	-	-
Osmate (OsO42-), dipotassium, (T-4)-	19718-36-6	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Potassium osmate dihydrate	10022-66-9	Not applicable	Not applicable	Not applicable	Not applicable
Osmate (OsO42-), dipotassium, (T-4)-	19718-36-6	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

ſ	Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
	-		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
			Qualifying Quantities			
Į			for Major Accident	for Safety Report		

Potassium osmate(VI) dihydrate

		Notification	Requirements		
Potassium osmate dihydrate	10022-66-9	Not applicable	Not applicable	Not applicable	Not applicable
Osmate (OsO42-),	19718-36-6	Not applicable	Not applicable	Not applicable	Not applicable
dipotassium, (T-4)-					

16. Other Information

Prepared By Product stewardship (Regulatory Affairs)

Thermo Fisher Scientific

email - begel.sdsdesk@thermofisher.com

 Creation Date
 16-Sep-2010

 Revision Date
 19-Dec-2025

 Print Date
 19-Dec-2025

Revision Summary Updated to the U.S. Department of Labor's Occupational Safety and Health Administration

(OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200,

2024), May 20, 2024, effective July 19, 2024.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS