

# **SAFETY DATA SHEET**

Creation Date 16-Sep-2010 Revision Date 13-Jul-2022 Revision Number 6

## 1. Identification

Product Name Potassium osmate(VI) dihydrate

Cat No.: AC197660000; AC197660025; AC197665000

**CAS No** 10022-66-9

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Fair Lawn, NJ 07410

Tel: (201) 796-7100

#### **Emergency Telephone Number**

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Dusts and Mists

Category 3

Category 3

#### **Label Elements**

### Signal Word

Danger

### **Hazard Statements**

Toxic if swallowed, in contact with skin or if inhaled



### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Potassium osmate dihydrate	10022-66-9	<=100
Osmate (OsO42-), dipotassium, (T-4)-	19718-36-6	-

### 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

None reasonably foreseeable. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should

be investigated

Treat symptomatically **Notes to Physician** 

## Fire-fighting measures

**Suitable Extinguishing Media** CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

**Unsuitable Extinguishing Media** No information available

**Flash Point** No information available No information available Method -

**Autoignition Temperature** 

**Explosion Limits** 

No information available

No data available Upper Lower No data available

**Oxidizing Properties** Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

#### **Hazardous Combustion Products**

None known.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	1	1	OX

## 6. Accidental release measures Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust **Personal Precautions** formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe

areas.

**Environmental Precautions** Should not be released into the environment.

Up

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into

suitable containers for disposal. Avoid dust formation.

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Keep away from clothing and other combustible materials. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep under nitrogen. Do not store near combustible materials. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Store under an inert atmosphere. Protect from moisture. Incompatible Materials. Strong oxidizing agents.

Combustible material. Strong reducing agents. Metals.

### 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Engineering Measures** 

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

#### Personal Protective Equipment

**Eye/face Protection**Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical State Solid
Appearance Redd

Appearance Reddish violet
Odor Odorless

Odor Threshold No information available PH Not applicable

Melting Point/Range
No data available
No information available

Flash Point No information available

No information available

Evaporation Rate

Flammability (solid,gas)

Not applicable
No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availablepor PressureNo information available

Vapor PressureNo information availableVapor DensityNot applicable

npor Density

Not applicable

Specific GravityNo information availableSolubilitySoluble in waterPartition coefficient; n-octanol/waterNo data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity
Not applicable
Molecular Formula
K2 O4 Os . 2 H2 O

Molecular Weight 368.42

## 10. Stability and reactivity

Reactive Hazard Yes

Stability Hygroscopic. Oxidizer: Contact with combustible/organic material may cause fire.

**Conditions to Avoid** Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.

Combustible material.

**Incompatible Materials** Strong oxidizing agents, Combustible material, Strong reducing agents, Metals

Hazardous Decomposition Products None under normal use conditions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

#### **Acute Toxicity**

### **Product Information Component Information**

LD50 Oral LD50 Dermal LC50 Inhalation Component Osmate (OsO42-), dipotassium, orl-rat LD50: 2694 mg/kg Not listed Not listed (T-4)-

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Potassium osmate dihydrate	10022-66-9	Not listed				
Osmate (OsO42-), dipotassium, (T-4)-	19718-36-6	Not listed				

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

**Teratogenicity** No information available.

None known STOT - single exposure STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Soluble in water Persistence is unlikely based on information available. Persistence and Degradability

### Potassium osmate(VI) dihydrate

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

## 13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No UN3288

**Proper Shipping Name** TOXIC SOLID, INORGANIC, N.O.S.

Technical Name Potassium osmate dihydrate

Hazard Class 6.1 Packing Group II

<u>TDG</u>

UN-No UN3288

Proper Shipping Name TOXIC SOLID, INORGANIC, N.O.S.

Hazard Class 6.1 Packing Group II

<u>IATA</u>

UN-No UN3288

Proper Shipping Name TOXIC SOLID, INORGANIC, N.O.S.

Hazard Class 6.1 Packing Group II

IMDG/IMO

UN-No UN3288

Proper Shipping Name TOXIC SOLID, INORGANIC, N.O.S.

Hazard Class 6.1
Packing Group

### 15. Regulatory information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Potassium osmate dihydrate	10022-66-9	-	-	-
Osmate (OsO42-), dipotassium,	19718-36-6	Х	INACTIVE	-
(T-4)-				

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Potassium osmate dihydrate	10022-66-9	-	-	243-247-1	Х	-		-	-	KE-29169
Osmate (OsO42-), dipotassium,	19718-36-6	-	Х	243-247-1	-	-		-	-	KE-29169

(T-4)-					

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

**U.S. Department of Transportation** 

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

**U.S. Department of Homeland** 

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Potassium osmate dihydrate	10022-66-9	-	-	-
Osmate (OsO42-), dipotassium, (T-4)-	19718-36-6	-	-	-

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Potassium osmate dihydrate	10022-66-9	Not applicable	Not applicable	Not applicable	Not applicable
Osmate (OsO42-), dipotassium, (T-4)-	19718-36-6	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
·		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		Qualifying Quantities	<b>Qualifying Quantities</b>	, ,	,
		for Major Accident	for Safety Report		

		Notification	Requirements		
Potassium osmate dihydrate	10022-66-9	Not applicable	Not applicable	Not applicable	Not applicable
Osmate (OsO42-),	19718-36-6	Not applicable	Not applicable	Not applicable	Not applicable
dipotassium, (T-4)-					

# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 16-Sep-2010

 Revision Date
 13-Jul-2022

 Print Date
 13-Jul-2022

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**