

# SAFETY DATA SHEET

Creation Date 20-Nov-2006

Revision Date 19-Dec-2025

Revision Number 5

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

## 1. Identification

<b>Product Name</b>	Ethylene glycol diethyl ether
<b>Cat No. :</b>	AC208240000; AC208240010; AC208240025; AC208241000
<b>CAS No</b>	629-14-1
<b>Synonyms</b>	1,2-Diethoxyethane; Ethyl glyme
<b>Recommended Use</b>	Laboratory chemicals.
<b>Uses advised against</b>	Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

#### Company

Fisher Scientific Company  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410

#### Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Flammable liquids	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Reproductive Toxicity	Category 1A

#### Label Elements

**Signal Word**  
Danger

#### **Hazard Statements**

Highly flammable liquid and vapor  
Causes serious eye irritation  
May damage the unborn child. Suspected of damaging fertility

**Precautionary Statements****Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground and bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Wear protective gloves/protective clothing/eye protection/face protection

Take action to prevent static discharges

Use non-sparking tools

**Response**

IF exposed or concerned: Get medical attention/advice

**Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

**Fire**

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam to extinguish

**Storage**

Store locked up

Store in a well-ventilated place. Keep cool

**Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

None identified

**Hazards classified under paragraph (d)(1)(ii) of 1910.1200****Hazards resulting from a reaction with other chemicals under normal conditions of use**

May form explosive peroxides.

**3. Composition/information on Ingredients**

Component	CAS No	Weight %
Ethylene glycol diethyl ether	629-14-1	>95

**4. First-aid measures****Eye Contact**

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

**Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated

	clothes and shoes. Immediate medical attention is required.
<b>Inhalation</b>	Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Immediate medical attention is required.
<b>Ingestion</b>	Call a physician immediately. Clean mouth with water.
<b>Most important symptoms and effects</b>	Difficulty in breathing. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
<b>Notes to Physician</b>	Treat symptomatically

## 5. Fire-fighting measures

**Suitable Extinguishing Media** Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam.

**Unsuitable Extinguishing Media** No information available

**Flash Point** 19 °C / 66.20 °F

**Method -** No information available

**Autoignition Temperature** 208 °C / 406.4 °F

**Explosion Limits**

Upper 11.9%  
Lower 1.2%

**Sensitivity to Mechanical Impact** No information available

**Sensitivity to Static Discharge** No information available

**Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. May form explosive peroxides.

**Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA**

Health  
2

Flammability  
3

Instability  
0

Physical hazards  
N/A

## 6. Accidental release measures

**Personal Precautions** Remove all sources of ignition. Take precautionary measures against static discharges.  
**Environmental Precautions** See Section 12 for additional Ecological Information.

**Methods for Containment and Clean Up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Wear self-contained breathing apparatus and protective suit. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not let this chemical enter the environment.

## 7. Handling and Storage

**Handling** Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. If peroxide formation is suspected,

do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

**Storage.**

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Keep under nitrogen. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Incompatible Materials. Strong oxidizing agents. Strong acids. oxygen.

## 8. Exposure controls / personal protection

**Exposure Guidelines**

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

**Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment****Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin and body protection**

Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection**

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:**

Organic gases and vapours filter. Type A. Brown. conforming to EN14387.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

**Appearance****Physical State**

Liquid

**Color**

Clear

**Odor**

Petroleum distillates

**Odor Threshold**

No information available

**Property****Values****Remarks****• Method****Melting Point/Range**

-74 °C / -101.2 °F

**Softening Point**

No data available

@ 760 mmHg

**Boiling Point/Range**

121 °C / 249.8 °F

**Method** - No information available

**Flash Point**

19 °C / 66.20 °F

On basis of test data

**Flammability (liquid)**

Highly flammable

Liquid

**Flammability (solid,gas)**

Not applicable

**Explosion Limits**

**Lower** 1.2 Vol%

**Autoignition Temperature**

**Upper** 11.9 Vol%

208 °C / 406.4 °F

**Decomposition Temperature**

No data available

**pH**

No information available

**Viscosity**

0.7 mPa.s at 20 °C

<b>Water Solubility</b>	20.4%
<b>Solubility in other solvents</b>	No information available
<b>Partition Coefficient (n-octanol/water)</b>	
<b>Vapor Pressure</b>	9.4 mmHg @ 20 °C
<b>Density / Specific Gravity</b>	0.842
<b>Bulk Density</b>	Not applicable
<b>Vapor Density</b>	No data available
<b>Particle characteristics</b>	Not applicable (liquid)

**Other Information**

<b>Molecular Formula</b>	C6 H14 O2
<b>Molecular Weight</b>	118.18
<b>Explosive Properties</b>	May form explosive peroxides

**10. Stability and reactivity**

<b>Reactive Hazard</b>	None known, based on information available
<b>Stability</b>	May form explosive peroxides.
<b>Conditions to Avoid</b>	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.
<b>Incompatible Materials</b>	Strong oxidizing agents, Strong acids, oxygen
<b>Hazardous Decomposition Products</b>	Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Hazardous Reactions</b>	None under normal processing.

**11. Toxicological information****Information on expected route of exposure**

<b>Inhalation</b>	Not an expected route of exposure.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Eyes</b>	Avoid contact with eyes. Irritating to eyes.
<b>Skin</b>	Avoid contact with skin. May cause irritation.

**Toxicology data for the components**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol diethyl ether	LD50 = 4390 mg/kg ( Rat )	LD50 = 8 mL/kg ( Rabbit )	-

**Toxicologically Synergistic Products** No information available

**(b) skin corrosion/irritation;** No data available

**(c) serious eye damage/irritation;** Category 2

**(d) respiratory or skin sensitization;**  
**Respiratory** No data available  
**Skin** No data available

**(e) germ cell mutagenicity;** No data available

**(f) carcinogenicity;**

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Ethylene glycol diethyl ether	629-14-1	Not listed				

**(g) reproductive toxicity;**

Category 1A

**Teratogenicity**

Teratogenic effects have occurred in experimental animals.

**(h) STOT-single exposure;**

No data available

**(i) STOT-repeated exposure;**

No data available

**Target Organs**

No information available.

**(j) aspiration hazard;**

No data available

**Other Adverse Effects**

The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information

**Symptoms / effects,both acute and delayed**

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Other Adverse Effects**

The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information.

**Endocrine Disrupting Properties**

This product does not contain any known or suspected endocrine disruptors.

**12. Ecological information****Ecotoxicity**

Do not empty into drains.

**Persistence and Degradability**

Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation**

No information available.

**Mobility**

Will likely be mobile in the environment due to its water solubility.

**13. Disposal considerations****Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

**14. Transport information****DOT****UN-No**

UN1153

**Proper Shipping Name**

Ethylene glycol diethyl ether

**Hazard Class**

3

**Packing Group**

II

TDG

<b>UN-No</b>	UN1153
<b>Proper Shipping Name</b>	ETHYLENE GLYCOL DIETHYL ETHER
<b>Hazard Class</b>	3
<b>Packing Group</b>	II

IATA

<b>UN-No</b>	UN1153
<b>Proper Shipping Name</b>	ETHYLENE GLYCOL DIETHYL ETHER
<b>Hazard Class</b>	3
<b>Packing Group</b>	II

IMDG/IMO

<b>UN-No</b>	UN1153
<b>Proper Shipping Name</b>	ETHYLENE GLYCOL DIETHYL ETHER
<b>Hazard Class</b>	3
<b>Packing Group</b>	II

**15. Regulatory Information**United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Ethylene glycol diethyl ether	629-14-1	X	ACTIVE	S

**Legend:**

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule.

**TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)**      Not applicable

**TSCA 12(b) - Notices of Export**

Component	CAS No	TSCA 12(b) - Notices of Export
Ethylene glycol diethyl ether	629-14-1	Section 5(a)(2)

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethylene glycol diethyl ether	629-14-1	-	-	211-076-1	X	X	X	X	X	KE-10343

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting thresholds
Ethylene glycol diethyl ether	629-14-1	>95	1.0 %	-

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** Not applicable

**Clean Air Act**

Component	HAPS Data	Class 1 Ozone Depleters	Class 2 Ozone Depleters
Ethylene glycol diethyl ether	X		-

**OSHA - Occupational Safety and Health Administration** Not applicable

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethylene glycol diethyl ether	X	X	X	X	-

**U.S. Department of Transportation**

Reportable Quantity (RQ): N  
 DOT Marine Pollutant N  
 DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security** This product does not contain any DHS chemicals.

**Other International Regulations**

**Mexico - Grade** No information available

**Authorisation/Restrictions according to EU REACH**

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Ethylene glycol diethyl ether	629-14-1	-	Use restricted. See entry 30. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	SVHC Candidate list - Toxic for reproduction (Article 57 c)

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

**REACH links**

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethylene glycol diethyl ether	629-14-1	Not applicable	Not applicable	Not applicable	Not applicable

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

**Other International Regulations**

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Ethylene glycol diethyl ether	629-14-1	Not applicable	Not applicable	Not applicable	Not applicable

**16. Other Information**

<b>Prepared By</b>	Product stewardship (Regulatory Affairs) Thermo Fisher Scientific email - begel.sdsdesk@thermofisher.com
<b>Creation Date</b>	20-Nov-2006
<b>Revision Date</b>	19-Dec-2025
<b>Print Date</b>	19-Dec-2025
<b>Revision Summary</b>	Updated to the U.S. Department of Labor's Occupational Safety and Health Administration (OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200, 2024), May 20, 2024, effective July 19, 2024.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**