

SAFETY DATA SHEET

Creation Date 24-May-2010

Revision Date 24-Dec-2021

Revision Number 5

	1. Identification
Product Name	Bis(2-ethylhexyl) sebacate
Cat No. :	AC269920000; AC269920010; AC269920025; AC269920100; AC269921000
CAS No Synonyms	122-62-3 DEHS; Di(2-ethylhexyl)sebacate; Dioctyl sebacate
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.
Details of the supplier of the	safety data sheet
Company	

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements None required

Hazards not otherwise classified (HNOC) None identified

Component CAS No Weight % Decanoic acid, bis[2-eftythexyl] ester 122-62:3 > 95 4. First-aid measures Second Context Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes medical attention. Skin Contact Wash off immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately if symptoms occur. Inhelation Remove to fresh air. Get medical attention immediately if symptoms occur. Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. Most important symptoms and effects None reasonably foreseeable. Note to Physician Treat symptomatically 5. Fire-fighting measures Suitable Extinguishing Media Water spray. Carbon dioxide (CO a). Dry chemical. Chemical foam. Unsuitable Extinguishing Media Noinformation available Flash Point 215 °C / 419 °F Method - No information available Nod rea available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Mechanical Impact No information available Sensitivity to Mechanical Impact No information available Specific Hazards Arising from the Chemical	3. Cc	ompositio	on/Informat	ion on Ingre	dients	
Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes medical attention. Skin Contact Wash off immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur. Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. Most important symptoms and effects None reasonably foreseeable. Notes to Physician Treat symptomatically Suitable Extinguishing Media Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foam. Unsuitable Extinguishing Media No information available Flash Point 215 °C / 419 °F Method - No information available Lower No data available Lower No data available Sensitivity to Static Discharge No information available Sensitivity to Static Discharge No information available Sensitivity to Static Discharge No information available Senson monoxide (CO). Carbon dioxide (CO ₂).						
Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur. Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. Most important symptoms and effects None reasonably foreseeable. Treat symptomatically Treat symptomatically Suitable Extinguishing Media Water spray. Carbon dioxide (CO2). Dry chemical. Chemical foam. Unsuitable Extinguishing Media No information available Flash Point 215 °C / 419 °F Method - No information available Autoignition Temperature 400 °C / 752 °F Explosion Limits Vodeta available Specific Hazards Arising from the Chemical No information available Sensitivity to Static Discharge No information available Sensitivity to Static Discharge No information available Set in monoxide (CO). Corbon dioxide (CO2). Protective Equipment and Precautions for Firefighters As in any fine, wears self-contained breating apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. NEPA_ Health Instability Physical hazards		4.	First-aid m	easures		
immediately if symptoms occur. Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. Most important symptoms and affects Wotes to Physician Treat symptomatically Treat symptomatically 5. Fire-fighting measures Suitable Extinguishing Media Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foarn. Unsuitable Extinguishing Media No information available Flash Point 215 °C / 419 °F Method - No information available Autoigniftion Temperature 400 °C / 752 °F Explosion Limits Upper No data available Sensitivity to Mechanical Impact No information available Sensitivity to Mechanical Impact No information available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full N/A 1 0 Physical hazards N/A					the eyelids, for at least 15 minutes. Get	
Imagestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. Most important symptoms and affects None reasonably foreseeable. Notes to Physician Treat symptomatically Suitable Extinguishing Media Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foam. Unsuitable Extinguishing Media No information available Flash Point 215 °C / 419 °F Method - No information available Autoignition Temperature 400 °C / 752 °F Explosion Limits Upper No data available Sensitivity to Mechanical Impact No information available Specific Hazards Arising from the Chemical Keep product and empty container away from heat and sources of ignition. Hazardous Combustion Products Carbon monoxide (CO:). Carbon dioxide (CO:). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full or torted we gear. NPPA Health Flammability 0 Physical hazards N/A 0 1 0 N/A	Skin Contact				ast 15 minutes. Get medical attention	
symptoms occur. Most important symptoms and effects None reasonably foreseeable. Treat symptomatically Suitable Extinguishing Media Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foam. Unsuitable Extinguishing Media No information available Flash Point 215 °C / 419 °F Method - No information available Autoignition Temperature 400 °C / 752 °F Explosion Limits No information available Vover No data available Sensitivity to Mechanical Impact No information available Specific Hazards Arising from the Chemical Carbon monoxide (CO). Carbon dioxide (COa). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full or toried reathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full or toried reathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full or Ni/A MEPA Health Flammability Instability Physical hazards Ni/A 0 1 0 Ni/A	nhalation	Remove to fr	esh air. Get medi	cal attention immedia	ately if symptoms occur.	
effects Treat symptomatically Suitable Extinguishing Media Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foam. Unsuitable Extinguishing Media No information available Image: Colspan="2">Fire-fighting measures Flash Point 215 °C / 419 °F Method - No information available Autoignition Temperature 400 °C / 752 °F Explosion Limits Vo data available Upper No data available No information available Sensitivity to Mechanical Impact No information available Specific Hazards Arising from the Chemical Keep product and empty container away from heat and sources of ignition. Hazardous Combustion Products Carbon monoxide (CO). Carbon dioxide (CO2). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full ordective gear. NEPA Health Flammability Instability Physical hazards N/A 0 1 0 Physical hazards N/A	ngestion			ink afterwards plenty	y of water. Get medical attention if	
Notes to Physician Treat symptomatically Suitable Extinguishing Media Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foam. Suitable Extinguishing Media Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foam. Unsuitable Extinguishing Media No information available Flash Point 215 °C / 419 °F Method - No information available Autoignition Temperature 400 °C / 752 °F Explosion Limits Upper No data available Specific Hazards Arising from the Chemical Impact No information available No information available Specific Hazards Arising from the Chemical No information available No information available No data available Specific Hazards Arising from the Chemical Keep product and empty container away from heat and sources of ignition. Hazardous Combustion Products Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breatures are paparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Physical hazards NFPA Health Flammability Instability Physical hazards 0 1 0 N/A N/A		None reason	ably foreseeable.			
Suitable Extinguishing Media Water spray. Carbon dioxide (CO ₂). Dry chemical. Chemical foam. Unsuitable Extinguishing Media No information available Flash Point 215 °C / 419 °F Method - No information available Autoignition Temperature 400 °C / 752 °F Explosion Limits No data available Upper No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available Specific Hazards Arising from the Chemical Neep product and empty container away from heat and sources of ignition. Hazardous Combustion Products Carbon dioxide (CO ₂). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. NFPA Instability Physical hazards N/A 0 1 0 N/A 6. Accidental release measures N/A		Treat sympto	matically			
Unsuitable Extinguishing Media No information available Flash Point 215 °C / 419 °F Method - No information available Autoignition Temperature 400 °C / 752 °F Explosion Limits No data available Jupper No data available Sensitivity to Mechanical Impact No information available No information available Sensitivity to Static Discharge No information available Sensitivity to Static Discharge No information available Specific Hazards Arising from the Chemical Keep product and empty container away from heat and sources of ignition. Hazardous Combustion Products Carbon monoxide (CO). Carbon dioxide (CO2). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. NFFA Health Instability Physical hazards 0 1 0 N/A 6. Accidental release measures N/A		5. Fi	re-fighting	measures		
Flash Point 215 °C / 419 °F Method - No information available Autoignition Temperature 400 °C / 752 °F Explosion Limits Upper Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge Sensitivity to Static Discharge No information available Specific Hazards Arising from the Chemical Keep product and empty container away from heat and sources of ignition. Hazardous Combustion Products Carbon monoxide (CO). Carbon dioxide (CO2). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. NFPA Health Flammability Instability Physical hazards N/A 0 1 0 N/A	Suitable Extinguishing Media	Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foam.				
Method - No information available Autoignition Temperature 400 °C / 752 °F Explosion Limits No data available Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available Sensitivity to Static Discharge Specific Hazards Arising from the Chemical No information available Keep product and empty container away from heat and sources of ignition. Hazardous Combustion Products Carbon monoxide (CO). Carbon dioxide (CO2). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full or torotective gear. NFPA Health Flammability Instability Physical hazards N/A 0 1 0 N/A	Unsuitable Extinguishing Media	No information available				
Autoignition Temperature 400 °C / 752 °F Explosion Limits Upper No data available Lower Lower No data available Sensitivity to Mechanical Impact Sensitivity to Static Discharge No information available Sensitivity to Static Discharge No information available No information available Specific Hazards Arising from the Chemical Keep product and empty container away from heat and sources of ignition. Hazardous Combustion Products Carbon monoxide (CO). Carbon dioxide (CO2). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. NFPA 0 Instability 0 Physical hazards N/A 6. Accidental release measures	Flash Point	215 °C / 419 °F				
Explosion Limits No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge Specific Hazards Arising from the Chemical Keep product and empty container away from heat and sources of ignition. Hazardous Combustion Products Carbon monoxide (CO). Carbon dioxide (CO2). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full brotective gear. NFPA 0 1 0 1 0 1 0 N/A	Method -	No information available				
Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available Specific Hazards Arising from the Chemical No information available Specific Hazards Arising from the Chemical No information available Specific Hazards Arising from the Chemical No information available Specific Hazards Combustion Products No form heat and sources of ignition. Hazardous Combustion Products Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. NFPA Health Flammability Instability Physical hazards N/A 0 1 0 N/A N/A	Autoignition Temperature	400 °C / 752 °F				
Keep product and empty container away from heat and sources of ignition. Hazardous Combustion Products Carbon monoxide (CO). Carbon dioxide (CO2). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. NFPA Health 0 Flammability 1 Instability 0 Physical hazards N/A 6. Accidental release measures	Upper Lower Sensitivity to Mechanical Impact	No data available Impact No information available				
Carbon monoxide (CO). Carbon dioxide (CO ₂). Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. NFPA Health 0 Flammability 1 Instability 0 Physical hazards N/A 6. Accidental release measures			nd sources of ign	ition.		
Health 0Flammability 1Instability 0Physical hazards N/A06. Accidental release measures	Carbon monoxide (CO). Carbon dioxid Protective Equipment and Precautio As in any fire, wear self-contained brea	ons for Firefig		and, MSHA/NIOSH (a	approved or equivalent) and full	
	Health					
		6. Accio	lental relea	ise measure	S	
Personal PrecautionsEnsure adequate ventilation. Use personal protective equipment as required.Environmental PrecautionsShould not be released into the environment.	Personal Precautions Environmental Precautions				ve equipment as required.	

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.
Storage.	Keep container tightly closed in a dry and well-ventilated place. Incompatible Materials.
	Strong oxidizing agents.
8. E	Exposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	None under normal use conditions.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	No protective equipment is needed under normal use conditions.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
	9. Physical and chemical properties
Physical State	Liquid
Appearance	Light yellow
Odor Odor Threshold	Slight No information available
Odor Threshold	No information available
рН	

. Melting Point/Range Boiling Point/Range Flash Point **Evaporation Rate** Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density **Specific Gravity** Solubility Partition coefficient; n-octanol/water **Autoignition Temperature Decomposition Temperature** Viscosity Molecular Formula

Molecular Weight

Light yellow Slight No information available -55 °C / -67 °F 212 °C / 413.6 °F @ 1 mmHg 215 °C / 419 °F No information available Not applicable

No data available No data available 0.001 hPa @ 20 °C No information available 0.910 Insoluble in water No data available 400 °C / 752 °F 300 °C ca 23 mPa s at 20 °C C26 H50 O4 426.67

10. Stability and reactivity

Reactive Hazard	active Hazard None known, based on information available		
Stability No information available.			
Conditions to Avoid	Incompatible products.		
Incompatible Materials Strong oxidizing agents			
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)			
Hazardous Polymerization	No information available.		
Hazardous Reactions None under normal processing.			
11. Toxicological information			

Acute Toxicity

Product Information Component Information Toxicologically Synergistic Products Delayed and immediate effects as w	No acute toxicity information is available for this product No information available well as chronic effects from short and long-term exposure
Irritation	No information available
Sensitization	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico			
Decanoic acid,	122-62-3	Not listed	Not listed	Not listed	Not listed	Not listed			
bis(2-ethylhexyl) ester									
Mutagenic Effects		No information available							
Reproductive Effect	ts	No information available.							
Developmental Effe	cts	No information ava	ailable.						
Teratogenicity		No information ava	ailable.						
STOT - single exposision STOT - repeated ex		None known None known							
Aspiration hazard		No information available							
Symptoms / effects delayed	s,both acute and	and No information available							
Endocrine Disrupto	r Information	on No information available							
Other Adverse Effe	cts	The toxicological properties have not been fully investigated.							
		12. Ecol	ogical infor	mation					
Ecotoxicity									
Persistence and De	gradability	May persist based	on information ava	ailable.					

No information available. **Bioaccumulation/Accumulation**

Mobility

Is not likely mobile in the environment due its low water solubility.

Component	log Pow
Decanoic acid, bis(2-ethylhexyl) ester	3.74

	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
	14. Transport information
ΠΟΤ	Not regulated

DOT	Not regulated	
TDG	Not regulated	
IATA	Not regulated	
IMDG/IMO	Not regulated	
	15. Regulatory information	

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Decanoic acid, bis(2-ethylhexyl) ester	122-62-3	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Decanoic acid, bis(2-ethylhexyl)	122-62-3	Х	-	204-558-8	Х	Х	Х	Х	Х	KE-09405
ester										

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations	Not applicable
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Decanoic acid, bis(2-ethylhexyl) ester	122-62-3	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Decanoic acid, bis(2-ethylhexyl) ester	122-62-3	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information		
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com	
Creation Date Revision Date Print Date Revision Summary	24-May-2010 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS