

# SAFETY DATA SHEET

Creation Date 25-Oct-2010 Revision Date 19-Dec-2025 Revision Number 6

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product Name 1-Octene

Cat No.: AC301250000; AC301250010; AC301250025; AC301250050;

AC301250100; AC301251000; AC301255000

CAS No 111-66-0 Synonyms Caprylene

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

## **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Flammable liquids Category 2
Aspiration Toxicity Category 1

## Label Elements

### Signal Word

Danger

## **Hazard Statements**

Highly flammable liquid and vapor May be fatal if swallowed and enters airways



## **Precautionary Statements**

#### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground and bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Wear protective gloves/protective clothing/eye protection/face protection

Take action to prevent static discharges

Use non-sparking tools

## Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

## Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

#### Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

### Storage

Store locked up

Store in a well-ventilated place. Keep cool

### Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

Repeated exposure may cause skin dryness or cracking

## Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available

# 3. Composition/information on Ingredients

Component	CAS No	Weight %
1-Octene	111-66-0	>95

## 4. First-aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention.

**Inhalation** Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen.

If not breathing, give artificial respiration. Get medical attention. Risk of serious damage to

the lungs (by aspiration).

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. Get medical attention. If possible drink milk afterwards. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.

Most important symptoms and

effects

**Notes to Physician** 

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray. Carbon dioxide (CO2). Dry chemical. Water mist may be used to cool closed

containers. Chemical foam. Water mist may be used to cool closed containers.

Unsuitable Extinguishing Media No information available

Flash Point 13 °C / 55.4 °F

Method - No information available

Autoignition Temperature 230 °C / 446 °F

**Explosion Limits** 

**Upper** 3.90% **Lower** 0.70%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

## **Specific Hazards Arising from the Chemical**

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air. Do not allow run-off from fire-fighting to enter drains or water courses.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
1	3	0	N/A

## 6. Accidental release measures

# Personal Precautions Environmental Precautions

Remove all sources of ignition. Take precautionary measures against static discharges. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

# **Methods for Containment and Clean** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition

sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not let this chemical enter the

environment.

## 7. Handling and Storage

### Handling

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Handle product only in closed system or provide appropriate exhaust ventilation. Wash thoroughly after handling. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Contents

Revision Date 19-Dec-2025 1-Octene

may develop pressure upon prolonged storage. Keep away from open flames, hot surfaces

and sources of ignition.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away Storage.

from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing

agents. Strong acids. Peroxides.

8. Exposure controls / personal protection

This product does not contain any hazardous materials with occupational exposure **Exposure Guidelines** 

limitsestablished by the region specific regulatory bodies.

**Engineering Measures** Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations

and safety showers are close to the workstation location. Ensure adequate ventilation,

especially in confined areas.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance

**Physical State** Liquid

No information available Color Petroleum distillates Odor No information available **Odor Threshold** 

**Property Values**  Method Remarks

**Melting Point/Range** -102 °C / -151.6 °F **Softening Point** No data available

**Boiling Point/Range** 121 - 123 °C / 249.8 - 253.4 °F @ 760 mmHa

**Flash Point** 13 °C / 55.4 °F

Method - No information available Flammability (liquid) Highly flammable On basis of test data Liquid

Flammability (solid,gas) Not applicable **Explosion Limits** Lower 0.7 Vol%

Upper 6.8 Vol% 230 °C / 446 °F **Autoignition Temperature** 

**Decomposition Temperature** No data available No information available pН Viscosity 0.38 cSt at 40 °C Water Solubility Slightly soluble

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

log Pow Component 1-Octene 4.57

13 mmHg @ 20 °C **Vapor Pressure** 

**Density / Specific Gravity** 0.715

Not applicable Liquid **Bulk Density Vapor Density** 3.9 (Air = 1.0)

Particle characteristics Not applicable (liquid)

Other Information

Molecular FormulaC8 H16Molecular Weight112.21

Explosive Properties Vapors may form explosive mixtures with air

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Incompatible Materials Strong oxidizing agents, Strong acids, Peroxides

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

## 11. Toxicological information

## Information on expected route of exposure

**Inhalation** Not an expected route of exposure.

Ingestion Harmful if swallowed. Potential for aspiration if swallowed.

Eyes Avoid contact with eyes. Skin Avoid contact with skin.

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1-Octene	>10000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	40.2 mg/L/4h (Rat)

**Toxicologically Synergistic** 

**Products** 

No information available

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

**Respiratory**Based on available data, the classification criteria are not met **Skin**Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Not mutagenic in AMES Test

(f) carcinogenicity; Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
1-Octene	111-66-0	Not listed				

Revision Date 19-Dec-2025 1-Octene

(g) reproductive toxicity; Based on available data, the classification criteria are not met

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

**Target Organs** None known.

(j) aspiration hazard; Category 1

**Other Adverse Effects** The toxicological properties have not been fully investigated.

delayed

Symptoms / effects, both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

Other Adverse Effects The toxicological properties have not been fully investigated.

**Endocrine Disrupting Properties** This product does not contain any known or suspected endocrine disruptors.

# 12. Ecological information

**Ecotoxicity** 

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and Degradability No information available **Bioaccumulation/ Accumulation** No information available.

No information available. **Mobility** 

Component	log Pow
1-Octene	4.57

## 13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a **Waste Disposal Methods** 

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN3295

**Proper Shipping Name** Hydrocarbons, liquid, n.o.s.

**Technical Shipping Name** Oct-1-ene

**Hazard Class Packing Group** 

TDG

**UN-No** UN3295

**Proper Shipping Name** Hydrocarbons, liquid, n.o.s.

**Technical Shipping Name** Oct-1-ene

**Hazard Class Packing Group** Ш

**IATA** 

UN3295 **UN-No** 

Proper Shipping Name Hydrocarbons, liquid, n.o.s.

Technical Shipping Name Oct-1-ene

Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN3295

Proper Shipping Name Hydrocarbons, liquid, n.o.s.

Technical Shipping Name Oct-1-ene

Hazard Class 3
Packing Group ||

# 15. Regulatory Information

## United States of America Inventory

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Г	1-Octene	111-66-0 X		ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
1-Octene	111-66-0	Х	-	203-893-7	Χ	Χ	Χ	Х	Χ	KE-26673

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and Not applicable

Health Administration

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

pertaining to releases of this material.

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regulations

L	Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
	1-Octene	X	-	X	-	-

**U.S. Department of Transportation** 

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Not applicable

	Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	9	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Ī	1-Octene	111-66-0	-	-	-

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
1-Octene	111-66-0	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

## **Other International Regulations**

Component	CAS No	Seveso III Directive (2012/18/EC) - (2012/18/EC) - (2012/18/EC) - Qualifying Quantities		Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		for Major Accident	for Safety Report		
		Notification	Requirements		
1-Octene	111-66-0	Not applicable	Not applicable	Not applicable	Not applicable

16. Other Information

Prepared By Product stewardship (Regulatory Affairs)

Thermo Fisher Scientific

email - begel.sdsdesk@thermofisher.com

 Creation Date
 25-Oct-2010

 Revision Date
 19-Dec-2025

 Print Date
 19-Dec-2025

Revision Summary Updated to the U.S. Department of Labor's Occupational Safety and Health Administration

(OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200,

2024), May 20, 2024, effective July 19, 2024.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**