

SAFETY DATA SHEET

Creation Date 18-Jan-2008

Revision Date 25-Dec-2021

Revision Number 5

1. Identification

Product Name

Dodecylbenzene sulfonic acid, mixture of C10-C13 isomers

Cat No. :

AC325900000; AC325900010; AC325905000

CAS No Synonyms

Recommended Use Uses advised against

Mostly dodecylbenzene sulfonic acid. Laboratory chemicals. Food, drug, pesticide or biocidal product use.

85536-14-7

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 4 Category 1 C Category 1 Category 3

Label Elements

Signal Word Danger

Hazard Statements Harmful if swallowed Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

Rinse mouth

Do NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Compo	Component		Weight %			
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivitives		85536-14-7	>95			
	4.	First-aid measures				
General Advice	Immediate medical attention is required. Show this safety data sheet to the docto attendance.					
Eye Contact	Immediate medical attention is required. Rinse immediately with plenty of water, also und the eyelids, for at least 15 minutes. Keep eye wide open while rinsing.					
Skin Contact		ast 15 minutes. Remove and wash side, before re-use. Call a physician				

Notes to Physician	and danger of perforation Treat symptomatically
Most important symptoms and effects	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue
Ingestion	Do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person. Clean mouth with water.
Inhalation	Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. If not breathing, give artificial respiration.

5. Fire-fighting measures

Suitable Extinguishing Media	CO $_{\mbox{\tiny 2}}$ dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point	210 °C / 410 °F
Method -	No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Sulfur oxides. Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 1	Instability 0	Physical hazards N/A				
	6. Accidental re	lease measures					
Personal Precautions	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Up personal protective equipment as required. Ensure adequate ventilation.						
Environmental Precautions	Should not be released into the environment. Do not flush into surface water of sewer system. See Section 12 for additional Ecological Information. Avoid rele environment. Collect spillage.						

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Up

7. Handling and storage

Handling	Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not inges					
	If swallowed then seek immediate medical assistance. Use only under a chemical fume hood. Wear personal protective equipment/face protection.					
Storage.	Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents.					
0	Exposure controls / personal protection					
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.					
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.					
Personal Protective Equipment						
Eye/face Protection	Tight sealing safety goggles. Face protection shield.					
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.					
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.					
Respiratory Protection Hygiene Measures	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if					
	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties					
Hygiene Measures Physical State	exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice.					
Hygiene Measures Physical State	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties					
Hygiene Measures Physical State Appearance Odor	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating					
Hygiene Measures Physical State Appearance Odor	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C)					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F No information available					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas)	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F					
Hygiene Measures Physical State Appearance Odor Odor Threshold oH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas)	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F No information available					
Hygiene Measures Physical State Appearance Odor Odor Threshold oH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas)	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F No information available					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F No information available Not applicable					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F No information available Not applicable No data available					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F No information available Not applicable No data available No data available					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F No information available Not applicable No data available No data available No data available No information available					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F No information available Not applicable No data available No data available No information available No information available No information available No information available No information available No information available					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F No information available Not applicable No data available No data available No information available					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F No information available Not applicable No data available No data available No information available					
Hygiene Measures Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/wa	EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Handle in accordance with good industrial hygiene and safety practice. 9. Physical and chemical properties Viscous liquid Liquid Brown Irritating No information available 1 10 g/l aq.sol (20°C) -10 °C / 14 °F 315 °C / 599 °F @ 760 mmHg 210 °C / 410 °F No information available No data available No data available No data available No information available No information available No information available No data available No information available					

10. Stability and reactivity

Reactive Hazard

None known, based on information available

Stability

Stable under normal conditions.

Conditions to Avoid	Incompatible products. Excess heat.
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Product	s Carbon monoxide (CO), Carbon dioxide (CO ₂), Sulfur oxides, Thermal decomposition can lead to release of irritating gases and vapors
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component		LD50 Oral		LD50 Dermal	LC50 Inhalation		
Benzenesulfonic acid 13-sec-alkyl deriv	·	1219 mg/kg (Rat) >2000 mg/kg (Rat) Not listed					
Toxicologically Syne Products Delayed and immedi	-	No information avai		d long-term expo	sure_		
rritation		Causes severe irrita	ation and or burns	3			
Sensitization		No information avai	lable				
Carcinogenicity		The table below ind	icates whether ea	ach agency has list	ed any ingredient a	as a carcinoge	
Carcinogenicity Component	CAS No	The table below ind	icates whether ea	ach agency has list	ed any ingredient a	as a carcinoge Mexico	
Carcinogenicity Component Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivitives	CAS No 85536-14-7						
Component Benzenesulfonic acid, 4-C10- 13-sec-alkyl		IARC	NTP Not listed	ACGIH	OSHA	Mexico	

-	
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure	Respiratory system

STOT - single exposureRespiratory sSTOT - repeated exposureNone known

Aspiration hazard No information available

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. delayed Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Toxic to aquatic organisms.

Component	Freshwater A		Freshwa	ater Fish	Microtox	Water Flea		
Benzenesulfonic acid,	EC50: = 36 mg/l			6 mg/L, 96h	Not listed	EC50: = 5.2 mg/L, 48h		
4-C10- 13-sec-alkyl	(Desmodesm			h (Cyprinus		(Daphnia magna)		
derivitives	subspicatus	5)	car	pio)				
Persistence and Degrad	ability Solu	Soluble in water Persistence is unlikely based on information available.						
Bioaccumulation/ Accur	nulation No in	nformatio	n available.					
Mobility	. Wil	l likelv be	e mobile in th	e environmen	t due to its water solub	ility.		
		,						
	Component				log Pov	v		
Benzenesulfonic a	cid, 4-C10- 13-sec-a	lkyl derivit	ives		2			
	1	3. Di	sposal c	onsider	ations			
Waste Disposal Methods						ed chemical is classified as a		
waste Disposal Methods					erators must also cons			
					ensure complete and			
	nauc	nai naza		regulations to				
		14 T	ranspor	t inform	ation			
DOT								
UN-No	UN2	586						
Proper Shipping Nar	-							
Hazard Class	8			,				
Packing Group	III							
TDG								
UN-No	UN2	586						
Proper Shipping Nar	ne ALK	YLSULF	ONIC ACIDS	, LIQUID				
Hazard Class	8							
Packing Group	111							
ΙΑΤΑ								
UN-No	UN2	UN2586						
Proper Shipping Nar	ne ALK	ALKYLSULPHONIC ACIDS, LIQUID						
Hazard Class	8			,				
Packing Group	Ű	-						
IMDG/IMO								
UN-No	UN2	586						
Proper Shipping Nar	-		HONIC ACID	S. LIQUID				
Hazard Class	8			-,				
	Ŭ							

United States of America Inventory

Packing Group

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivitives	85536-14-7	Х	ACTIVE	PMN

15. Regulatory information

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed PMN - Indicates a commenced PMN substance

Ш

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivitives	85536-14-7	Х	-	287-494-3	Х	-		Х	Х	KE-02596

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	Not applicable
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
	Olivelythe sinely. Over the A

Mexico - Grade Slight risk, Grade 1

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivitives	85536-14-7	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)

Benzenesulfonic acid, 4-C10-	85536-14-7	Not applicable	Not applicable	Not applicable	Not applicable
13-sec-alkyl derivitives					

	16. Other information	
Prepared By	Regulatory Affairs	
	Thermo Fisher Scientific	
	Email: EMSDS.RA@thermofisher.com	
Creation Date	18-Jan-2008	
Revision Date	25-Dec-2021	
Print Date	25-Dec-2021	
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS