

SAFETY DATA SHEET

Creation Date 24-Nov-2010 Revision Date 25-Dec-2021 Revision Number 6

1. Identification

Product Name Chloroform/isoamyl alcohol 24:1

Cat No.: AC327150000; AC327155000

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity
Acute Inhalation Toxicity - Vapors
Skin Corrosion/Irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 2
Carcinogenicity
Category 1
Reproductive Toxicity
Specific target organ toxicity (single exposure)
Category 3
Target Organs - Central nervous system (CNS), Respiratory system.

Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Heart, Liver, Kidney.

raiget Organs Tieart, Liver, Maney.

Label Elements

Signal Word

Danger

Hazard Statements

Harmful if swallowed

Causes skin irritation

Causes serious eye irritation

Toxic if inhaled

May cause respiratory irritation

May cause drowsiness or dizziness

May cause cancer

Suspected of damaging the unborn child

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Indestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Chloroform	67-66-3	97-98

Isoamyl alcohol	123-51-3	2-3

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eve Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Notes to Physician

None reasonably foreseeable. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing: Causes central nervous

system depression: Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available No information available

Autoignition Temperature 982 °C / 1799.6 °F

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2). Phosgene. Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	1	1	N/A

6. Accidental release measures

Personal Precautions

Use personal protective equipment as required. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

Should not be released into the environment. See Section 12 for additional Ecological

Environmental Precautions

Information. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**

7. Handling and storage

Handling Wear p

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not in root if a real law and the real interest in the real interest

ingest. If swallowed then seek immediate medical assistance.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct

sunlight. Store under an inert atmosphere. Protect from direct sunlight. Store under an inert atmosphere. Protect from mosture. Incompatible Materials.

Strong oxidizing agents. Alkali metals. Aluminium. Acetone.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Chloroform	TWA: 10 ppm	(Vacated) TWA: 2 ppm (Vacated) TWA: 9.78 mg/m³ Ceiling: 50 ppm	IDLH: 500 ppm STEL: 2 ppm STEL: 9.78 mg/m³	TWA: 10 ppm TWA: 50 mg/m³ STEL: 50 ppm
		Ceiling: 240 mg/m ³		STEL: 225 mg/m³
Isoamyl alcohol	TWA: 100 ppm	(Vacated) TWA: 100 ppm	IDLH: 500 ppm	TWA: 100 ppm
	STEL: 125 ppm	(Vacated) TWA: 360 mg/m ³	TWA: 100 ppm	STEL: 125 ppm
		(Vacated) STEL: 125 ppm	TWA: 360 mg/m ³	
		(Vacated) STEL: 450 mg/m ³	STEL: 125 ppm	
		TWA: 100 ppm	STEL: 450 mg/m ³	
		TWA: 360 mg/m ³		

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering MeasuresUse only under a chemical fume hood. Ensure adequate ventilation, especially in confined

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liauid **Appearance** Colorless

aromatic Slight sweet Odor **Odor Threshold** No information available pН No information available

-63 °C / -81.4 °F Melting Point/Range

No information available °C / °F @ 760 mmHg **Boiling Point/Range**

Flash Point No information available **Evaporation Rate** 11.6 (Butyl Acetate = 1.0) Not applicable

Flammability (solid,gas)

Flammability or explosive limits

No data available Upper Lower No data available 213 mbar @ 20 °C **Vapor Pressure Vapor Density** 4.12 (Air = 1.0)

Specific Gravity 1.453

Solubility No information available Partition coefficient; n-octanol/water No data available 982 °C / 1799.6 °F **Autoignition Temperature Decomposition Temperature** No information available **Viscosity** 0.56 mPa.s @ 20 °C

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stable under normal conditions. Light sensitive. Stability

Conditions to Avoid Incompatible products. Heat, flames and sparks. Excess heat. Exposure to light. Protect

from moisture.

Incompatible Materials Strong oxidizing agents, Alkali metals, Aluminium, Acetone

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Category 4. ATE = 300 - 2000 mg/kg. Oral LD50

Dermal LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50 Category 3. ATE = 2 - 10 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Chloroform	LD50 = 908 mg/kg (rat) LD50 = 695 mg/kg (Rat) LD50 = 450 mg/kg (Rat)	LD50 = 695 mg/kg (Rat) LD50 = 450 mg/kg (Rat)			
Isoamyl alcohol	LD50 = 5770 mg/kg (Rat)	LD50 = 3250 mg/kg (Rabbit)	LC50 > 2000 ppm (Rat) 8 h		

Toxicologically Synergistic

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chloroform/isoamyl alcohol 24:1

IrritationIrritating to eyes and skinSensitizationNo information available

NTP: (National Toxicity Program)

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Chloroform	67-66-3	Group 2B	Reasonably	A3	X	A3
			Anticipated			
Isoamyl alcohol	123-51-3	Not listed	Not listed	Not listed	Not listed	Not listed

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial A1 - Known Human Carcinogen

Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen
A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects No information available

Mexico - Occupational Exposure Limits - Carcinogens

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Central nervous system (CNS) Respiratory system

STOT - repeated exposure Heart Liver Kidney

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,

cessation of breathing: Causes central nervous system depression: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Chloroform	EC50 = 560 mg/L/48h	LC50: = 300 mg/L, 96h static	Photobacterium	EC50 = 28.9 mg/L/48h
	_	(Poecilia reticulata)	phosphoreum: EC50 = 520	_
		LC50: = 18 mg/L, 96h	mg/L/5 min	
		flow-through (Lepomis Photobacterium		
		macrochirus) phosphoreum: EC50 = 670		
		LC50: = 18 mg/L, 96h	mg/L/15 min	
		flow-through (Oncorhynchus Photobacterium		
		mykiss)	phosphoreum: EC50 = 670	

		LC50: = 71 mg/L, 96h flow-through (Pimephales promelas)	mg/L/30min	
Isoamyl alcohol	EC50: = 493 mg/L, 72h (Desmodesmus subspicatus) EC50: = 181 mg/L, 96h (Desmodesmus subspicatus)	LC50 96 h 700 mg/L (rainbow trout)	EC50 = 2500 mg/L 17 h	EC50: = 260 mg/L, 48h (Daphnia magna)

Persistence and Degradability

Persistence is unlikely

Bioaccumulation/ Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Chloroform	2
Isoamyl alcohol	1.28

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes		
Chloroform - 67-66-3	U044	-		

14. Transport information

DOT

UN-No UN1888

Proper Shipping Name CHLOROFORM

Hazard Class 6.1
Packing Group

_ TDG

UN-No UN1888

Proper Shipping Name CHLOROFORM

Hazard Class 6.1 Packing Group III

IATA

UN-No UN1888

Proper Shipping Name CHLOROFORM MIXTURE

Hazard Class 6.1 Packing Group III

IMDG/IMO

UN-No UN1888

Proper Shipping Name CHLOROFORM MIXTURE

Hazard Class 6.1
Packing Group III

15. Regulatory information

United States of America Inventory

Component	mponent CAS No		TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags	
Chloroform	67-66-3	X	ACTIVE	-	
Isoamyl alcohol	123-51-3	X	ACTIVE	-	

Legend:

Chloroform/isoamyl alcohol 24:1

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Chloroform	67-66-3	Х	-	200-663-8	Χ	Χ	Х	Х	Χ	Х
Isoamyl alcohol	123-51-3	Х	-	204-633-5	Χ	Χ	Х	Х	Χ	KE-23575

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Chloroform	67-66-3	97-98	0.1

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	WA - Priority Pollutants	
Chloroform	X	10 lb	X	X	

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Chloroform	X		-

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Chloroform	10 lb 1 lb	10 lb

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Chloroform	67-66-3	Carcinogen	20 μg/day	Developmental
		Developmental	40 μg/day	Carcinogen

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Chloroform	X	X	X	X	X
Isoamyl alcohol	X	X	Х	=	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Chloroform	Release STQs - 20000lb

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Chloroform	-	Use restricted. See item 32.	-
		(see	
	http://eur-lex.europa.eu/LexUriServ/L		
		exUriServ.do?uri=CELEX:32006R190	
		7:EN:NOT for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Chloroform	67-66-3	Listed	Not applicable	Not applicable	Not applicable
Isoamyl alcohol	123-51-3	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Chloroform	67-66-3	Not applicable	Not applicable	Not applicable	Annex I - Y45
Isoamyl alcohol	123-51-3	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 24-Nov-2010

 Revision Date
 25-Dec-2021

 Print Date
 25-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS