

SAFETY DATA SHEET

Revision Date 25-Dec-2021

Revision Number 4

1. Identification

Product Name

N-Ethylbenzylamine

Cat No. : AC343710000; AC343710250; AC343711000; AC343715000

CAS No Synonyms 14321-27-8 N-Benzylethylamine

Recommended Use Uses advised against Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 4 Category 1 B Category 1

Label Elements

Signal Word Danger

Hazard Statements Combustible liquid Causes severe skin burns and eye damage



Precautionary Statements Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component		CAS No	Weight %		
Benzenemethana	Benzenemethanamine, N-ethyl-		95		
	4.	First-aid measures			
General Advice	Show this saf required.	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.			
Eye Contact		Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing.			
Skin Contact		mediately with plenty of water for at least 15 minutes. Remove and wash d clothing and gloves, including the inside, before re-use. Call a physician			
Inhalation	inhaled the su a one-way va	Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingester inhaled the substance; give artificial respiration with the aid of a pocket mask equipped a one-way valve or other proper respiratory medical device. Call a physician immediate not breathing, give artificial respiration.			

Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Clean mouth with water.
Most important symptoms and effects	Causes burns by all exposure routes. Difficulty in breathing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting
Notes to Physician	Treat symptomatically
	5. Fire-fighting measures

 Suitable Extinguishing Media
 CO 2, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

 Unsuitable Extinguishing Media
 No information available

Flash Point	66 °C / 150.8 °F
Method -	No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No information available No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO₂). Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 2	Instability 0	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions	people away from and upw	uipment as required. Evacuate ind of spill/leak. Ensure adequ ecautionary measures against	
Environmental Precautions	Should not be released into	the environment. Do not flush	n into surface water or sanitary

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material.UpRemove all sources of ignition.

	7. Handling and storage
Handling	Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

Storage.	Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Acids. Strong oxidizing agents. Acid anhydrides. Acid chlorides. Carbon dioxide (CO2).	
8. E	xposure controls / personal protection	
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.	
Engineering Measures Personal Protective Equipment	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.	
reisonal Protective Equipment		
Eye/face Protection	Tight sealing safety goggles. Face protection shield.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9. Physical and chemical properties				
Physical State	Liquid			
Appearance	Clear			
Odor	No information available			
Odor Threshold	No information available			
рН	No information available			
Melting Point/Range	No data available			
Boiling Point/Range	191 - 194 °C / 375.8 - 381.2 °F @ 760 mmHg			
Flash Point	66 °C / 150.8 °F			
Evaporation Rate	No information available			
Flammability (solid,gas)	Not applicable			
Flammability or explosive limits				
Upper	No data available			
Lower	No data available			
Vapor Pressure	No information available			
Vapor Density	No information available			
Specific Gravity	0.900			
Solubility	No information available			
Partition coefficient; n-octanol/water	No data available			
Autoignition Temperature	No information available			
Decomposition Temperature	No information available			
Viscosity	No information available			
Molecular Formula	C9 H13 N			
Molecular Weight	135.21			

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and	

	sources of ignition.
Incompatible Materials	Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides, Carbon dioxide (CO2)
Hazardous Decomposition Product	s Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO ₂), Thermal decomposition can lead to release of irritating gases and vapors
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
	11. Toxicological information

Acute Toxicity

Product Information Component Information Toxicologically Synergistic Products Delayed and immediate effects as y	No acute toxicity information is available for this product No information available vell as chronic effects from short and long-term exposure
Irritation	No information available
Sensitization	No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Benzenemethanamine , N-ethyl-	14321-27-8	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information available					
Reproductive Effects		No information available.					
Developmental Effects		No information available.					
Teratogenicity		No information available.					
STOT - single exposure STOT - repeated exposure		None known None known					
Aspiration hazard		No information available					
Symptoms / effects,both acute and delayedProduct is a corrosive material. Use of gastric lavage or emesis is Possible perforation of stomach or esophagus should be investigat severe swelling, severe damage to the delicate tissue and danger of overexposure may be headache, dizziness, tiredness, nausea a			be investigated: Ing and danger of perf	gestion causes oration: Symptoms			
Endocrine Disrupto	r Information	No information available					
Other Adverse Effects The toxicological properties have not been fully investigated.							

12. Ecological information

Ecotoxicity Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Benzenemethanamine,	Not listed	LC50: = 57.1 mg/L, 96h	Not listed	Not listed
N-ethyl-		flow-through (Pimephales		
		promelas)		

Bioaccumulation / Accumulation No Mobility Is n Component Benzenemethanamine, N-e Waste Disposal Methods Che haz nati DOT UN-No UN2 Proper Shipping Name AMI Technical Name Ben Hazard Class 8 Packing Group III	13. Disposal considerations nemical waste generators must determine whether a discarded chemical is classified as							
Bioaccumulation / Accumulation No Mobility Is n Component Benzenemethanamine, N-e Waste Disposal Methods Che haz nati DOT UN-No UN2 Proper Shipping Name AMI Technical Name Ben Hazard Class 8 Packing Group III	o information available. not likely mobile in the environment due its low water solubility. log Pow ••••••••••••••••••••••••••••••••••••							
Mobility Is n Component Benzenemethanamine, N-ee Waste Disposal Methods Che haz nati DOT UN-No UN2 Proper Shipping Name AMI Technical Name Ben Hazard Class 8 Packing Group III TDG	not likely mobile in the environment due its low water solubility. log Pow ethyl- 1.82 13. Disposal considerations nemical waste generators must determine whether a discarded chemical is classified as							
Component Benzenemethanamine, N-e Waste Disposal Methods Che haz haz DOT UN-No UN-No UN: Proper Shipping Name AMI Technical Name Ben Hazard Class 8 Packing Group III TDG TDG	Iog Pow ethyl- 1.82 13. Disposal considerations nemical waste generators must determine whether a discarded chemical is classified as							
Benzenemethanamine, N-e Waste Disposal Methods Che haz nati DOT UN-No UN2 Proper Shipping Name AMI Technical Name Ben Hazard Class 8 Packing Group III	13. Disposal considerations nemical waste generators must determine whether a discarded chemical is classified as							
Waste Disposal Methods Che haz nati DOT UN-No UN2 Proper Shipping Name AMI Technical Name Ben Hazard Class 8 Packing Group III	13. Disposal considerations nemical waste generators must determine whether a discarded chemical is classified as							
Waste Disposal Methods Che haz nati DOT UN-No UN2 Proper Shipping Name AMI Technical Name Ben Hazard Class 8 Packing Group III	nemical waste generators must determine whether a discarded chemical is classified as							
Waste Disposal Methods Che haz nati DOT UN-No UN2 Proper Shipping Name AMI Technical Name Ben Hazard Class 8 Packing Group III	nemical waste generators must determine whether a discarded chemical is classified as							
haz nati DOT_ UN-No UN2 Proper Shipping Name AMI Technical Name Ben Hazard Class 8 Packing Group III								
UN-NoUN2Proper Shipping NameAMITechnical NameBenHazard Class8Packing GroupIIITDG	zardous waste. Chemical waste generators must also consult local, regional, and tional hazardous waste regulations to ensure complete and accurate classification.							
UN-NoUN2Proper Shipping NameAMITechnical NameBenHazard Class8Packing GroupIIITDG	14. Transport information							
Proper Shipping NameAMIHazard Class8Packing GroupIIIIATAUN-NoUN2Proper Shipping NameAMIHazard Class8Packing GroupIIIMDG/IMOUN2UN-NoUN2	N2735 MINES, LIQUID, CORROSIVE, N.O.S. N2735 MINES, LIQUID, CORROSIVE, N.O.S. N2735 MINES, LIQUID, CORROSIVE, N.O.S.							
* •	15. Regulatory information							

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Benzenemethanamine, N-ethyl-	14321-27-8	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Benzenemethanamine, N-ethyl-	14321-27-8	-	Х	238-265-1	-	Х	Х	-	-	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	Not applicable
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	

Mexico - Grade

Moderate risk, Grade 2

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Benzenemethanamine, N-ethyl-	14321-27-8	Not applicable	Not applicable	Not applicable	Not applicable
		-			
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Benzenemethanamine, N-ethyl-	14321-27-8	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com Revision Date Print Date Revision Summary 25-Dec-2021 25-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

