

SAFETY DATA SHEET

Creation Date 26-Sep-2009

Revision Date 01-Dec-2022

Revision Number 6

1. Identification

Product Name

Manganese(II) acetate

Cat No. :

AC389140000; AC389140050; AC389140250; AC389141000

CAS No Synonyms 638-38-0 No information available

Recommended Use Uses advised against Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

<u>Classification</u> Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

Hazard Statements

Precautionary Statements <u>Hazards not otherwise classified (HNOC)</u> None identified

3. Composition/Information on Ingredients				
Component		CAS No	Weight %	
Manganese(II) acetate		638-38-0	>95	
	4.	First-aid measures		
General Advice	If symptoms persist, call a physician.			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.			
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.			
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.			
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.			
Most important symptoms and effects	None reasonably foreseeable.			
Notes to Physician	Treat symptomatically			

5. Fire-fighting measures

Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No information available No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Health 2	Flammability 1	Instability 1	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions	Ensure adequate ventilatio formation.	n. Use personal protective equip	oment as required. Avoid dust
Environmental Precautions	Should not be released into	o the environment.	

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed Up containers for disposal.

	7. Handling and storage
Handling	Ensure adequate ventilation. Wear personal protective equipment/face protection. Avoid ingestion and inhalation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere. Protect from moisture. Incompatible Materials. Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Manganese(II) acetate		(Vacated) Ceiling: 5 mg/m ³	IDLH: 500 mg/m ³	
		Ceiling: 5 mg/m ³	TWA: 1 mg/m ³	
			STEL: 3 mg/m ³	

<u>Legend</u>

OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Tight sealing safety goggles.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Phys	sical and chemical properties
Physical State	Powder Solid
Appearance	Light brown
Odor	No information available
Odor Threshold	No information available
рН	No information available
Melting Point/Range	No data available
Boiling Point/Range	No information available
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available

Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight

No information available No information available Not applicable C4 H6 MN O4 173.03

10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions. Hygroscopic.		
Conditions to Avoid	Incompatible products. Avoid dust formation. Excess heat. Exposure to moist air or water.		
Incompatible Materials	Strong oxidizing agents, Strong acids, Strong bases		
Hazardous Decomposition Produc	ts None under normal use conditions		
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

Acute Toxicity

Product Information

	Component			LD50 Dermal	LC50	Inhalation		
Manganese(II) acetate		LD50 = 2940 mg/kg (Ra	at)	Not listed	No	Not listed		
Toxicologically Synergistic		No information avai	No information available					
roducts								
elayed and immed	iate effects	as well as chronic effec	ts from short an	d long-term expo	osure			
ritation		Irritating to eyes, re	spiratory system	and skin				
ensitization		No information avai	ilable					
arcinogenicity		The table below ind	licates whether ea	ach agency has lis	ted any ingredient	as a carcinoge		
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico		
langanese(II) acetate	638-38-0	0 Not listed	Not listed	Not listed	Not listed	Not listed		
Mutagenic Effects			No information available					
0 ()		No information avai	ilable		•			
0 ()		No information avai However, based on effects.		e product should r	not be classified for	reproductive		
lutagenic Effects	S	However, based on	available data th	e product should r	not be classified for	reproductive		
lutagenic Effects eproductive Effect	S	However, based on effects.	available data th	e product should r	not be classified for	reproductive		
lutagenic Effects eproductive Effect Pevelopmental Effect	s cts sure	However, based on effects. No information avai	available data th	e product should r	not be classified for	reproductive		
Iutagenic Effects eproductive Effect evelopmental Effect eratogenicity TOT - single expos	s cts sure	However, based on effects. No information avai No information avai None known	available data th ilable. ilable.	e product should r	not be classified for	reproductive		
Iutagenic Effects Reproductive Effect Developmental Effect Peratogenicity TOT - single expose TOT - repeated exp Spiration hazard	s cts sure posure	However, based on effects. No information avai No information avai None known None known	available data th ilable. ilable. ilable	e product should r	not be classified for	reproductive		

Other Adverse Effects	The toxicological properties have not been fully investigated.		
	12. Ecological information		
Ecotoxicity Do not empty into drains.			
Persistence and Degradability	Soluble in water Persistence is unlikely based on information available.		
Bioaccumulation/ Accumulation	No information available.		
Mobility	Will likely be mobile in the environment due to its water solubility.		
	13. Disposal considerations		
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a		

	national hazardous waste regulations to ensure complete and accurate classification.
	14. Transport information
DOT	Not regulated
TDG	Not regulated
<u>IATA</u>	Not regulated
IMDG/IMO	Not regulated
	15. Regulatory information

hazardous waste. Chemical waste generators must also consult local, regional, and

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Manganese(II) acetate	638-38-0	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Not applicable Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Manganese(II) acetate	638-38-0	Х	-	211-334-3	-	Х	Х	Х	Х	KE-23009

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Manganese(II) acetate	638-38-0	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act

Clean Air Act						
Component		HAPS Data	Class 1 Ozone De	pletors	Class 2 Ozone Depletors	
Manganese(II) acetate		Х			-	
OSHA - Occupational Safety and Health Administration		plicable				
CERCLA		plicable				
California Proposition 65		roduct does not conta	in any Proposition 65 cł	nemicals.		
U.S. State Right-to-Know Regulations						
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
Manganese(II) acetate	-	Х	Х	Х	-	
J.S. Department of Trans Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollut	N N					
U.S. Department of Home Security	eland This p	roduct does not conta	in any DHS chemicals.			
Other International Regu	lations					
Mexico - Grade	No info	ormation available				
Authorisation/Restrictior	a according to El		ot applicable			

	Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	U U	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
[Manganese(II) acetate	638-38-0	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Manganese(II) acetate	638-38-0	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
			Qualifying Quantities for Safety Report Requirements		(
Manganese(II) acetate	638-38-0	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By

Regulatory Affairs

Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date Print Date Revision Summary 26-Sep-2009 01-Dec-2022 01-Dec-2022 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS