

# SAFETY DATA SHEET

Revision Date 26-Dec-2021 Revision Number 4

1. Identification

Product Name 2-Chloroethanesulfonyl chloride

Cat No.: AC404610000; AC404610050; AC404610250

**CAS No** 1622-32-8

Synonyms 2-Chloro-Ethanesulfonyl Chloride

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 1

Category 1

Category 3

Target Organs - Respiratory system.

Label Elements

**Signal Word** 

Danger

**Hazard Statements** 

Toxic if swallowed Causes severe skin burns and eye damage May cause respiratory irritation Fatal if inhaled



### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Wear respiratory protection

Wear protective gloves/protective clothing/eye protection/face protection

### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

# Ingestion

Rinse mouth

Do NOT induce vomiting

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposa

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Contact with water liberates toxic gas

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Ethanesulfonyl chloride, 2-chloro-	1622-32-8	95

### 4. First-aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

**Inhalation** Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Immediate medical attention is required.

### 2-Chloroethanesulfonyl chloride

Ingestion Do NOT induce vomiting. Call a physician immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation Treat symptomatically

Notes to Physician

# Fire-fighting measures

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam.

**Unsuitable Extinguishing Media** No information available

99 °C / 210.2 °F **Flash Point** 

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Contact with water liberates toxic gas. Water reactive. Produce flammable gases on contact with water.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Sulfur oxides. Hydrogen chloride gas.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
4	0	0	W

### Accidental release measures

**Personal Precautions Environmental Precautions**  Ensure adequate ventilation. Use personal protective equipment as required.

See Section 12 for additional Ecological Information.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Wear self-contained breathing apparatus and protective suit. Do not expose spill to water. Do not let this chemical enter the environment.

### 7. Handling and storage

Handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Handle product only in closed system or provide appropriate exhaust ventilation. Do not allow contact with water because of violent reaction. Keep under nitrogen.

Storage.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Protect from moisture. Corrosives area. Keep under nitrogen. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents. Strong bases.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Not applicable

No information available

Physical StateLiquidAppearanceLight yellowOdorOdorless

Odor Threshold<br/>pHNo information available<br/>No information available

Melting Point/Range
No data available

Boiling Point/Range
78 °C / 172.4 °F @ 9 mmHg

Flash Point 99 °C / 210.2 °F
Evaporation Rate No information available

Flammability (solid,gas)

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure15 mmHg @ 84 °CVapor DensityNo information available

Specific Gravity 1.550

Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature

No information available
No information available
No information available

Decomposition Temperature

Viscosity
No information available
Molecular Formula
C2 H4 Cl2 O2 S

Molecular Weight 163.02

## 10. Stability and reactivity

Reactive Hazard Yes

**Stability** Moisture sensitive.

Conditions to Avoid Incompatible products. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Strong bases

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Sulfur oxides, Hydrogen chloride gas

**Hazardous Polymerization** No information available.

**Hazardous Reactions** None under normal processing.

### Toxicological information

**Acute Toxicity** 

# **Product Information**

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethanesulfonyl chloride, 2-chloro-	LD50 = 240 mg/kg (Rat)	Not listed	LC50 = 420 mg/m <sup>3</sup> (Rat) 4 h

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Ethanesulfonyl	1622-32-8	Not listed				
chloride, 2-chloro-						

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Mobility Will likely be mobile in the environment due to its volatility.

### 13. Disposal considerations

#### **Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT

UN-No 2927

**Proper Shipping Name** Toxic liquid, corrosive, organic, n.o.s.

Technical Name (2-CHLOROETHANESULFONYL CHLORIDE)

Hazard Class 6.1 Subsidiary Hazard Class 8 Packing Group II

<u>TDG</u>

**UN-No** 2927

Proper Shipping Name TOXIC LIQUIDS, CORROSIVE, ORGANIC, N.O.S.

Hazard Class 6.1 Subsidiary Hazard Class 8 Packing Group II

<u>IATA</u>

**UN-No** UN2927

Proper Shipping Name TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.\*

Hazard Class 6.1 Subsidiary Hazard Class 8 Packing Group II

IMDG/IMO

UN-No UN2927

**Proper Shipping Name** Toxic liquid, corrosive, organic, n.o.s.

Hazard Class 6.1 Subsidiary Hazard Class 8 Packing Group II

# 15. Regulatory information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Ethanesulfonyl chloride, 2-chloro-	1622-32-8	Χ	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethanesulfonyl chloride, 2-chloro-	1622-32-8	-	Х	216-594-1	-	-	Χ	-	-	ı

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

**CERCLA** This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Ethanesulfonyl chloride, 2-chloro-	-	500 lb

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethanesulfonyl chloride,	X	X	X	-	-
2-chloro-					

### **U.S. Department of Transportation**

Reportable Quantity (RQ): Ν **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** Ν

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

**Mexico - Grade** No information available

Authorisation/Restrictions according to EU REACH

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethanesulfonyl chloride, 2-chloro-	1622-32-8	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - (2012/18/EC) - Qualifying Quantities		Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		for Major Accident  Notification	for Safety Report Requirements		
Ethanesulfonyl chloride, 2-chloro-	1622-32-8	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

Regulatory Affairs **Prepared By** 

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Revision Date
 26-Dec-2021

 Print Date
 26-Dec-2021

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**