

# SAFETY DATA SHEET

Revision Date 19-Dec-2025 Revision Number 5

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product Name 2-Chloroethanesulfonyl chloride

Cat No.: AC404610000; AC404610050; AC404610250

CAS No 1622-32-8

Synonyms 2-Chloro-Ethanesulfonyl Chloride

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

## **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

Acute oral toxicity

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 1

Category 1

Category 3

Target Organs - Respiratory system.

#### Label Elements

## Signal Word

Danger

#### **Hazard Statements**

Toxic if swallowed Causes severe skin burns and eye damage May cause respiratory irritation Fatal if inhaled



## **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

Immediately call a POISON CENTER or doctor

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

Take off contaminated clothing and wash before reuse

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

## Ingestion

Rinse mouth

Do NOT induce vomiting

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

None identified

## Hazards classified under paragraph (d)(1)(ii) of 1910.1200

## Hazards resulting from a reaction with other chemicals under normal conditions of use

Contact with water liberates toxic gas.

# 3. Composition/information on Ingredients

Component	CAS No	Weight %
Ethanesulfonyl chloride, 2-chloro-	1622-32-8	<=100

## 4. First-aid measures

## **Eye Contact**

Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Immediate medical attention is required.

Do NOT induce vomiting. Call a physician immediately. Ingestion

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should

be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Treat symptomatically **Notes to Physician** 

# 5. Fire-fighting measures

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Suitable Extinguishing Media

**Unsuitable Extinguishing Media** No information available

**Flash Point** 99 °C / 210.2 °F

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

No data available Upper No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Contact with water liberates toxic gas. Water reactive. Produce flammable gases on contact with water.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Sulfur oxides. Hydrogen chloride gas.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards W

Accidental release measures

**Personal Precautions Environmental Precautions**  Ensure adequate ventilation. Use personal protective equipment as required.

See Section 12 for additional Ecological Information.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Wear self-contained breathing apparatus and protective suit. Do not expose spill to water. Do not let this chemical enter the environment.

## 7. Handling and Storage

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. Handling

If swallowed then seek immediate medical assistance. Handle product only in closed

system or provide appropriate exhaust ventilation. Do not allow contact with water because of violent reaction. Keep under nitrogen.

Storage.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Air sensitive. Corrosives area. Keep under nitrogen. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents. Strong bases.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Engineering Measures** 

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Particulates filter conforming to EN 143. Acid gases filter. Type E. Yellow. conforming to

EN14387.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

**Appearance** 

Physical StateLiquidColorLight yellowOdorOdorless

Odor Threshold No information available

<u>Property</u> <u>Values</u>

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/Range78 °C / 172.4 °F

Flash Point 99 °C / 210.2 °F

Flammability (liquid) No data available Flammability (solid,gas) Not applicable

**Explosion Limits** 

No data available

Autoignition Temperature
Decomposition Temperature
pH
Viscosity
No data available
No information available
No data available
No information available
No information available

Solubility in other solvents No information available Partition Coefficient (n-octanol/water)

Remarks • Method

@ 9 mmHg

**Method** - No information available

Liquid

2-Chloroethanesulfonyl chloride

Revision Date 19-Dec-2025

Vapor Pressure 15 mmHg @ 84 °C

Density / Specific Gravity

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

1.550

Particle characteristics Not applicable (liquid)

Other Information

Molecular Formula C2 H4 Cl2 O2 S

Molecular Weight 163.02

# 10. Stability and reactivity

Reactive Hazard Yes

**Stability** Moisture sensitive.

Conditions to Avoid Incompatible products. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Strong bases

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Sulfur oxides, Hydrogen chloride gas

Hazardous Polymerization No information available.

Hazardous Reactions None under normal processing.

# 11. Toxicological information

## Information on expected route of exposure

InhalationNot an expected route of exposure.IngestionMay be harmful if swallowed.

Eyes Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including

blindness. Lachrymator (substance which increases the flow of tears). Avoid contact with skin. Causes burns. Skin Corrosion/Irritation.

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethanesulfonyl chloride, 2-chloro-	LD50 = 240 mg/kg (Rat)	-	LC50 = 420 mg/m <sup>3</sup> (Rat) 4 h

**Toxicologically Synergistic** 

Products

Skin

No information available

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Ethanesulfonyl	1622-32-8	Not listed				
chloride, 2-chloro-						

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

No data available (i) STOT-repeated exposure;

**Target Organs** No information available.

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated.

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation.

Other Adverse Effects The toxicological properties have not been fully investigated.

This product does not contain any known or suspected endocrine disruptors. **Endocrine Disrupting Properties** 

## 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Will likely be mobile in the environment due to its volatility. Mobility

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN2927

**Proper Shipping Name** Toxic liquid, corrosive, organic, n.o.s.

**Technical Shipping Name** (2-CHLOROETHANESULFONYL CHLORIDE)

**Hazard Class** 6.1 **Subsidiary Hazard Class** 8 **Packing Group** Ш

TDG

**UN-No** UN2927

**Proper Shipping Name** TOXIC LIQUIDS, CORROSIVE, ORGANIC, N.O.S. **Technical Shipping Name** (2-CHLOROETHANESULFONYL CHLORIDE)

## 2-Chloroethanesulfonyl chloride

Hazard Class 6.1 Subsidiary Hazard Class 8 Packing Group II

<u>IATA</u>

UN-No UN2927

Proper Shipping Name
TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.\*
(2-CHLOROETHANESULFONYL CHLORIDE)

Hazard Class 6.1
Subsidiary Hazard Class 8
Packing Group ||

IMDG/IMO

UN-No UN2927

Proper Shipping Name
Toxic liquid, corrosive, organic, n.o.s.

Technical Shipping Name (2-CHLOROETHANESULFONYL CHLORIDE)

Hazard Class 6.1 Subsidiary Hazard Class 8 Packing Group II

# 15. Regulatory Information

#### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Ethanesulfonyl chloride, 2-chloro-	1622-32-8	Χ	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethanesulfonyl chloride, 2-chloro-	1622-32-8	-	Х	216-594-1	-	-	Х	-	-	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

Clean Air Act

Not applicable

Not applicable

OSHA - Occupational Safety and

Not applicable

Health Administration

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Ethanesulfonyl chloride, 2-chloro-	-	500 lb	-

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethanesulfonyl chloride,	X	X	X	-	-
2-chloro-					

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): Ν **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** Ν

U.S. Department of Homeland

**Security** 

This product does not contain any DHS chemicals.

Other International Regulations

**Mexico - Grade** No information available

## Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
-		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of
		_	Substances	Substances of Very High
				Concern (SVHC)
Ethanesulfonyl chloride, 2-chloro-	1622-32-8	-	-	-

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethanesulfonyl chloride, 2-chloro-	1622-32-8	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

## **Other International Regulations**

	Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
--	-----------	--------	----------------------	----------------------	-----------	------------------

		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		<b>Qualifying Quantities</b>	<b>Qualifying Quantities</b>	, ,	,
		for Major Accident	for Safety Report		
		Notification	Requirements		
Ethanesulfonyl chloride, 2-chloro-	1622-32-8	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other Information

Prepared By Product stewardship (Regulatory Affairs)

Thermo Fisher Scientific

email - begel.sdsdesk@thermofisher.com

**Revision Date** 19-Dec-2025 **Print Date** 19-Dec-2025

Revision Summary Updated to the U.S. Department of Labor's Occupational Safety and Health Administration

(OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200,

2024), May 20, 2024, effective July 19, 2024.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**