

SAFETY DATA SHEET

Creation Date 01-Jun-2010

Revision Date 26-Dec-2021

Revision Number 5

1. Identification

Product Name 1,3-Dioxolane, anhydrous stabilized with 75 ppm BHT

Cat No. : AC431560000; AC431560010; AC431561000

CAS No 646-06-0
Synonyms 1,3-Dioxacyclopentane

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Emergency Telephone Number For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids
Serious Eye Damage/Eye Irritation

Category 2
Category 2

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor
Causes serious eye irritation

**Precautionary Statements****Prevention**

Wash face, hands and any exposed skin thoroughly after handling
Keep away from heat/sparks/open flames/hot surfaces. - No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof electrical/ventilating/lighting equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Wear protective gloves/protective clothing/eye protection/face protection

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO₂, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Other hazards

Contains a known or suspected endocrine disruptor.

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|----------------------------|----------|-------------|
| 1,3-Dioxolane | 646-06-0 | >95 |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | 0.006-0.008 |

4. First-aid measures

General Advice

If symptoms persist, call a physician.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

Ingestion

Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects

. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

Notes to Physician

Treat symptomatically

5. Fire-fighting measures

| | |
|---|---|
| Suitable Extinguishing Media | Water spray, carbon dioxide (CO ₂), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| Unsuitable Extinguishing Media | No information available |
| Flash Point | -6 °C / 21.2 °F |
| Method - | No information available |
| Autoignition Temperature | 274 °C / 525.2 °F |
| Explosion Limits | |
| Upper | No data available |
| Lower | No data available |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health
2

Flammability
3

Instability
2

Physical hazards
N/A

6. Accidental release measures

| | |
|---|---|
| Personal Precautions | Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. |
| Environmental Precautions | Should not be released into the environment. |
| Methods for Containment and Clean Up | Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. |

7. Handling and storage

| | |
|-----------------|---|
| Handling | Wear personal protective equipment/face protection. Avoid ingestion and inhalation. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges. |
| Storage. | Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. |

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|----------------------------|--------------------------|-------------------------------------|---------------------------|--------------------------|
| 1,3-Dioxolane | TWA: 20 ppm | | | TWA: 20 ppm |
| 2,6-Di-tert-butyl-p-cresol | TWA: 2 mg/m ³ | (Vacated) TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 2 mg/m ³ |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.
Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Personal Protective Equipment**Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

No protective equipment is needed under normal use conditions.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

| | |
|--|--|
| Physical State | Liquid |
| Appearance | Colorless |
| Odor | No information available |
| Odor Threshold | No information available |
| pH | No information available |
| Melting Point/Range | -95 °C / -139 °F |
| Boiling Point/Range | 74 - 75 °C / 165.2 - 167 °F @ 760 mmHg |
| Flash Point | -6 °C / 21.2 °F |
| Evaporation Rate | No information available |
| Flammability (solid,gas) | Not applicable |
| Flammability or explosive limits | |
| Upper | No data available |
| Lower | No data available |
| Vapor Pressure | 70 mmHg @ 20 °C |
| Vapor Density | No information available |
| Specific Gravity | 1.060 |
| Solubility | Soluble in water |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | 274 °C / 525.2 °F |
| Decomposition Temperature | No information available |
| Viscosity | 0.66 mPa.s @ 20 °C |
| Molecular Formula | C3 H6 O2 |
| Molecular Weight | 74.08 |

10. Stability and reactivity

Reactive Hazard

Yes

Stability

May form explosive peroxides.

Conditions to Avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO₂)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|----------------------------|-----------------------|------------------------------|------------------------------|
| 1,3-Dioxolane | LD50 = 3 g/kg (Rat) | LD50 = 8480 mg/kg (Rabbit) | LC50 = 68.4 mg/L (Rat) 4 h |
| 2,6-Di-tert-butyl-p-cresol | > 6 g/kg (Rat) | > 2 g/kg (Rat) | Not listed |

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation May cause skin, eye, and respiratory tract irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|----------------------------|----------|------------|------------|------------|------------|------------|
| 1,3-Dioxolane | 646-06-0 | Not listed | Not listed | Not listed | Not listed | Not listed |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | Not listed | Not listed | Not listed | Not listed | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and delayed Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. .

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|----------------------------|-----------------------|-----------------------|------------------------|---------------------|
| 1,3-Dioxolane | Not listed | >100 mg/L | Not listed | >772 mg/L |
| 2,6-Di-tert-butyl-p-cresol | EC50 = 0.758 mg/L 96h | LC50 = 0.199 mg/L 96h | EC50 = 7.82 mg/L 5 min | EC50 >0.31 mg/L 48h |

| | | | | |
|--|--------------------|--|--|--|
| | EC50 = 6 mg/L 72 h | | EC50 = 8.57 mg/L 15 min EC50 = 8.98 mg/L 30 min | |
|--|--------------------|--|--|--|

Persistence and Degradability Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its volatility.

| Component | log Pow |
|----------------------------|---------|
| 1,3-Dioxolane | -0.37 |
| 2,6-Di-tert-butyl-p-cresol | 4.17 |

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1166
 Proper Shipping Name DIOXOLANE
 Hazard Class 3
 Packing Group II

TDG

UN-No UN1166
 Proper Shipping Name DIOXOLANE
 Hazard Class 3
 Packing Group II

IATA

UN-No UN1166
 Proper Shipping Name DIOXOLANE
 Hazard Class 3
 Packing Group II

IMDG/IMO

UN-No UN1166
 Proper Shipping Name DIOXOLANE
 Hazard Class 3
 Packing Group II

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|----------------------------|----------|------|--|--------------------------------|
| 1,3-Dioxolane | 646-06-0 | X | ACTIVE | - |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|----------------------------|----------|-----|------|-----------|-------|------|------|------|-------|----------|
| 1,3-Dioxolane | 646-06-0 | X | - | 211-463-5 | X | X | X | - | X | KE-12027 |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | X | - | 204-881-4 | X | X | X | X | X | KE-03079 |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|----------------------------|---------------|------------|--------------|----------|--------------|
| 1,3-Dioxolane | X | X | X | - | - |
| 2,6-Di-tert-butyl-p-cresol | X | X | X | - | X |

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|----------------------------|----------|----------|------------------------------|---------------------------|--|
| 1,3-Dioxolane | 646-06-0 | Listed | Not applicable | Not applicable | Not applicable |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | Listed | Not applicable | Not applicable | Not applicable |

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-----------|--------|---|--|----------------------------|------------------------------------|
| | | | | | |

| | | | | | |
|----------------------------|----------|----------------|----------------|----------------|----------------|
| 1,3-Dioxolane | 646-06-0 | Not applicable | Not applicable | Not applicable | Not applicable |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By

Regulatory Affairs
Thermo Fisher Scientific
Email: EMSDS.RA@thermofisher.com

Creation Date

01-Jun-2010

Revision Date

26-Dec-2021

Print Date

26-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS