

SAFETY DATA SHEET

Creation Date 24-Nov-2009 Revision Date 24-Dec-2021 Revision Number 5

1. Identification

Product Name Acetonitrile with 0,1% (v/v) Formic acid

Cat No.: LS120-1; LS120-4; LS120-212; LS120-500; LS120SS-50; NC2049686

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute oral toxicity

Category 4

Acute dermal toxicity

Category 4

Acute Inhalation Toxicity - Vapors

Serious Eye Damage/Eye Irritation

Category 2

Category 4

Category 2

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor Causes serious eye irritation Harmful if swallowed, in contact with skin or if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skir

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Acetonitrile	75-05-8	>99.9
Formic acid	64-18-6	0.1

4. First-aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance. If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically Notes to Physician

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

No information available **Unsuitable Extinguishing Media**

6 °C / 42.8 °F **Flash Point**

No information available Method -

Autoignition Temperature 524 °C / 975.2 °F

Explosion Limits

16.00 vol % Upper Lower 4.4 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

Hazardous Combustion Products

Hydrogen cyanide (hydrocyanic acid). Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health **Flammability** Instability Physical hazards 2 3 N/A

Accidental release measures

Remove all sources of ignition. Use personal protective equipment as required. Take **Personal Precautions**

precautionary measures against static discharges. Do not get in eyes, on skin, or on

clothing.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Remove all sources of ignition. Soak up with inert absorbent material. Take precautionary Up

measures against static discharges. Keep in suitable, closed containers for disposal. Use

spark-proof tools and explosion-proof equipment.

7. Handling and storage

Handling Use only under a chemical fume hood. Keep away from open flames, hot surfaces and

sources of ignition. Take precautionary measures against static discharges. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Use spark-proof tools and explosion-proof equipment. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Do not breathe mist/vapors/spray.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing

agents. Strong acids. Reducing Agent.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Acetonitrile	TWA: 20 ppm	(Vacated) TWA: 40 ppm	IDLH: 137 ppm IDLH: 25	TWA: 20 ppm
	Skin	(Vacated) TWA: 70 mg/m ³	mg/m³	
		(Vacated) TWA: 5 mg/m ³	TWA: 20 ppm	
		(Vacated) STEL: 60 ppm	TWA: 34 mg/m ³	
		(Vacated) STEL: 105 mg/m ³	_	
		TWA: 40 ppm		
		TWA: 70 mg/m ³		
Formic acid	TWA: 5 ppm	(Vacated) TWA: 5 ppm	IDLH: 30 ppm	TWA: 5 ppm
	STEL: 10 ppm	(Vacated) TWA: 9 mg/m ³	TWA: 5 ppm	STEL: 10 ppm
	1	TWA: 5 ppm	TWA: 9 mg/m ³	
		TWA: 9 mg/m ³	_	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location. Use explosion-proof electrical/ventilating/lighting

equipment. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid
Appearance Clear
Odor aromatic

Odor ThresholdNo information availablepHNo information availableMelting Point/RangeNo data available

Boiling Point/RangeNo information availableFlash Point6 °C / 42.8 °FEvaporation RateNo information availableFlammability (solid,gas)Not applicable

Flammability or explosive limits

 Upper
 16.00 vol %

 Lower
 4.4 vol %

Vapor PressureNo information availableVapor DensityNo information available

Specific Gravity 0.7810

Solubility
Miscible with water
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Miscible with water
No data available
524 °C / 975.2 °F
No information available
No information available

Molecular FormulaC2 H3 NMolecular Weight41.05

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Heat, flames and sparks. Keep away from open flames, hot

surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong acids, Reducing Agent

Hazardous Decomposition Products Hydrogen cyanide (hydrocyanic acid), Nitrogen oxides (NOx), Carbon monoxide (CO),

Carbon dioxide (CO₂)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

 Oral LD50
 Category 4. ATE = 300 - 2000 mg/kg.

 Dermal LD50
 Category 4. ATE = 1000 - 2000 mg/kg.

 Vapor LC50
 Category 4. ATE = 10 - 20 mg/l.

Component Information

omponom miormanom	•	•	,
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetonitrile	450-787 mg/kg (Rat) 2460 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	LC50 = 3587 ppm (6.022 mg/l) (Mouse) 4h LC50 = 16,000 ppm (26.8 mg/l) (Rat) 4h
Formic acid	LD50 = 1100 mg/kg (Rat)	Not listed	LC50 = 7.85 mg/L (Rat) 4 h

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Acetonitrile	75-05-8	Not listed				
Formic acid	64-18-6	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

None known STOT - single exposure STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

No information available **Endocrine Disruptor Information**

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Acetonitrile	Not listed	LC50: = 1850 mg/L, 96h	EC50 = 28000 mg/L 48 h	Not listed
		static (Lepomis macrochirus)	EC50 = 73 mg/L 24 h	
		LC50: = 1000 mg/L, 96h	EC50 = 7500 mg/L 15 h	
		static (Pimephales		
		promelas)		
		LC50: 1600 - 1690 mg/L,		
		96h flow-through		
		(Pimephales promelas)		
		LC50: = 1650 mg/L, 96h		
		static (Poecilia reticulata)		
Formic acid	EC50 = 25 mg/L/96h	Leuciscus idus: LC50 =	EC50 = 46.7 mg/L/17h	EC50 = 34 mg/L/48h
		46-100 mg/l /96h		

Persistence and Degradability Persistence is unlikely

Bioaccumulation/ Accumulation No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Acetonitrile	-0.34
Formic acid	-0.54

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Acetonitrile - 75-05-8	U003	-
Formic acid - 64-18-6	U123	-

14. Transport information

DOT

UN-No UN1648

Proper Shipping Name ACETONITRILE SOLUTION

Hazard Class 3
Packing Group ||

TDG

UN-No UN1648

Proper Shipping Name ACETONITRILE SOLUTION

Hazard Class 3
Packing Group ||

<u>IATA</u>

UN-No UN1648

Proper Shipping Name ACETONITRILE SOLUTION

Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN1648

Proper Shipping Name ACETONITRILE SOLUTION

Hazard Class 3
Packing Group ||

15. Regulatory information

United States of America Inventory

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
	Acetonitrile	75-05-8	Х	ACTIVE	-
ı	Formic acid	64-18-6	Χ	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Acetonitrile	75-05-8	Х	-	200-835-2	Χ	Χ	Х	Х	Х	KE-00067
Formic acid	64-18-6	Х	-	200-579-1	Х	Х	Х	Х	Х	KE-17233

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Acetonitrile	75-05-8	>99.9	1.0
Formic acid	64-18-6	0.1	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Acetonitrile	-	-	X	X
Formic acid	X	5000 lb	-	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Acetonitrile	X		-

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Acetonitrile	5000 lb	-
Formic acid	5000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetonitrile	X	X	X	Х	X
Formic acid	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant Y
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Acetonitrile	-	Use restricted. See item 75.	-
		(see link for restriction details)	
Formic acid	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Acetonitrile	75-05-8	Listed	Not applicable	Not applicable	Not applicable
Formic acid	64-18-6	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Acetonitrile	75-05-8	Not applicable	Not applicable	Not applicable	Not applicable
Formic acid	64-18-6	Not applicable	Not applicable	Not applicable	Annex I - Y34

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 24-Nov-2009

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS