

## SAFETY DATA SHEET

Creation Date 12-Oct-2010

Revision Date 14-Feb-2020

Revision Number 3

### 1. Identification

**Product Name** Aluminum shot

**Cat No. :** 10573

**CAS-No** 7429-90-5  
**Synonyms** No information available

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.  
**Details of the supplier of the safety data sheet**

**Company**

Alfa Aesar  
Thermo Fisher Scientific Chemicals, Inc.  
30 Bond Street  
Ward Hill, MA 01835-8099  
Tel: 800-343-0660  
Fax: 800-322-4757  
**Email:** tech@alfa.com  
www.alfa.com

**Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.  
After normal business hours, call Carechem 24 at (866) 928-0789.

### 2. Hazard(s) identification

**Classification**

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

**Label Elements**

None required

**Hazards not otherwise classified (HNOC)**

None identified

### 3. Composition/Information on Ingredients

| Component | CAS-No    | Weight % |
|-----------|-----------|----------|
| Aluminum  | 7429-90-5 | 99       |

#### 4. First-aid measures

|  |   |
|--|---|
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.         |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur. |
| <b>Inhalation</b>                          | Remove to fresh air. Get medical attention immediately if symptoms occur.   |
| <b>Ingestion</b>                           | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.                   |
| <b>Most important symptoms and effects</b> | None reasonably foreseeable.  |
| <b>Notes to Physician</b>                  | Treat symptomatically   |

#### 5. Fire-fighting measures

|   |                          |
|---|--------------------------|
| <b>Unsuitable Extinguishing Media</b>   | No information available |
| <b>Flash Point</b>                      | Not applicable           |
| <b>Method -</b>                         | No information available |
| <b>Autoignition Temperature</b>         | No information available |
| <b>Explosion Limits</b>                 |                          |
| <b>Upper</b>                            | No data available        |
| <b>Lower</b>                            | No data available        |
| <b>Sensitivity to Mechanical Impact</b> | No information available |
| <b>Sensitivity to Static Discharge</b>  | No information available |

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### Hazardous Combustion Products

Fumes of aluminum or aluminum oxide.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### NFPA

**Health**  
1

**Flammability**  
1

**Instability**  
1

**Physical hazards**  
N/A W

#### 6. Accidental release measures

|   |   |
|---|---|
| <b>Personal Precautions</b>                 | Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. |
| <b>Environmental Precautions</b>            | Should not be released into the environment.  |
| <b>Methods for Containment and Clean Up</b> | Sweep up and shovel into suitable containers for disposal. Avoid dust formation.                  |

#### 7. Handling and storage

|                 |   |
|-----------------|---|
| <b>Handling</b> | Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation. |
|-----------------|---|

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. Exposure controls / personal protection

### Exposure Guidelines

| Component | ACGIH TLV                | OSHA PEL   | NIOSH IDLH  | Mexico OEL (TWA)                                  |
|-----------|--------------------------|--|---|---|
| Aluminum  | TWA: 1 mg/m <sup>3</sup> | (Vacated) TWA: 15 mg/m <sup>3</sup><br>(Vacated) TWA: 5 mg/m <sup>3</sup><br>TWA: 15 mg/m <sup>3</sup><br>TWA: 5 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup><br>TWA: 5 mg/m <sup>3</sup> | TWA: 1 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> |

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** None under normal use conditions.

### Personal Protective Equipment

|                                 |   |
|---------------------------------|---|
| <b>Eye/face Protection</b>      | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. |
| <b>Skin and body protection</b> | Wear appropriate protective gloves and clothing to prevent skin exposure.   |
| <b>Respiratory Protection</b>   | No protective equipment is needed under normal use conditions.  |
| <b>Hygiene Measures</b>         | Handle in accordance with good industrial hygiene and safety practice.  |

## 9. Physical and chemical properties

|   |                                |
|---|--------------------------------|
| <b>Physical State</b>                         | Solid; Various Form            |
| <b>Appearance</b>                             | Silver / Grey                  |
| <b>Odor</b>                                   | Odorless                       |
| <b>Odor Threshold</b>                         | No information available       |
| <b>pH</b>                                     | Not applicable                 |
| <b>Melting Point/Range</b>                    | 660 °C / 1220 °F               |
| <b>Boiling Point/Range</b>                    | 2327 °C / 4220.6 °F @ 760 mmHg |
| <b>Flash Point</b>                            | Not applicable                 |
| <b>Evaporation Rate</b>                       | Not applicable                 |
| <b>Flammability (solid,gas)</b>               | No information available       |
| <b>Flammability or explosive limits</b>       |                                |
| <b>Upper</b>                                  | No data available              |
| <b>Lower</b>                                  | No data available              |
| <b>Vapor Pressure</b>                         | No information available       |
| <b>Vapor Density</b>                          | Not applicable                 |
| <b>Specific Gravity</b>                       | 2.700                          |
| <b>Solubility</b>                             | insoluble                      |
| <b>Partition coefficient; n-octanol/water</b> | No data available              |
| <b>Autoignition Temperature</b>               | No information available       |
| <b>Decomposition Temperature</b>              | No information available       |
| <b>Viscosity</b>                              | Not applicable                 |
| <b>Molecular Formula</b>                      | Al                             |
| <b>Molecular Weight</b>                       | 26.97                          |

## 10. Stability and reactivity

|   |  |
|---|--|
| <b>Reactive Hazard</b>                  | None known, based on information available   |
| <b>Stability</b>                        | Stable under normal conditions.  |
| <b>Conditions to Avoid</b>              | Incompatible products. Excess heat. Avoid dust formation. Exposure to air. Exposure to moist air or water. |
| <b>Incompatible Materials</b>           | Strong oxidizing agents  |
| <b>Hazardous Decomposition Products</b> | Fumes of aluminum or aluminum oxide  |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.   |
| <b>Hazardous Reactions</b>              | None under normal processing.  |

## 11. Toxicological information

### Acute Toxicity

**Product Information** No acute toxicity information is available for this product

### **Component Information**

**Toxicologically Synergistic Products** No information available

### **Products**

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Irritation** No information available

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No    | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-----------|-----------|------------|------------|------------|------------|------------|
| Aluminum  | 7429-90-5 | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** None known

**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** No information available

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

**Persistence and Degradability** Insoluble in water

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

### 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

**DOT** Not regulated  
**TDG** Not regulated  
**IATA** Not regulated  
**IMDG/IMO** Not regulated

### 15. Regulatory information

#### United States of America Inventory

| Component | CAS-No    | TSCA | TSCA Inventory notification - Active/Inactive | TSCA - EPA Regulatory Flags |
|-----------|-----------|------|---|-----------------------------|
| Aluminum  | 7429-90-5 | X    | ACTIVE  | -                           |

**Legend:**

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

**TSCA 12(b)** - Notices of Export Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

| Component | CAS-No    | DSL | NDSL | EINECS    | PICCS | ENCS | AICS | IECSC | KECL     |
|-----------|-----------|-----|------|-----------|-------|------|------|-------|----------|
| Aluminum  | 7429-90-5 | X   | -    | 231-072-3 | X     | X    | X    | X     | KE-00881 |

#### U.S. Federal Regulations

##### SARA 313

| Component | CAS-No    | Weight % | SARA 313 - Threshold Values % |
|-----------|-----------|----------|-------------------------------|
| Aluminum  | 7429-90-5 | 99       | 1.0                           |

**SARA 311/312 Hazard Categories** See section 2 for more information

**CWA (Clean Water Act)** Not applicable

**Clean Air Act** Not applicable

**OSHA - Occupational Safety and Health Administration** Not applicable

**CERCLA** Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-----------|---------------|------------|--------------|----------|--------------|
| Aluminum  | X             | X          | X            | -        | X            |

**U.S. Department of Transportation**

Reportable Quantity (RQ): N  
 DOT Marine Pollutant N  
 DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security**

This product contains the following DHS chemicals:  
**Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component | DHS Chemical Facility Anti-Terrorism Standard |
|-----------|---|
| Aluminum  | -   |

**Other International Regulations**

**Mexico - Grade** No information available

## 16. Other information

**Prepared By** Health, Safety and Environmental Department  
 Email: tech@alfa.com  
 www.alfa.com

**Creation Date** 12-Oct-2010  
**Revision Date** 14-Feb-2020  
**Print Date** 14-Feb-2020  
**Revision Summary** SDS authoring systems update, replaces ChemGes SDS No. 7429-90-5/2.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**