

SAFETY DATA SHEET

Creation Date 09-May-2012 Revision Date 29-Mar-2024 Revision Number 4

1. Identification

Product Name Aluminum sulfate, anhydrous

Cat No. : 44563

CAS No 10043-01-3

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Causes serious eye damage



Precautionary Statements

Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Aluminum sulfate	10043-01-3	>95

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention.

Inhalation Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen.

If not breathing, give artificial respiration. Get medical attention.

Ingestion Clean mouth with water. Get medical attention.

Most important symptoms and

effects

Causes eye burns.

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Non-combustible.

Hazardous Combustion Products

Sulfur oxides. Burning produces obnoxious and toxic fumes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	0	N/A

6. Accidental release measures

Personal Precautions
Environmental Precautions

Ensure adequate ventilation. Use personal protective equipment as required. See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Avoid dust formation. Sweep up and shovel into suitable containers for disposal. Do not let **Up** this chemical enter the environment.

	7. Handling and storage
Handling	Avoid contact with skin and eyes. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. Use only in well-ventilated areas. Minimize dust generation and accumulation.
Storage	Keen in a dry cool and well-ventilated place. Keen container tightly closed. Incompatible

Storage. Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Incompatible Materials. Water. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Aluminum sulfate		(Vacated) TWA: 2 mg/m ³	TWA: 2 mg/m ³	

Legend

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory ProtectionNo protective equipment is needed under normal use conditions.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Aluminum sulfate, anhydrous

Physical State Powder Solid **Appearance** White

Odor No information available **Odor Threshold** No information available No information available 770 °C / 1418 °F **Melting Point/Range Boiling Point/Range** No information available Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

No data available Upper Lower No data available **Vapor Pressure** No information available

Vapor Density Not applicable **Specific Gravity** No information available

Solubility No information available Partition coefficient; n-octanol/water No data available

No information available **Autoignition Temperature** 770°C

Decomposition Temperature

Viscosity Not applicable Molecular Formula Al2 O12 S3 **Molecular Weight** 342.13

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stable under normal conditions. Hygroscopic. Stability

Conditions to Avoid Incompatible products. Exposure to moist air or water.

Incompatible Materials Water, Strong oxidizing agents

Hazardous Decomposition Products Sulfur oxides, Burning produces obnoxious and toxic fumes

Hazardous polymerization does not occur. **Hazardous Polymerization**

None under normal processing. **Hazardous Reactions**

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component		LD50 Oral	LD50 Dermal	LC50 Inhalation	
	Aluminum sulfate 6207 mg/kg (Mouse)		>5 g/kg (Rabbit)	Not listed	

No information available **Toxicologically Synergistic**

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
ı	Aluminum sulfate	10043-01-3	Not listed				

Aluminum sulfate, anhydrous

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

No information available. **Teratogenicity**

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and No information available

delayed

No information available **Endocrine Disruptor Information**

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

12. Ecological information

Ecotoxicity

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Aluminum sulfate	Not listed	LC50: = 27.9 mg/L, 96h static (Pimephales promelas)	Not listed	136 mg/L EC50 15 min 38.2 mg/L EC50 48h

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

Not regulated DOT **TDG** Not regulated Not regulated IATA IMDG/IMO Not regulated

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA TSCA Inventory notification - Active-Inactive	
Aluminum sulfate	10043-01-3	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Aluminum sulfate	10043-01-3	Х	-	233-135-0	Х	Х	Х	Х	Х	KE-01042

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	
Aluminum sulfate	X	5000 lb	-	-	

Clean Air Act Not applicable

OSHA - Occupational Safety and

Not applicable

Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Aluminum sulfate	5000 lb	-	5000 lb 2270 kg

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
Aluminum sulfate	Χ	X	X	-	-	

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Aluminum sulfate	10043-01-3	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Aluminum sulfate	10043-01-3	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
·		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
	Qualifying Quantities Qualifying Quantities				
		for Major Accident for Safety Report			
		Notification	Requirements		
Aluminum sulfate	10043-01-3	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 09-May-2012

 Revision Date
 29-Mar-2024

 Print Date
 29-Mar-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS