

SAFETY DATA SHEET

Creation Date 22-Oct-2009

Revision Date 19-Jan-2018

Revision Number 7

1. Identification

Product Name 2-Methoxyethanol

Cat No. : AC180790000; AC180790010; AC180790025; AC180790250

CAS-No 109-86-4
Synonyms Ethylene glycol monomethyl ether; Methyl cellosolve

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.
Details of the supplier of the safety data sheet

Company

Fisher Scientific
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--|-------------|
| Flammable liquids | Category 3 |
| Acute oral toxicity | Category 4 |
| Acute dermal toxicity | Category 4 |
| Acute Inhalation Toxicity - Vapors | Category 4 |
| Reproductive Toxicity | Category 1B |
| Specific target organ toxicity (single exposure) | Category 1 |
| Target Organs - Immune system. | |
| Specific target organ toxicity - (repeated exposure) | Category 2 |
| Target Organs - Thymus. | |

Label Elements

Signal Word
Danger

Hazard Statements

Flammable liquid and vapor
 May damage fertility. May damage the unborn child
 Causes damage to organs
 May cause damage to organs through prolonged or repeated exposure
 Harmful if swallowed, in contact with skin or if inhaled



Precautionary Statements

Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof electrical/ventilating/lighting/equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge

Response

IF exposed: Call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician if you feel unwell

Skin

Call a POISON CENTER or doctor/physician if you feel unwell
 Wash contaminated clothing before reuse
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth

Fire

In case of fire: Use CO₂, dry chemical, or foam for extinction

Storage

Store locked up
 Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

WARNING. Reproductive Harm - <https://www.p65warnings.ca.gov/>.

3. Composition/Information on Ingredients

| Component | CAS-No | Weight % |
|------------------|----------|----------|
| 2-Methoxyethanol | 109-86-4 | >95 |

4. First-aid measures

| | |
|--|--|
| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
| Eye Contact | In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required. |
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. |
| Ingestion | Do NOT induce vomiting. Call a physician or poison control center immediately. |
| Most important symptoms and effects | Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|---|
| Suitable Extinguishing Media | Water spray, carbon dioxide (CO ₂), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| Unsuitable Extinguishing Media | No information available |
| Flash Point | 38 °C / 100.4 °F |
| Method - | No information available |
| Autoignition Temperature | 285 °C / 545 °F |
| Explosion Limits | |
| Upper | 20 vol % |
| Lower | 1.8 vol % |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). peroxides. Methanol.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

| | | | |
|---------------|---------------------|--------------------|-------------------------|
| Health | Flammability | Instability | Physical hazards |
| 3 | 2 | 1 | N/A |

6. Accidental release measures

| | |
|-----------------------------|---|
| Personal Precautions | Use personal protective equipment as required. Ensure adequate ventilation. Keep people |
|-----------------------------|---|

Environmental Precautions away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges. Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7. Handling and storage

Handling Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Storage Flammables area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. May form explosive peroxides on prolonged storage. Keep under nitrogen.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|------------------|----------------------|--|---|------------------|
| 2-Methoxyethanol | TWA: 0.1 ppm Skin | (Vacated) TWA: 25 ppm (Vacated) TWA: 80 mg/m ³ Skin TWA: 25 ppm TWA: 80 mg/m ³ | IDLH: 200 ppm TWA: 0.1 ppm TWA: 0.3 mg/m ³ | TWA: 0.1 ppm |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid
Appearance Colorless
Odor Faint ethereal

| | |
|--|------------------------------|
| Odor Threshold | No information available |
| pH | 4-7 @ 20°C 200 g/l aq.sol |
| Melting Point/Range | -85 °C / -121 °F |
| Boiling Point/Range | 124 °C / 255.2 °F @ 760 mmHg |
| Flash Point | 38 °C / 100.4 °F |
| Evaporation Rate | 0.5 |
| Flammability (solid,gas) | Not applicable |
| Flammability or explosive limits | |
| Upper | 20 vol % |
| Lower | 1.8 vol % |
| Vapor Pressure | 9.5 mmHg @ 25°C |
| Vapor Density | 2.6 |
| Specific Gravity | 0.960 |
| Solubility | Soluble in water |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | 285 °C / 545 °F |
| Decomposition Temperature | No information available |
| Viscosity | 1.98 cP @ 20°C |
| Molecular Formula | C3 H8 O2 |
| Molecular Weight | 76.09 |

10. Stability and reactivity

| | |
|---|---|
| Reactive Hazard | None known, based on information available |
| Stability | Reacts with air to form peroxides. |
| Conditions to Avoid | Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. Excess heat. Exposure to light. Exposure to air over prolonged period. |
| Incompatible Materials | Strong oxidizing agents, Acids, Bases, Copper alloys, copper |
| Hazardous Decomposition Products | Carbon monoxide (CO), Carbon dioxide (CO ₂), peroxides, Methanol |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Acute Toxicity

Product Information Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------------|---------------------------|------------------------------|-----------------------------|
| 2-Methoxyethanol | LD50 = 2370 mg/kg (Rat) | LD50 = 1280 mg/kg (Rabbit) | LC50 = 1478 ppm (Rat) 7 h |

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|------------------|----------|------------|------------|------------|------------|------------|
| 2-Methoxyethanol | 109-86-4 | Not listed | Not listed | Not listed | Not listed | Not listed |

Mutagenic Effects No information available

| | |
|---|---|
| Reproductive Effects | Category 1B. |
| Developmental Effects | No information available. |
| Teratogenicity | Teratogenic effects have occurred in experimental animals. |
| STOT - single exposure | Immune system |
| STOT - repeated exposure | Thymus |
| Aspiration hazard | No information available |
| Symptoms / effects, both acute and delayed | Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting |
| Endocrine Disruptor Information | No information available |
| Other Adverse Effects | The toxicological properties have not been fully investigated. |

12. Ecological information

Ecotoxicity

Do not empty into drains. .

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|------------------|------------------|--|------------|---|
| 2-Methoxyethanol | Not listed | LC50: = 16000 mg/L, 96h static (Oncorhynchus mykiss) LC50: > 500 mg/L, 96h static (Leuciscus idus) LC50: = 9650 mg/L, 96h static (Lepomis macrochirus) LC50: = 10000 mg/L, 96h static (Lepomis macrochirus) | Not listed | EC50: > 10000 mg/L, 24h (Daphnia magna) |

| | |
|--------------------------------------|---|
| Persistence and Degradability | Persistence is unlikely |
| Bioaccumulation/ Accumulation | No information available. |
| Mobility | Will likely be mobile in the environment due to its water solubility. |

| Component | log Pow |
|------------------|---------|
| 2-Methoxyethanol | -0.85 |

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

| | |
|-----------------------------|----------------------------------|
| UN-No | UN1188 |
| Proper Shipping Name | ETHYLENE GLYCOL MONOMETHYL ETHER |
| Hazard Class | 3 |
| Packing Group | III |

TDG

| | |
|-----------------------------|----------------------------------|
| UN-No | UN1188 |
| Proper Shipping Name | ETHYLENE GLYCOL MONOMETHYL ETHER |
| Hazard Class | 3 |
| Packing Group | III |

IATA

| | |
|--------------|--------|
| UN-No | UN1188 |
|--------------|--------|

| | |
|-----------------------------|----------------------------------|
| Proper Shipping Name | ETHYLENE GLYCOL MONOMETHYL ETHER |
| Hazard Class | 3 |
| Packing Group | III |
| IMDG/IMO | |
| UN-No | UN1188 |
| Proper Shipping Name | ETHYLENE GLYCOL MONOMETHYL ETHER |
| Hazard Class | 3 |
| Packing Group | III |

15. Regulatory information

United States of America Inventory

| Component | CAS-No | TSCA | TSCA Inventory notification - Active/Inactive | TSCA - EPA Regulatory Flags |
|------------------|----------|------|---|-----------------------------|
| 2-Methoxyethanol | 109-86-4 | X | ACTIVE | S |

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule.

TSCA 12(b) - Notices of Export

| Component | CAS-No | TSCA 12(b) - Notices of Export |
|------------------|----------|--------------------------------|
| 2-Methoxyethanol | 109-86-4 | Section 5 |

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

| Component | CAS-No | DSL | NDSL | EINECS | PICCS | ENCS | AICS | IECSC | KECL |
|------------------|----------|-----|------|-----------|-------|------|------|-------|----------|
| 2-Methoxyethanol | 109-86-4 | X | - | 203-713-7 | X | X | X | X | KE-23272 |

U.S. Federal Regulations

SARA 313

| Component | CAS-No | Weight % | SARA 313 - Threshold Values % |
|------------------|----------|----------|-------------------------------|
| 2-Methoxyethanol | 109-86-4 | >95 | 1.0 |

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|------------------|-----------|-------------------------|-------------------------|
| 2-Methoxyethanol | X | | - |

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA Not applicable

California Proposition 65 This product contains the following Proposition 65 chemicals.

| Component | CAS-No | California Prop. 65 | Prop 65 NSRL | Category |
|------------------|----------|------------------------------------|--------------|---------------|
| 2-Methoxyethanol | 109-86-4 | Developmental Male Reproductive | - | Developmental |

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|------------------|---------------|------------|--------------|----------|--------------|
| 2-Methoxyethanol | X | X | X | X | X |

U.S. Department of Transportation

Reportable Quantity (RQ): N
 DOT Marine Pollutant N
 DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Moderate risk, Grade 2

16. Other information

Prepared By Regulatory Affairs
 Thermo Fisher Scientific
 Email: EMSDS.RA@thermofisher.com

Creation Date 22-Oct-2009
Revision Date 19-Jan-2018
Print Date 19-Jan-2018
Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS