

SAFETY DATA SHEET

Creation Date 21-May-2012

Revision Date 19-Dec-2025

Revision Number 8

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200)

1. Identification

Product Name Sodium hydroxide, 50 wt% solution in water

Cat No. : AC380210000; AC380210025; AC380210100; AC380215000

Synonyms Caustic soda

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous according to [US] OSHA (29 CFR 1910.1200, 2024)

| | |
|--|--------------|
| Corrosive to metals | Category 1 |
| Skin Corrosion/Irritation | Category 1 A |
| Serious Eye Damage/Eye Irritation | Category 1 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Target Organs - Respiratory system. | |

Label Elements

Signal Word

Danger

Hazard Statements

May be corrosive to metals
Causes severe skin burns and eye damage

May cause respiratory irritation



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Use only outdoors or in a well-ventilated area
 Keep only in original packaging

Response

Immediately call a POISON CENTER or doctor

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
 Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Spills

Absorb spillage to prevent material damage

Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed
 Store in corrosive resistant polypropylene container with a resistant inliner
 Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available

3. Composition/information on Ingredients

| Component | CAS No | Weight % |
|------------------|-----------|----------|
| Water | 7732-18-5 | 50 |
| Sodium hydroxide | 1310-73-2 | 50 |

4. First-aid measures

General Advice

Take off contaminated clothing and shoes immediately.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
 Immediate medical attention is required.

Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated

| | |
|--|--|
| | clothes and shoes. Immediate medical attention is required. |
| Inhalation | Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration. |
| Ingestion | Do NOT induce vomiting. Call a physician or poison control center immediately. |
| Most important symptoms and effects | Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|---|
| Suitable Extinguishing Media | Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. |
| Unsuitable Extinguishing Media | Carbon dioxide (CO ₂) |
| Flash Point | No information available |
| Method - | No information available |
| Autoignition Temperature | Not applicable |
| Explosion Limits | |
| Upper | No data available |
| Lower | No data available |
| Oxidizing Properties | Not oxidising |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Corrosive material. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Sodium oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| | | | |
|--------------------|--------------------------|-------------------------|--------------------------------|
| Health 3 | Flammability 0 | Instability 1 | Physical hazards N/A |
|--------------------|--------------------------|-------------------------|--------------------------------|

6. Accidental release measures

| | |
|---|--|
| Personal Precautions | Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe areas. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. |
| Environmental Precautions | Avoid release to the environment. See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system. |
| Methods for Containment and Clean Up | Wear self-contained breathing apparatus and protective suit. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. |

7. Handling and Storage

| | |
|-----------------|--|
| Handling | Use only under a chemical fume hood. Wear personal protective equipment/face protection. |
|-----------------|--|

Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Acids. Organic materials. Metals. .

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH | Mexico OEL (TWA) |
|------------------|------------------------------|--|--|------------------------------|
| Sodium hydroxide | Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ TWA: 2 mg/m ³ | IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment**Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type:

Particulates filter conforming to EN 143.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance**Physical State**

Liquid

Color

Clear, Viscous

Odor

Odorless

Odor Threshold

No information available

Property**Values****Remarks****• Method****Melting Point/Range**

12 °C / 53.6 °F

Softening Point

No data available

Boiling Point/Range

145 °C / 293 °F

Flash Point

No information available

Method - No information available

Flammability (liquid)

No data available

Flammability (solid,gas)

Not applicable

Liquid

Explosion Limits

Not applicable

Autoignition Temperature

Not applicable

Decomposition Temperature

No data available

| | | |
|--|--------------------------|-------------|
| pH | > 13 | Alkaline |
| Viscosity | No data available | |
| Water Solubility | Soluble | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/water) | | |
| Vapor Pressure | 14 mmHg | |
| Density / Specific Gravity | 1.500 | |
| Bulk Density | Not applicable | Liquid |
| Vapor Density | > 1.0 | (Air = 1.0) |
| Particle characteristics | Not applicable (liquid) | |

Other Information

| | |
|-----------------------------|---------------|
| Explosive Properties | Not explosive |
| Oxidizing Properties | Not oxidising |

10. Stability and reactivity

Reactive Hazard

| | |
|---|--|
| Stability | Stable under recommended storage conditions. |
| Conditions to Avoid | Incompatible products. Excess heat. |
| Incompatible Materials | Acids, Organic materials, Metals, |
| Hazardous Decomposition Products | Sodium oxides |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | Corrosive to metals. |

11. Toxicological information

Information on expected route of exposure

| | |
|-------------------|---|
| Inhalation | Not an expected route of exposure. |
| Ingestion | May be harmful if swallowed. |
| Eyes | Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness. |
| Skin | Avoid contact with skin. Causes burns. Skin Corrosion/Irritation. |

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------------|-------------------------|-----------------------|-----------------|
| Water | - | - | - |
| Sodium hydroxide | 140 - 340 mg/kg (Rat) | 1350 mg/kg (Rabbit) | - |

| | |
|---|--|
| Toxicologically Synergistic Products | No information available |
| (b) skin corrosion/irritation; | Category 1 A |
| (c) serious eye damage/irritation; | Category 1 |
| (d) respiratory or skin sensitization; | |
| Respiratory | Based on available data, the classification criteria are not met |

- Skin** Based on available data, the classification criteria are not met
- (e) germ cell mutagenicity;** Based on available data, the classification criteria are not met
- (f) carcinogenicity;** Based on available data, the classification criteria are not met
The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|------------------|-----------|------------|------------|------------|------------|------------|
| Water | 7732-18-5 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Sodium hydroxide | 1310-73-2 | Not listed | Not listed | Not listed | Not listed | Not listed |

- (g) reproductive toxicity;** Based on available data, the classification criteria are not met

- (h) STOT-single exposure;** Not classified
Bridging principle "Dilution"

- (i) STOT-repeated exposure;** Not classified
Bridging principle "Dilution"

Target Organs None known.

- (j) aspiration hazard;** Based on available data, the classification criteria are not met

Symptoms / effects, both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Other Adverse Effects The toxicological properties have not been fully investigated.

Endocrine Disrupting Properties This product does not contain any known or suspected endocrine disruptors.

12. Ecological information

Ecotoxicity

Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|------------------|------------------|---|------------|------------|
| Sodium hydroxide | Not listed | LC50 = 45.4 mg/L, 96h static (Oncorhynchus mykiss) | Not listed | Not listed |

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1824
 Proper Shipping Name SODIUM HYDROXIDE SOLUTION
 Hazard Class 8
 Packing Group II

TDG

UN-No UN1824
 Proper Shipping Name SODIUM HYDROXIDE SOLUTION
 Hazard Class 8
 Packing Group II

IATA

UN-No UN1824
 Proper Shipping Name SODIUM HYDROXIDE SOLUTION
 Hazard Class 8
 Packing Group II

IMDG/IMO

UN-No UN1824
 Proper Shipping Name SODIUM HYDROXIDE SOLUTION
 Hazard Class 8
 Packing Group II

15. Regulatory Information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|------------------|-----------|------|---|-----------------------------|
| Water | 7732-18-5 | X | ACTIVE | - |
| Sodium hydroxide | 1310-73-2 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|------------------|-----------|-----|-----|-----------|-------|------|------|------|-------|----------|
| Water | 7732-18-5 | X | - | 231-791-2 | X | X | | X | X | KE-35400 |
| Sodium hydroxide | 1310-73-2 | X | - | 215-185-5 | X | X | X | X | X | KE-31487 |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|------------------|----------------------------|-----------------------------|------------------------|---------------------------|
| Sodium hydroxide | X | 1000 lb | - | - |

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

| Component | Hazardous Substances RQs | CERCLA Extremely Hazardous Substances RQs | SARA Reportable Quantity (RQ) |
|------------------|--------------------------|---|-------------------------------|
| Sodium hydroxide | 1000 lb | - | 1000 lb 454 kg |

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|------------------|---------------|------------|--------------|----------|--------------|
| Water | - | - | X | - | - |
| Sodium hydroxide | X | X | X | - | X |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|------------------|-----------|---|---|---|
| Water | 7732-18-5 | - | - | - |
| Sodium hydroxide | 1310-73-2 | - | Use restricted. See entry 75. (see link for restriction details) | - |

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|------------------|-----------|----------|------------------------------|---------------------------|--|
| Water | 7732-18-5 | Listed | Not applicable | Not applicable | Not applicable |
| Sodium hydroxide | 1310-73-2 | Listed | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|------------------|-----------|---|--|----------------------------|------------------------------------|
| Water | 7732-18-5 | Not applicable | Not applicable | Not applicable | Not applicable |
| Sodium hydroxide | 1310-73-2 | Not applicable | Not applicable | Not applicable | Annex I - Y35 |

16. Other Information

| | |
|-------------------------|---|
| Prepared By | Product stewardship (Regulatory Affairs) Thermo Fisher Scientific email - begel.sdsdesk@thermofisher.com |
| Creation Date | 21-May-2012 |
| Revision Date | 19-Dec-2025 |
| Print Date | 19-Dec-2025 |
| Revision Summary | Updated to the U.S. Department of Labor's Occupational Safety and Health Administration (OSHA) which published its Final Rule in the Federal Register revising the Hazard Communication Standard (HCS/HazCom), 29 CFR 1910.1200 (2024) (HCS §1910.1200, 2024), May 20, 2024, effective July 19, 2024. |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS